Saulius Gražulis, Justas Butkus and Andrius Merkys. The deposition software performs rigorous checks of syntax and semantics.

The COD website allows searching on COD numerical identifier, unit-cell parameters, chemical composition and bibliographic data. Substructure searches using SMILES and SMARTS strings have been implemented. The free software package *OpenBabel* (O'Boyle *et al.*, 2011; Hutchison, 2007) is used for both the CIF-to-SMILES transformation and the actual search.

The retrieved records can be viewed online or downloaded for further processing. For massive data mining, COD permits downloads and updates of the whole database using Subversion, Rsync or http protocols. The ease of access to the COD data and its open nature has spurred the use of this resource for software testing (Grosse-Kunstleve & Gildea, 2011), teaching (Moeck, 2004) and research (First & Floudas, 2013). Multiple mirrors around the globe (Quirós-Olozábal, 2006; Gražulis, 2007; Moeck, 2007*a*; Chateigner, 2010) ensure data preservation, provide off-site backups, offer improved search interfaces (Moeck, 2007*b*) and increase reliability.

For the powder-diffraction community, the COD is interesting not only as an archive of structures solved by powder-diffraction methods, but also as a possibility for use in search/match procedures to identify crystalline compounds. Recently, the development of an open full-pattern search/match internet tool was launched by the COD developers. It allows phase quantifications from X-ray, neutron and electron powder patterns (with high- or medium-resolution instruments) provided that the structures are already in the COD. This tool is particularly suited to nanocrystalline powders, in which severe line broadening appears, precluding phase identification from only peak positions (Lutterotti *et al.*, 2012). COD-derived databases are also offered for software produced by several diffractometer vendors (Rigaku, 2011; PANalytical, 2012*a*,*b*; Bruker, 2013). In addition to the COD, searches and matches can be performed against its sister database, the PCOD, which contains structures predicted by the *GRINSP* program (Le Bail, 2005) and hypothetical zeolites (Pophale *et al.*, 2013). The power of such an approach is demonstrated by PCOD entry 3102887 (formulated as SiO_2). It was recently identified as corresponding structurally to a new phosphorus(V) oxonitride polymorph δ-PON (Baumann *et al.*, 2012).

3.7.9. Other internet databases

Other useful databases include the following:

(i) The American Mineralogist Crystal Structure Database (http://rruff.geo.arizona.edu/AMSamcsd.php).
(ii) The Mineralogy Database (http://webmineral.com).
(iii) MinCryst (http://database.iem.ac.ru/mincryst/index.php).
(iv) The International Zeolite Association Database of Zeolite Structures (http://www.iza-structure.org/databases).
(v) The Incommensurate Structures Database (http://webbdcrista1.ehu.es/incstrdb/).
(vi) The Nucleic Acid Database (http://ndbserver.rutgers.edu).

I thank Timothy G. Fawcett and Cyrus Crowder of the International Centre for Diffraction Data, Colin Groom of CCDC, Stephan Ruehl of FIZ Karlsruhe, Pierre Villars and Karen Cenzual of Material Phases Data Systems, and Saulius Gražulis of Vilnius University Institute of Biotechnology for their valuable comments and additions.

References

Adams, P. D., Afonine, P. V., Bunkóczi, G., Chen, V. B., Davis, I. W., Echols, N., Headd, J. J., Hung, L.-W., Kapral, G. J., Grosse-Kunstleve, R. W., McCoy, A. J., Moriarty, N. W., Oeffner, R., Read, R. J., Richardson, D. C., Richardson, J. S., Terwilliger, T. C. & Zwart, P. H. (2010). *PHENIX: a comprehensive Python-based system for macromolecular structure solution. Acta Cryst.* D**66**, 213–221.

Allaire, M., Moiseeva, N., Botez, C. E., Engel, M. A. & Stephens, P. W. (2009). *On the possibility of using polycrystalline material in the development of structure-based generic assays. Acta Cryst.* D**65**, 379–382.

Allen, F. H., Cole, J. C. & Verdonk, M. L. (2011). *The relevance of the Cambridge Structural Database in protein crystallography. International Tables for Crystallography*, Vol. F, 2nd ed., edited by E. Arnold, D. M. Himmel & M. G. Rossmann, pp. 736–748. Chichester: Wiley.

Allmann, R. & Hinek, R. (2007). *The introduction of structure types into the Inorganic Crystal Structure Database ICSD. Acta Cryst.* A**63**, 412–417.

Barr, G., Dong, W. & Gilmore, C. J. (2009). *PolySNAP3: a computer program for analysing and visualizing high-throughput data from diffraction and spectroscopic sources. J. Appl. Cryst.* **42**, 965–974.

Barr, G., Gilmore, C. J. & Paisley, J. (2004). *SNAP-1D: a computer program for qualitative and quantitative powder diffraction pattern analysis using the full pattern profile. J. Appl. Cryst.* **37**, 665–668.

Basso, S., Besnard, C., Wright, J. P., Margiolaki, I., Fitch, A., Pattison, P. & Schiltz, M. (2010). *Features of the secondary structure of a protein molecule from powder diffraction data. Acta Cryst.* D**66**, 756–761.

Baumann, D., Sedlmaier, S. J. & Schnick, W. (2012). *An unprecedented AB_2 tetrahedra network structure type in a high-pressure phase of phosphorus oxonitride (PON). Angew. Chem. Int. Ed.* **51**, 4707–4709.

Behrens, H. & Luksch, P. (2006). *A bibliometric study in crystallography. Acta Cryst.* B**62**, 993–1001.

Belsky, A., Hellenbrandt, M., Karen, V. L. & Luksch, P. (2002). *New developments in the Inorganic Crystal Structure Database (ICSD): accessibility in support of materials research and design. Acta Cryst.* B**58**, 364–369.

Bergerhoff, G. & Brandenburg, K. (1999). *Typical interatomic distances: inorganic compounds. International Tables for Crystallography*, Vol. C, edited by E. Prince, pp. 770–781. Dordrecht: Kluwer Academic Publishers.

Bergerhoff, G. & Brown, I. D. (1987). *Crystallographic Databases*, edited by F. H. Allen, G. Bergerhoff & R. Sievers. Chester: International Union of Crystallography.

Berman, H. M., Henrick, K., Kleywegt, G., Nakamura, H. & Markley, J. (2011). *The Worldwide Protein Data Bank. International Tables for Crystallography*, Vol. F, 2nd ed., edited by E. Arnold, D. M. Himmel & M. G. Rossmann, pp. 827–832. Chichester: Wiley.

Berman, H., Henrick, K. & Nakamura, H. (2003). *Announcing the Worldwide Protein Data Bank. Nature Struct. Mol. Biol.* **10**, 980.

Berndt, M. (1994). Thesis, University of Bonn, Germany. Updates by O. Shcherban, SCC Structure-Properties Ltd, Lviv, Ukraine.

Berndt, M. (2003). *Open crystallographic database – a role for whom?* http://www.cristal.org/SDPD-list/2003/msg00025.html.

Bigelow, W. C. & Smith, J. V. (1964). *Two new indexes to the Powder Diffraction File. ASTM Spec. Tech. Publ.* STP372, 54. https://doi.org/10.1520/STP48334S.

Boldyrev, A. K., Mikheev, V. I., Dubinina, V. N. & Dovalev, G. A. (1938). *X-ray determination tables for minerals, Ft. I. Ann. Inst. Mines Leningrad*, **11**, 1–157.

Boles, M. O., Girven, R. J. & Gane, P. A. C. (1978). *The structure of amoxycillin trihydrate and a comparison with the structures of ampicillin. Acta Cryst.* B**34**, 461–466.

Bravais, A. (1866). *Etudes Cristallographiques*. Paris: Gathier Villars.

Bruker-AXS (2013). Crystallography Open Database for DIFFRAC.EVA. https://www.bruker.com/products/x-ray-diffraction-and-elemental-analysis/x-ray-diffraction/xrd-software/eva/cod.html.

Bruno, I. J., Cole, J. C., Edgington, P. R., Kessler, M., Macrae, C. F., McCabe, P., Pearson, J. & Taylor, R. (2002). *New software for searching the Cambridge Structural Database and visualizing crystal structures. Acta Cryst.* B**58**, 389–397.

Bruno, I. J., Cole, J. C., Kessler, M., Luo, J., Motherwell, W. D. S., Purkis, L. H., Smith, B. R., Taylor, R., Cooper, R. I., Harris, S. E. & Orpen, A. G. (2004). *J. Chem. Inf. Comput. Sci.* **44**, 2133–2144.

Caussin, P., Nusinovici, J. & Beard, D. W. (1988). *Using digitized X-ray powder diffraction scans as input for a new PC-At search/match program. Adv. X-ray Anal.* **31**, 423–430.

Caussin, P., Nusinovici, J. & Beard, D. W. (1989). *Specific data handling techniques and new enhancements in a search-match program. Adv. X-ray Anal.* **32**, 531–538.

Cenzual, K., Berndt, M., Brandenburg, K., Luong, V., Flack, E. & Villars, P. (2000). *ESDD* software package. Updates by O. Shcherban, SCC Structure-Properties Ltd, Lviv, Ukraine.

Chateigner, D. (2010). *Crystallography Open Database Mirror at ENSICAEN*. http://cod.ensicaen.fr.

Cherukuri, S. C., Snyder, R. L. & Beard, D. W. (1983). *Comparison of the Hanawalt and Johnson–Vand computer search/match strategies. Adv. X-ray Anal.* **26**, 99–104.

Chipera, S. J. & Bish, D. L. (2002). *FULLPAT: a full-pattern quantitative analysis program for X-ray powder diffraction using measured and calculated patterns. J. Appl. Cryst.* **35**, 744–749.

Corey, R. B. & Wyckoff, R. W. G. (1936). *Long spacings in macromolecular solids. J. Biol. Chem*. **114**, 407–414.

Crystal Impact (2012). *Match!* v.2. Crystal Impact, Bonn, Germany.

Davey, W. P. (1922). *A new X-ray diffraction apparatus. Gen. Elec. Rev.* **25**, 565.

Davey, W. P. (1934). *Study of Crystal Structure and Its Applications*. New York: McGraw-Hill.

Debye, P. & Scherrer, P. (1916). *Interference on inordinate orientated particles in Roentgen light. Phys. Z.* **17**, 277–283.

Debye, P. & Scherrer, P. (1917). *Interference on inordinate orientated particles in X-ray light. III. Phys. Z.* **18**, 291–301.

Degen, T., Sadki, M., Bron, E., König, U. & Nénert, G. (2014). *The HighScore suite. Powder Diffr.* **29**, S13–S18.

Dilanian, R. A., Darmanin, C., Varghese, J. N., Wilkins, S. W., Oka, T., Yagi, N., Quiney, H. M. & Nugent, K. A. (2011). *A new approach for structure analysis of two-dimensional membrane protein crystals using X-ray powder diffraction data. Protein Sci.* **20**, 457–464.

Donnay, J. D. H. & Harker, D. (1937). *A new law of crystal morphology extending the law of Bravais. Am. Mineral.* **22**, 463–467.

Fawcett, T. G., Kabekkodu, S. N., Blanton, J. R. & Blanton, T. N. (2017). *Chemical analysis by diffraction: the Powder Diffraction File. Powder Diffr.* **32**, 63–71.

First, E. L. & Floudas, C. A. (2013). *MOFomics: computational pore characterization of metal–organic frameworks. Microporous Mesoporous Mater.* **165**, 32–39.

Fokine, A. & Urzhumtsev, A. (2002). *Flat bulk-solvent model: obtaining optimal parameters. Acta Cryst.* D**58**, 1387–1392.

Frankaer, C. G., Harris, P. & Ståhl, K. (2011). *A sample holder for in-house X-ray powder diffraction studies of protein powders. J. Appl. Cryst.* **44**, 1288–1290.

Frericks Schmidt, H. L., Sperling, L. J., Gao, Y. G., Wylie, B. J., Boettcher, J. M., Wilson, S. R. & Rienstra, C. M. (2007). *Crystal polymorphism of protein GB1 examined by solid-state NMR spectroscopy and X-ray diffraction. J. Phys. Chem. B*, **111**, 14362–14369.

Frevel, L. K. (1965). *Computational aids for identifying crystalline phases by powder diffraction. Anal. Chem.* **37**, 471–482.

Frevel, L. K., Adams, C. E. & Ruhberg, L. R. (1976). *A fast search-match program for powder diffraction analysis. J. Appl. Cryst.* **9**, 199–204.

Friedel, G. (1907). *Etudes sur la loi de Bravais. Bull. Soc. Fr. Miner.* **30**, 326–455.

Fujii, K., Young, M. T. & Harris, K. D. M. (2011). *Exploiting powder X-ray diffraction for direct structure determination in structural biology: the P2X4 receptor trafficking motif YEQGL. J. Struct. Biol.* **174**, 461–467.

Gelato, L. M. & Parthé, E. (1987). *STRUCTURE TIDY – a computer program to standardize crystal structure data. J. Appl. Cryst.* **20**, 139–143.

Gilmore, C. J., Barr, G. & Paisley, J. (2004). *High-throughput powder diffraction. I. A new approach to qualitative and quantitative powder diffraction pattern analysis using full pattern profiles. J. Appl. Cryst.* **37**, 231–242.

Goehner, R. P. & Garbauskas, M. F. (1984). *PDIDENT – a set of programs for powder diffraction phase identification. X-ray Spectrom.* **13**, 172–179.

Gražulis, S. (2007). *COD Mirror in Vilnius*. http://cod.ibt.lt/cod/.

Gražulis, S., Chateigner, D., Downs, R. T., Yokochi, A. F. T., Quirós, M., Lutterotti, L., Manakova, E., Butkus, J., Moeck, P. & Le Bail, A. (2009). *Crystallography Open Database – an open-access collection of crystal structures. J. Appl. Cryst.* **42**, 726–729.

Gražulis, S., Daškevič, A., Merkys, A., Chateigner, D., Lutterotti, L., Quirós, M., Serebryanaya, N. R., Moeck, P., Downs, R. T. & Le Bail, A. (2012). *Crystallography Open Database (COD): an open-access collection of crystal structures and platform for world-wide collaboration. Nucleic Acids Res.* **40**, D420–D427.

Groom, C. R., Bruno, I. J., Lightfoot, M. P. & Ward, S. C. (2016). *The Cambridge Structural Database. Acta Cryst.* B**72**, 171–179.

Grosse-Kunstleve, R. & Gildea, R. (2011). *Computational Crystallography Initiative: COD stats.* http://cci.lbl.gov/cod_stats.

Hanawalt, J. D. (1983). *History of the Powder Diffraction File (PDF). Crystallography in North America*, edited by D. McLachlan & J. P. Glusker, pp. 215–219. Buffalo: American Crystallographic Association.

Hanawalt, J. D. (1986). *Manual search/match methods for powder diffraction in 1986. Powder Diffr.* **1**, 7–13.

Hanawalt, J. D. & Rinn, H. W. (1936). *Identification of crystalline materials. Ind. Eng. Chem. Anal. Ed.* **8**, 244–247.

Hanawalt, J. D., Rinn, H. W. & Frevel, L. K. (1938). *Chemical analysis by X-ray diffraction. Ind. Eng. Chem. Anal. Ed.* **10**, 457–512.

Hanson, R. M. (2010). *Jmol – a paradigm shift in crystallographic visualization. J. Appl. Cryst.* **43**, 1250–1260.

Hanson, R. M. (2013). *Jmol: an open-source Java viewer for chemical structures in 3D*. http://www.jmol.org.

Harju, P. & Pasek, P. (1983). *Vanadium–hydrogen–phosphorus–oxygen catalytic material.* US Patent 4374756; PDF entry 00-047-0967.

Hartmann, C. G., Nielsen, O. F., Ståhl, K. & Harris, P. (2010). *In-house characterization of protein powder. J. Appl. Cryst.* **43**, 876–882.

Hellenbrandt, M. (2004). *The Inorganic Crystal Structure Database (ICSD) – present and future. Crystallogr. Rev.* **10**, 17–22.

Helliwell, J. R., Bell, A. M. T., Pryant, P., Fisher, S. J., Habash, G., Helliwell, M., Margiolaki, I., Kaenket, S., Watier, Y., Wright, J. P. & Yalamanchilli, S. (2010). *Time-dependent analysis of K_2PtBr_6 binding to lysozyme studied by protein powder and single crystal X-ray analysis. Z. Kristallogr.* **225**, 570–575.

Hirakura, Y., Yamaguchi, H., Mizuno, M., Miyanishi, H., Ueda, S. & Kitamura, S. (2007). *Detection of lot-to-lot variations in the amorphous microstructure of lyophilized protein formulations. Int. J. Pharm.* **340**, 34–41.

Huang, T. C. & Parrish, W. (1982). *A new computer algorithm for qualitative X-ray powder diffraction analysis. Adv. X-ray Anal.* **25**, 213–219.

Hull, A. W. (1919). *A new method of chemical analysis. J. Am. Chem. Soc.* **41**, 1168–1175.

Hull, A. W. (1983). *An account of early studies at Schenectady. Crystallography in North America*, edited by D. McLachlan & J. P. Glusker, p. 32. Buffalo: American Crystallographic Association.

Hutchison, G. R. (2007). *OpenBabel: The Open Source Chemistry Toolbox*. http://openbabel.org.

ICDD (2016). *PDF-4+ 2016 (Database)*. Newtown Square: International Centre for Diffraction Data. http://www.icdd.com.

Jenkins, R. & Rose, R. N. (1990). *Don Hanawalt – early days and his contribution to qualitative powder diffractometry. Powder Diffr.* **5**, 70–75.

Jiang, J.-S. & Brünger, A. T. (1994). *Protein hydration observed by X-ray diffraction. Solvation properties of penicillopepsin and neuraminidase crystal structures. J. Mol. Biol.* **243**, 100–115.

Jobst, B. A. & Goebel, H. E. (1982). *IDENT – a versatile microfile-based system for fast interactive XRPD phase analysis. Adv. X-ray Anal.* **25**, 273–282.

Johnson, G. G. Jr & Vand, V. (1967). *A computerized powder diffraction identification system. Ind. Eng. Chem.* **59**, 19–31.

Johnson, G. G. Jr & Vand, V. (1968). *Computerized multiphase X-ray powder diffraction identification system. Adv. X-ray Anal.* **11**, 376–384.

Kaduk, J. A. (2002). *Use of the Inorganic Crystal Structure Database as a problem solving tool. Acta Cryst.* B**58**, 370–379.

Kleywegt, G. J., Harris, M. R., Zou, J., Taylor, T. C., Wählby, A. & Jones, T. A. (2004). *The Uppsala Electron-Density Server. Acta Cryst.* D**60**, 2240–2249.

Le Bail, A. (2005). *Inorganic structure prediction with GRINSP. J. Appl. Cryst.* **38**, 389–395.

Le Page, Y. (1987). *Computer derivation of the symmetry elements implied in a structure description. J. Appl. Cryst.* **20**, 264–269.

Le Page, Y. (1988). *MISSYM1.1 – a flexible new release. J. Appl. Cryst.* **21**, 983–984.

Lutterotti, L. (2012). *Qualitative Phase Analysis: Method Developments.* In *Uniting Electron Crystallography and Powder Diffraction*, pp. 233–242. Dordrecht: Springer.

Macrae, C. F., Bruno, I. J., Chisholm, J. A., Edgington, P. R., McCabe, P., Pidcock, E., Rodriguez-Monge, L., Taylor, R., van de Streek, J. & Wood, P. A. (2008). *Mercury CSD 2.0 – new features for the visualization and investigation of crystal structures. J. Appl. Cryst.* **41**, 466–470.

Margiolaki, I. & Wright, J. P. (2008). *Powder crystallography on macromolecules. Acta Cryst.* A**64**, 169–180.

Margiolaki, I., Wright, J. P., Wilmanns, M., Fitch, A. N. & Pinotsis, N. (2007). *Second SH3 domain of ponsin solved from powder diffraction. J. Am. Chem. Soc.* **129**, 11865–11871.

Marquart, R. G. (1986). *μPDSM: mainframe search/match on an IBM PC. Powder Diffr.* **1**, 34–39.

Marquart, R. G., Katsnelson, I., Milne, G. W. A., Heller, S. R., Johnson, G. G. & Jenkins, R. (1979). *A search-match system for X-ray powder diffraction data. J. Appl. Cryst.* **12**, 629–634.

Materials Data (2016). *Jade* 9.6. Livermore: Materials Data Inc. https://materialsdata.com/.

Mighell, A. D. (2003). *The normalized reduced form and cell mathematical tools for lattice analysis – symmetry and similarity. J. Res. Natl Inst. Stand. Technol.* **108**, 447–452.

Mighell, A. D. & Himes, V. L. (1986). *Compound identification and characterization using lattice-formula matching techniques. Acta Cryst.* A**42**, 101–105.

Moeck, P. (2004). *EDU-COD: Educational Subset of COD.* http://nanocrystallography.research.pdx.edu/search/edu.

Moeck, P. (2007*a*). *Crystallography Open Database Mirror in North America.* http://nanocrystallography.org.

Moeck, P. (2007*b*). *Alternative COD search interface at Portland State University.* http://nanocrystallography.research.pdx.edu/search/codmirror.

Moews, P. C. & Kretsinger, R. H. (1975). *Refinement of the structure of carp muscle calcium-binding parvalbumin by model building and difference Fourier analysis. J. Mol. Biol.* **91**, 201–225.

Nichols, M. (1966). *A Fortran Program for the Identification of X-ray Powder Diffraction Patterns*. Report UCRL-70078, Lawrence Livermore National Laboratory, USA.

Norrman, M., Ståhl, K., Schluckebier, G. & Al-Karadaghi, S. (2006). *Characterization of insulin microcrystals using powder diffraction and multivariate data analysis. J. Appl. Cryst.* **39**, 391–400.

Nusinovici, J. & Bertelmann, D. (1993). *Practical determination of the acceptable 2θ error for non-ambiguous identification of pure phases with DIFFRAC-AT. Adv. X-ray Anal.* **36**, 327–332.

Nusinovici, J. & Winter, M. J. (1994). *Diffrac-At search: search/match using full traces as input. Adv. X-ray Anal.* **37**, 59–66.

O'Boyle, N. M., Banck, M., James, C. A., Morley, C., Vandermeersch, T. & Hutchison, G. R. (2011). *Open Babel: an open chemical toolbox. J. Cheminf.* **3**, 33.

O'Connor, B. H. & Bagliani, F. (1976). *A semi-automated system for identifying crystalline materials with powder diffraction data. J. Appl. Cryst.* **9**, 419–423.

Oxford Cryosystems (2012). *Crystallographica Search-Match (CSM)*. Oxford: Oxford Cryosystems Ltd. http://www.oxcryo.com/software/.

PANalytical (2012*a*). *HighScore Plus*. Almelo: PANalytical B.V.

PANalytical (2012*b*). *The COD database files for the PANalytical HighScore or HighScore Plus software packages*. http://www.crystallography.net/archives/2012/PANalytical.

Papageorgiou, N., Watier, Y., Saunders, L., Coutard, B., Lantez, V., Gould, E. A., Fitch, A. N., Wright, J. P., Canard, B. & Margiolaki, I. (2010). *Preliminary insights into the non structural protein 3 macro domain of the Mayaro virus by powder diffraction. Z. Kristallogr.* **225**, 576–580.

Parrish, W. (1983). *History of the X-ray powder method in the USA*. *Crystallography in North America*, edited by D. McLachlan & J. P. Glusker, pp. 201–214. Buffalo: American Crystallographic Association.

Parthé, E., Cenzual, K. & Gladyshevskii, R. (1993). *Standardization of crystal structure data as an aid to the classification of crystal structure types. J. Alloys Compd*, **197**, 291–301.

Parthé, E. & Gelato, L. M. (1984). *The standardization of inorganic crystal-structure data. Acta Cryst.* A**40**, 169–183.

Parthé, E. & Gelato, L. M. (1985). *The 'best' unit cell for monoclinic structures consistent with b axis unique and cell choice 1 of International Tables for Crystallography (1983). Acta Cryst.* A**41**, 142–151.

Parthé, E., Gelato, L., Chabot, B., Penzo, M., Cenzual K. & Gladyshevskii, R. (1993, 1994). *TYPIX – Standardized Data and Crystal Chemical Characterization of Inorganic Structure Types.* Heidelberg: Springer. https://doi.org/10.1007/978-3-662-10641-9.

Phillips, S. E. V. (1980). *Structure and refinement of oxymyoglobin at 1.6 Å resolution. J. Mol. Biol.* **142**, 531–554.

Pophale, R., Daeyaert, F. & Deem, M. W. (2013). *Computational prediction of chemically-synthesizable organic structure directing agents for zeolites. J. Mater. Chem. A*, **1**, 6750–6760.

Quirós-Olozábal, M. (2006). *COD Mirror of Granada University.* http://qiserver.ugr.es/cod.

Rajan, H., Uchida, H., Bryan, D., Swaminathan, R., Downs, R. M. & Hall-Wallace, M. (2006). *Building the American Mineralogist Crystal Structure Database: A recipe for construction of a small internet database. Geoinformatics: Data to Knowledge*, edited by A. Sinha. McLean: Geological Society of America. https://doi.org/10.1130/2006.2397(06).

Rigaku (2011). *COD for PDXL: Integrated Powder X-ray Diffraction Software.* http://www.crystallography.net/archives/2011/Rigaku.

Rotella, F. J., Duke, N. & Kaduk, J. A. (1998). *X-ray powder diffraction from biological macromolecules. What do we see? What can we tell? American Crystallographic Association Meeting Abstracts, Washington DC, 18–23 July*. Buffalo: American Crystallographic Association.

Rotella, F. J., Duke, N. & Kaduk, J. A. (2000). *Powder diffraction from biological macromolecules using synchrotron X-rays. American Crystallographic Association Meeting Abstracts, St Paul MN, 22–27 July*. Buffalo: American Crystallographic Association.

Schreiner, W. N., Surdukowski, C. & Jenkins, R. (1982). *A new minicomputer search/match/identify program for qualitative phase analysis with the powder diffractometer. J. Appl. Cryst.* **15**, 513–523.

Shpeizer, B., Ouyang, X., Heising, J. M. & Clearfield, A. (2001). *Synthesis and crystal structure of a new vanadyl phosphate* $[H_{0.6}(VO)_3(PO_4)_3(H_2O)_3].4H_2O$ *and its conversion to porous products. Chem. Mater.* **13**, 2288–2296.

Sidey, V. (2013). *On the shortest* $B^{III}—O$ *bonds. Acta Cryst.* B**69**, 86–89.

Sietronics (2012). *Siroquant* v.4. Canberra: Sietronics. http://www.siroquant.com.

Snyder, R. L. (1981). *A Hanawalt type phase identification procedure for a minicomputer. Adv. X-ray Anal.* **24**, 83–90.

Ståhl, K., Frankaer, C. G., Petersen, J. & Harris, P. (2013). *Monitoring protein precipitates by in-house X-ray powder diffraction. Powder Diffr.* **28**, S448–S457.

Toby, B. H., Harlow, R. L. & Holomany, M. A. (1990). *The POWDER SUITE: computer programs for searching and accessing the JCPDS-ICDD powder diffraction database. Powder Diffr.* **5**, 2–7.

Villars, P. (1997). *Pearson's Desk Edition*, Vols. 1–2. Materials Park: ASM International.

Villars, P. & Calvert, L. D. (1985). *Pearson's Handbook of Crystallographic Data for Intermetallic Phases*, 1st Ed., Vols. 1–3. Materials Park: ASM International.

Villars, P. & Calvert, L. D. (1991). *Pearson's Handbook of Crystallographic Data for Intermetallic Phases*, 2nd Ed., Vols. 1–4. Materials Park: ASM International.

Villars, P. & Cenzual, K. (2013). *Pearson's Crystal Data: Crystal Structure Database for Inorganic Compounds* (CD-ROM). Materials Park: ASM International.

Villars, P., Onodera, N. & Iwata, S. (1998). *The Linus Pauling File (LPF) and its application to materials design. J. Alloys Compd*, **279**, 1–7.

Von Dreele, R. B. (1998). *Protein structures by powder diffraction? Abstr. Pap. Am. Chem. Soc.* **215**, U759.

Von Dreele, R. B. (1999). *Combined Rietveld and stereochemical restraint refinement of a protein crystal structure. J. Appl. Cryst.* **32**, 1084–1089.

Von Dreele, R. B. (2003). *Protein crystal structure analysis from high-resolution X-ray powder-diffraction data. Methods Enzymol.* **368**, 254–267.

Von Dreele, R. B. (2007*a*). *Binding of N-acetylglucosamine oligosaccharides to hen egg-white lysozyme: a powder diffraction study. Acta Cryst.* D**61**, 22–32.

Von Dreele, R. B. (2007*b*). *Multipattern Rietveld refinement of protein powder data: an approach to higher resolution. J. Appl. Cryst.* **40**, 133–143.

Von Dreele, R. B., Stephens, P. W., Smith, G. D. & Blessing, R. H. (2000). *The first protein crystal structure determined from high-resolution X-ray powder diffraction data: a variant of T_3R_3 human insulin–zinc complex produced by grinding. Acta Cryst.* D**56**, 1549–1553.

Waldo, A. W. (1935). *Identification of the copper ore minerals by means of X-ray powder diffraction patterns. Am. Mineral.* **20**, 575–597.

White, P. S., Rodgers, J. R. & Le Page, Y. (2002). *CRYSTMET: a database of the structures and powder patterns of metals and intermetallics. Acta Cryst.* B**58**, 343–348.

Winchell, A. N. (1927). *Further studies in the mica group. Am. Mineral.* **12**, 267–279.

Wolff, P. M. de (2016). *International Tables for Crystallography*, Vol. A, 6th ed., edited by M. I. Aroyo, pp. 709–714. Chichester: Wiley.

Wyckoff, R. W. G. & Corey, R. B. (1936). *X-ray diffraction patterns of crystalline tobacco mosaic proteins. J. Biol. Chem.* **116**, 51–55.