

$P4_2 2_1 2$

No. 94

 $P4_2 2_1 2$ D_4^6 Generators selected (1); $t(1,0,0)$; $t(0,1,0)$; $t(0,0,1)$; (2); (3); (5)

General position

Multiplicity,
Wyckoff letter,
Site symmetry

Coordinates

8	g	1	(1) x, y, z	(2) \bar{x}, \bar{y}, z	(3) $\bar{y} + \frac{1}{2}, x + \frac{1}{2}, z + \frac{1}{2}$	(4) $y + \frac{1}{2}, \bar{x} + \frac{1}{2}, z + \frac{1}{2}$
			(5) $\bar{x} + \frac{1}{2}, y + \frac{1}{2}, \bar{z} + \frac{1}{2}$	(6) $x + \frac{1}{2}, \bar{y} + \frac{1}{2}, \bar{z} + \frac{1}{2}$	(7) y, x, \bar{z}	(8) $\bar{y}, \bar{x}, \bar{z}$

I Maximal *translationengleiche* subgroups

[2] $P4_2 11$ (77, $P4_2$)	1; 2; 3; 4			0, 1/2, 0
[2] $P2 12$ (21, $C222$)	1; 2; 7; 8		$\mathbf{a} - \mathbf{b}, \mathbf{a} + \mathbf{b}, \mathbf{c}$	
[2] $P22_1 1$ (18, $P2_1 2_1 2$)	1; 2; 5; 6			0, 0, 1/4

II Maximal *klassengleiche* subgroups

• Enlarged unit cell

[2] $\mathbf{c}' = 2\mathbf{c}$				
$P4_3 2_1 2$ (96)	$\langle 5; (2; 3) + (0, 0, 1) \rangle$	$\mathbf{a}, \mathbf{b}, 2\mathbf{c}$		0, 0, 1/2
$P4_3 2_1 2$ (96)	$\langle (2; 3; 5) + (0, 0, 1) \rangle$	$\mathbf{a}, \mathbf{b}, 2\mathbf{c}$		
$P4_1 2_1 2$ (92)	$\langle 3; 5; 2 + (0, 0, 1) \rangle$	$\mathbf{a}, \mathbf{b}, 2\mathbf{c}$		
$P4_1 2_1 2$ (92)	$\langle 3; (2; 5) + (0, 0, 1) \rangle$	$\mathbf{a}, \mathbf{b}, 2\mathbf{c}$		0, 0, 1/2
[3] $\mathbf{c}' = 3\mathbf{c}$				
$P4_2 2_1 2$ (94)	$\langle 2; (3; 5) + (0, 0, 1) \rangle$	$\mathbf{a}, \mathbf{b}, 3\mathbf{c}$		
$P4_2 2_1 2$ (94)	$\langle 2; 3 + (0, 0, 1); 5 + (0, 0, 3) \rangle$	$\mathbf{a}, \mathbf{b}, 3\mathbf{c}$		0, 0, 1
$P4_2 2_1 2$ (94)	$\langle 2; 3 + (0, 0, 1); 5 + (0, 0, 5) \rangle$	$\mathbf{a}, \mathbf{b}, 3\mathbf{c}$		0, 0, 2

• Series of maximal isomorphic subgroups

[p] $\mathbf{c}' = p\mathbf{c}$				
$P4_2 2_1 2$ (94)	$\langle 2; 3 + (0, 0, \frac{p}{2} - \frac{1}{2}); 5 + (0, 0, \frac{p}{2} - \frac{1}{2} + 2u) \rangle$	$\mathbf{a}, \mathbf{b}, p\mathbf{c}$		0, 0, u
	$p > 2; 0 \leq u < p$			
	p conjugate subgroups for the prime p			
[p^2] $\mathbf{a}' = p\mathbf{a}, \mathbf{b}' = p\mathbf{b}$				
$P4_2 2_1 2$ (94)	$\langle 2 + (2u, 2v, 0); 3 + (\frac{p}{2} - \frac{1}{2} + u + v, \frac{p}{2} - \frac{1}{2} - u + v, 0); 5 + (\frac{p}{2} - \frac{1}{2} + 2u, \frac{p}{2} - \frac{1}{2}, 0) \rangle$	$p\mathbf{a}, p\mathbf{b}, \mathbf{c}$		$u, v, 0$
	$p > 2; 0 \leq u < p; 0 \leq v < p$			
	p^2 conjugate subgroups for the prime p			

I Minimal *translationengleiche* supergroups[2] $P4_2/mbc$ (135); [2] $P4_2/mnm$ (136); [2] $P4_2/nmc$ (137); [2] $P4_2/ncm$ (138)II Minimal non-isomorphic *klassengleiche* supergroups

• Additional centring translations

[2] $C4_2 22$ (93, $P4_2 22$); [2] $I4 22$ (97)

• Decreased unit cell

[2] $\mathbf{c}' = \frac{1}{2}\mathbf{c}$ $P4_2 1 2$ (90)