

REFERENCES

1.2 (cont.)

- Materlik, G., Sparks, C. J. & Fischer, K. (1994). *Resonant anomalous X-ray scattering. Theory and applications*. Amsterdam: North-Holland.
- Paturle, A. & Coppens, P. (1988). Normalization factors for spherical harmonic density functions. *Acta Cryst.* **A44**, 6–7.
- Ruedenberg, K. (1962). The nature of the chemical bond. *Phys. Rev.* **34**, 326–376.
- Scheringer, C. (1985a). A general expression for the anharmonic temperature factor in the isolated-atom-potential approach. *Acta Cryst.* **A41**, 73–79.
- Scheringer, C. (1985b). A deficiency of the cumulant expansion of the anharmonic temperature factor. *Acta Cryst.* **A41**, 79–81.
- Schomaker, V. & Trueblood, K. N. (1968). On the rigid-body motion of molecules in crystals. *Acta Cryst.* **B24**, 63–76.
- Schwarzenbach, D. (1986). Private communication.
- Squires, G. L. (1978). *Introduction to the theory of thermal neutron scattering*. Cambridge University Press.
- Stewart, R. F. (1969a). Generalized X-ray scattering factors. *J. Chem. Phys.* **51**, 4569–4577.
- Stewart, R. F. (1969b). Small Gaussian expansions of atomic orbitals. *J. Chem. Phys.* **50**, 2485–2495.
- Stewart, R. F. (1970). Small Gaussian expansions of Slater-type orbitals. *J. Chem. Phys.* **52**, 431–438.
- Stewart, R. F. (1980). *Electron and magnetization densities in molecules and solids*, edited by P. J. Becker, pp. 439–442. New York: Plenum.
- Stewart, R. F. & Hehre, W. J. (1970). Small Gaussian expansions of atomic orbitals: second-row atoms. *J. Chem. Phys.* **52**, 5243–5247.
- Su, Z. & Coppens, P. (1990). Closed-form expressions for Fourier–Bessel transforms of Slater-type functions. *J. Appl. Cryst.* **23**, 71–73.
- Su, Z. & Coppens, P. (1994). Normalization factors for cubic harmonic density functions. *Acta Cryst.* **A50**, 408–409.
- Tanaka, K. & Marumo, F. (1983). Willis formalism of anharmonic temperature factors for a general potential and its application in the least-squares method. *Acta Cryst.* **A39**, 631–641.
- Von der Lage, F. C. & Bethe, H. A. (1947). A method for obtaining electronic functions and eigenvalues in solids with an application to sodium. *Phys. Rev.* **71**, 612–622.
- Waller, I. & Hartree, D. R. (1929). Intensity of total scattering X-rays. *Proc. R. Soc. London Ser. A*, **124**, 119–142.
- Weiss, R. J. & Freeman, A. J. (1959). X-ray and neutron scattering for electrons in a crystalline field and the determination of outer electron configurations in iron and nickel. *J. Phys. Chem. Solids*, **10**, 147–161.
- Willis, B. T. M. (1969). Lattice vibrations and the accurate determination of structure factors for the elastic scattering of X-rays and neutrons. *Acta Cryst.* **A25**, 277–300.
- Zucker, U. H. & Schulz, H. (1982). Statistical approaches for the treatment of anharmonic motion in crystals. I. A comparison of the most frequently used formalisms of anharmonic thermal vibrations. *Acta Cryst.* **A38**, 563–568.

1.3

- Agarwal, R. C. (1978). A new least-squares refinement technique based on the fast Fourier transform algorithm. *Acta Cryst.* **A34**, 791–809.
- Agarwal, R. C. (1980). The refinement of crystal structure by fast Fourier least-squares. In *Computing in crystallography*, edited by R. Diamond, S. Ramaseshan & K. Venkatesan, pp. 18.01–18.13. Bangalore: The Indian Academy of Science.
- Agarwal, R. C. (1981). New results on fast Fourier least-squares refinement technique. In *Refinement of protein structures*, compiled by P. A. Machin, J. W. Campbell & M. Elder (ref. DL/SCI/R16), pp. 24–28. Warrington: SERC Daresbury Laboratory.
- Agarwal, R. C. & Cooley, J. W. (1986). Fourier transform and convolution subroutines for the IBM 3090 Vector facility. *IBM J. Res. Dev.* **30**, 145–162.
- Agarwal, R. C. & Cooley, J. W. (1987). Vectorized mixed radix discrete Fourier transform algorithms. *Proc. IEEE*, **75**, 1283–1292.
- Agarwal, R. C., Lifchitz, A. & Dodson, E. J. (1981). Appendix (pp. 36–38) to Dodson (1981).
- Ahlfors, L. V. (1966). *Complex analysis*. New York: McGraw-Hill.
- Ahmed, F. R. & Barnes, W. H. (1958). Generalized programmes for crystallographic computations. *Acta Cryst.* **11**, 669–671.
- Ahmed, F. R. & Cruickshank, D. W. J. (1953a). A refinement of the crystal structure analysis of oxalic acid dihydrate. *Acta Cryst.* **6**, 385–392.
- Ahmed, F. R. & Cruickshank, D. W. J. (1953b). Crystallographic calculations on the Manchester University electronic digital computer (Mark II). *Acta Cryst.* **6**, 765–769.
- Akhiezer, N. I. (1965). *The classical moment problem*. Edinburgh and London: Oliver & Boyd.
- Alston, N. A. & West, J. (1929). The structure of topaz, $[Al(F,OH)]_2SiO_4$. *Z. Kristallogr.* **69**, 149–167.
- Apostol, T. M. (1976). *Introduction to analytic number theory*. New York: Springer-Verlag.
- Arnold, H. (1995). Transformations in crystallography. In *International tables for crystallography*, Vol. A. Space-group symmetry, edited by Th. Hahn, pp. 69–79. Dordrecht: Kluwer Academic Publishers.
- Artin, E. (1944). *Galois theory*. Notre Dame University Press.
- Ascher, E. & Janner, A. (1965). Algebraic aspects of crystallography. I. Space groups as extensions. *Helv. Phys. Acta*, **38**, 551–572.
- Ascher, E. & Janner, A. (1968). Algebraic aspects of crystallography. II. Non-primitive translations in space groups. *Commun. Math. Phys.* **11**, 138–167.
- Ash, J. M. (1976). Multiple trigonometric series. In *Studies in harmonic analysis*, edited by J. M. Ash, pp. 76–96. MAA studies in mathematics, Vol. 13. The Mathematical Association of America.
- Auslander, L. (1965). An account of the theory of crystallographic groups. *Proc. Am. Math. Soc.* **16**, 1230–1236.
- Auslander, L., Feig, E. & Winograd, S. (1982). New algorithms for evaluating the 3-dimensional discrete Fourier transform. In *Computational crystallography*, edited by D. Sayre, pp. 451–461. New York: Oxford University Press.
- Auslander, L., Feig, E. & Winograd, S. (1983). New algorithms for the multidimensional discrete Fourier transform. *IEEE Trans. Acoust. Speech Signal Process.* **31**, 388–403.
- Auslander, L., Feig, E. & Winograd, S. (1984). Abelian semi-simple algebras and algorithms for the discrete Fourier transform. *Adv. Appl. Math.* **5**, 31–55.
- Auslander, L., Johnson, R. W. & Vulis, M. (1988). Evaluating finite Fourier transforms that respect group symmetries. *Acta Cryst.* **A44**, 467–478.
- Auslander, L. & Shenefelt, M. (1987). Fourier transforms that respect crystallographic symmetries. *IBM J. Res. Dev.* **31**, 213–223.
- Auslander, L. & Tolimieri, R. (1979). Is computing with the finite Fourier transform pure or applied mathematics? *Bull. Am. Math. Soc.* **1**, 847–897.
- Auslander, L. & Tolimieri, R. (1985). Ring structure and the Fourier transform. *Math. Intelligencer*, **7**, 49–54.
- Auslander, L., Tolimieri, R. & Winograd, S. (1982). Hecke's theorem in quadratic reciprocity, finite nilpotent groups and the Cooley–Tukey algorithm. *Adv. Math.* **43**, 122–172.
- Ayoub, R. (1963). *An introduction to the analytic theory of numbers*. Providence, RI: American Mathematical Society.
- Baker, E. N. & Dodson, E. J. (1980). Crystallographic refinement of the structure of actinidin at 1.7 Å resolution by fast Fourier least-squares methods. *Acta Cryst.* **A36**, 559–572.
- Bantz, D. & Zwick, M. (1974). The use of symmetry with the fast Fourier algorithm. *Acta Cryst.* **A30**, 257–260.
- Barakat, R. (1974). First-order statistics of combined random sinusoidal waves with applications to laser speckle patterns. *Opt. Acta*, **21**, 903–921.

1. GENERAL RELATIONSHIPS AND TECHNIQUES

1.3 (cont.)

- Barrett, A. N. & Zwick, M. (1971). *A method for the extension and refinement of crystallographic protein phases utilizing the fast Fourier transform*. *Acta Cryst.* **A27**, 6–11.
- Beevers, C. A. (1952). *Fourier strips at a 3° interval*. *Acta Cryst.* **5**, 670–673.
- Beevers, C. A. & Lipson, H. (1934). *A rapid method for the summation of a two-dimensional Fourier series*. *Philos. Mag.* **17**, 855–859.
- Beevers, C. A. & Lipson, H. (1936). *A numerical method for two-dimensional Fourier synthesis*. *Nature (London)*, **137**, 825–826.
- Beevers, C. A. & Lipson, H. (1952). *The use of Fourier strips for calculating structure factors*. *Acta Cryst.* **5**, 673–675.
- Bellman, R. (1958). *Dynamic programming and stochastic control processes*. *Inf. Control*, **1**, 228–239.
- Bennett, J. M. & Kendrew, J. C. (1952). *The computation of Fourier syntheses with a digital electronic calculating machine*. *Acta Cryst.* **5**, 109–116.
- Berberian, S. K. (1962). *Measure and integration*. New York: Macmillan. [Reprinted by Chelsea, New York, 1965.]
- Bertaut, E. F. (1952). *L'énergie électrostatique de réseaux ioniques*. *J. Phys. Radium*, **13**, 499–505.
- Bertaut, E. F. (1955a). *La méthode statistique en cristallographie. I*. *Acta Cryst.* **8**, 537–543.
- Bertaut, E. F. (1955b). *La méthode statistique en cristallographie. II. Quelques applications*. *Acta Cryst.* **8**, 544–548.
- Bertaut, E. F. (1955c). *Fonction de répartition: application à l'approche directe des structures*. *Acta Cryst.* **8**, 823–832.
- Bertaut, E. F. (1956a). *Les groupes de translation non primitifs et la méthode statistique*. *Acta Cryst.* **9**, 322.
- Bertaut, E. F. (1956b). *Tables de linéarisation des produits et puissances des facteurs de structure*. *Acta Cryst.* **9**, 322–323.
- Bertaut, E. F. (1956c). *Algèbre des facteurs de structure*. *Acta Cryst.* **9**, 769–770.
- Bertaut, E. F. (1959a). *IV. Algèbre des facteurs de structure*. *Acta Cryst.* **12**, 541–549.
- Bertaut, E. F. (1959b). *V. Algèbre des facteurs de structure*. *Acta Cryst.* **12**, 570–574.
- Bertaut, E. F. & Waser, J. (1957). *Structure factor algebra. II*. *Acta Cryst.* **10**, 606–607.
- Bhattacharya, R. N. & Rao, R. R. (1976). *Normal approximation and asymptotic expansions*. New York: John Wiley.
- Bieberbach, L. (1911). *Über die Bewegungsgruppen der Euklidischen Raume I*. *Math. Ann.* **70**, 297–336.
- Bieberbach, L. (1912). *Über die Bewegungsgruppen der Euklidischen Raume II*. *Math. Ann.* **72**, 400–412.
- Bienenstock, A. & Ewald, P. P. (1962). *Symmetry of Fourier space*. *Acta Cryst.* **15**, 1253–1261.
- Blahut, R. E. (1985). *Fast algorithms for digital signal processing*. Reading: Addison-Wesley.
- Bleistein, N. & Handelsman, R. A. (1986). *Asymptotic expansions of integrals*. New York: Dover Publications.
- Bloomer, A. C., Champness, J. N., Bricogne, G., Staden, R. & Klug, A. (1978). *Protein disk of tobacco mosaic virus at 2.8 Å resolution showing the interactions within and between subunits*. *Nature (London)*, **276**, 362–368.
- Blow, D. M. & Crick, F. H. C. (1959). *The treatment of errors in the isomorphous replacement method*. *Acta Cryst.* **12**, 794–802.
- Bochner, S. (1932). *Vorlesungen über Fouriersche Integrale*. Leipzig: Akademische Verlagsgesellschaft.
- Bochner, S. (1959). *Lectures on Fourier integrals*. Translated from Bochner (1932) by M. Tenenbaum & H. Pollard. Princeton University Press.
- Bode, W. & Schwager, P. (1975). *The refined crystal structure of bovine β-trypsin at 1.8 Å resolution. II. Crystallographic refinement, calcium-binding site, benzamidine binding site and active site at pH 7.0*. *J. Mol. Biol.* **98**, 693–717.
- Bondot, P. (1971). *Application de la transformée de Fourier performante aux calculs cristallographiques*. *Acta Cryst.* **A27**, 492–494.
- Booth, A. D. (1945a). *Two new modifications of the Fourier method of X-ray structure analysis*. *Trans. Faraday Soc.* **41**, 434–438.
- Booth, A. D. (1945b). *An expression for following the process of refinement in X-ray structure analysis using Fourier series*. *Philos. Mag.* **36**, 609–615.
- Booth, A. D. (1945c). *Accuracy of atomic co-ordinates derived from Fourier synthesis*. *Nature (London)*, **156**, 51–52.
- Booth, A. D. (1946a). *A differential Fourier method for refining atomic parameters in crystal structure analysis*. *Trans. Faraday Soc.* **42**, 444–448.
- Booth, A. D. (1946b). *The simultaneous differential refinement of co-ordinates and phase angles in X-ray Fourier synthesis*. *Trans. Faraday Soc.* **42**, 617–619.
- Booth, A. D. (1946c). *The accuracy of atomic co-ordinates derived from Fourier series in X-ray structure analysis*. *Proc. R. Soc. London Ser. A*, **188**, 77–92.
- Booth, A. D. (1947a). *The accuracy of atomic co-ordinates derived from Fourier series in X-ray structure analysis. III*. *Proc. R. Soc. London Ser. A*, **190**, 482–489.
- Booth, A. D. (1947b). *The accuracy of atomic co-ordinates derived from Fourier series in X-ray structure analysis. IV. The two-dimensional projection of oxalic acid*. *Proc. R. Soc. London Ser. A*, **190**, 490–496.
- Booth, A. D. (1947c). *A new refinement technique for X-ray structure analysis*. *J. Chem. Phys.* **15**, 415–416.
- Booth, A. D. (1947d). *Application of the method of steepest descents to X-ray structure analysis*. *Nature (London)*, **160**, 196.
- Booth, A. D. (1948a). *A new Fourier refinement technique*. *Nature (London)*, **161**, 765–766.
- Booth, A. D. (1948b). *Fourier technique in X-ray organic structure analysis*. Cambridge University Press.
- Booth, A. D. (1949). *The refinement of atomic parameters by the technique known in X-ray crystallography as 'the method of steepest descents'*. *Proc. R. Soc. London Ser. A*, **197**, 336–355.
- Born, M. & Huang, K. (1954). *Dynamical theory of crystal lattices*. Oxford University Press.
- Bracewell, R. N. (1986). *The Fourier transform and its applications*, 2nd ed., revised. New York: McGraw-Hill.
- Bragg, W. H. (1915). *X-rays and crystal structure*. (Bakerian Lecture.) *Philos. Trans. R. Soc. London Ser. A*, **215**, 253–274.
- Bragg, W. L. (1929). *Determination of parameters in crystal structures by means of Fourier series*. *Proc. R. Soc. London Ser. A*, **123**, 537–559.
- Bragg, W. L. (1975). *The development of X-ray analysis*, edited by D. C. Phillips & H. Lipson. London: Bell.
- Bragg, W. L. & Lipson, H. (1936). *The employment of contoured graphs of structure-factor in crystal analysis*. *Z. Kristallogr.* **95**, 323–337.
- Bragg, W. L. & West, J. (1929). *A technique for the X-ray examination of crystal structures with many parameters*. *Z. Kristallogr.* **69**, 118–148.
- Bragg, W. L. & West, J. (1930). *A note on the representation of crystal structure by Fourier series*. *Philos. Mag.* **10**, 823–841.
- Bremermann, H. (1965). *Distributions, complex variables, and Fourier transforms*. Reading: Addison-Wesley.
- Bricogne, G. (1974). *Geometric sources of redundancy in intensity data and their use for phase determination*. *Acta Cryst.* **A30**, 395–405.
- Bricogne, G. (1976). *Methods and programs for direct-space exploitation of geometric redundancies*. *Acta Cryst.* **A32**, 832–847.
- Bricogne, G. (1982). *Generalised density modification methods*. In *Computational crystallography*, edited by D. Sayre, pp. 258–264. New York: Oxford University Press.
- Bricogne, G. (1984). *Maximum entropy and the foundations of direct methods*. *Acta Cryst.* **A40**, 410–445.
- Bricogne, G. (1988). *A Bayesian statistical theory of the phase problem. I. A multichannel maximum entropy formalism for constructing generalised joint probability distributions of structure factors*. *Acta Cryst.* **A44**, 517–545.
- Bricogne, G. & Tolimieri, R. (1990). *Two-dimensional FFT algorithms on data admitting 90°-rotational symmetry*. In *Signal processing theory*, edited by L. Auslander, T. Kailath & S. Mitter, pp. 25–35. New York: Springer-Verlag.

REFERENCES

1.3 (cont.)

- Brigham, E. O. (1988). *The fast Fourier transform and its applications*. Englewood Cliffs: Prentice-Hall.
- Brill, R., Grimm, H., Hermann, C. & Peters, C. (1939). *Anwendung der röntgenographischen Fourieranalyse auf Fragen der chemischen Bindung*. *Ann. Phys. (Leipzig)*, **34**, 393–445.
- Britten, P. L. & Collins, D. M. (1982). *Information theory as a basis for the maximum determinant*. *Acta Cryst.* **A38**, 129–132.
- Brown, H. (1969). *An algorithm for the determination of space groups*. *Math. Comput.* **23**, 499–514.
- Brown, H., Bülow, R., Neubüser, J., Wondratschek, H. & Zassenhaus, H. (1978). *Crystallographic groups of four-dimensional space*. New York: John Wiley.
- Brujin, N. G. de (1970). *Asymptotic methods in analysis*, 3rd ed. Amsterdam: North-Holland.
- Brünger, A. T. (1988). *Crystallographic refinement by simulated annealing*. In *Crystallographic computing 4: techniques and new technologies*, edited by N. W. Isaacs & M. R. Taylor, pp. 126–140. New York: Oxford University Press.
- Brünger, A. T. (1989). *A memory-efficient fast Fourier transformation algorithm for crystallographic refinement on supercomputers*. *Acta Cryst.* **A45**, 42–50.
- Brünger, A. T., Karplus, M. & Petsko, G. A. (1989). *Crystallographic refinement by simulated annealing: application to crambin*. *Acta Cryst.* **A45**, 50–61.
- Brünger, A. T., Kuriyan, J. & Karplus, M. (1987). *Crystallographic R factor refinement by molecular dynamics*. *Science*, **235**, 458–460.
- Bryan, R. K., Bansal, M., Folkhard, W., Nave, C. & Marvin, D. A. (1983). *Maximum-entropy calculation of the electron density at 4Å resolution of Pfl filamentous bacteriophage*. *Proc. Natl Acad. Sci. USA*, **80**, 4728–4731.
- Bryan, R. K. & Skilling, J. (1980). *Deconvolution by maximum entropy, as illustrated by application to the jet of M87*. *Mon. Not. R. Astron. Soc.* **191**, 69–79.
- Burch, S. F., Gull, S. F. & Skilling, J. (1983). *Image restoration by a powerful maximum entropy method*. *Comput. Vision, Graphics Image Process.* **23**, 113–128.
- Burnett, R. M. & Nordman, C. E. (1974). *Optimization of the calculation of structure factors for large molecules*. *J. Appl. Cryst.* **7**, 625–627.
- Burnside, W. (1911). *Theory of groups of finite order*, 2nd ed. Cambridge University Press.
- Burrus, C. S. & Eschenbacher, P. W. (1981). *An in-place, in-order prime factor FFT algorithm*. *IEEE Trans. Acoust. Speech Signal Process.* **29**, 806–817.
- Busing, W. R. & Levy, H. A. (1961). *Least squares refinement programs for the IBM 704*. In *Computing methods and the phase problem in X-ray crystal analysis*, edited by R. Pepinsky, J. M. Robertson & J. C. Speakman, pp. 146–149. Oxford: Pergamon Press.
- Byerly, W. E. (1893). *An elementary treatise on Fourier's series and spherical, cylindrical and ellipsoidal harmonics*. Boston: Ginn & Co. [Reprinted by Dover Publications, New York, 1959.]
- Campbell, G. A. & Foster, R. M. (1948). *Fourier integrals for practical applications*. Princeton: Van Nostrand.
- Carathéodory, C. (1911). *Über den Variabilitätsbereich der Fourierschen Konstanten von positiven harmonischen Functionen*. *Rend. Circ. Mat. Palermo*, **32**, 193–217.
- Carlaw, H. S. (1930). *An introduction to the theory of Fourier's series and integrals*. London: Macmillan. [Reprinted by Dover Publications, New York, 1950.]
- Carlaw, H. S. & Jaeger, J. C. (1948). *Operational methods in applied mathematics*. Oxford University Press.
- Cartan, H. (1961). *Théorie des fonctions analytiques*. Paris: Hermann.
- Challifour, J. L. (1972). *Generalized functions and Fourier analysis*. Reading: Benjamin.
- Champeney, D. C. (1973). *Fourier transforms and their physical applications*. New York: Academic Press.
- Churchill, R. V. (1958). *Operational mathematics*, 2nd ed. New York: McGraw-Hill.
- Cochran, W. (1948a). *A critical examination of the Beevers–Lipson method of Fourier series summation*. *Acta Cryst.* **1**, 54–56.
- Cochran, W. (1948b). *The Fourier method of crystal structure analysis*. *Nature (London)*, **161**, 765.
- Cochran, W. (1948c). *The Fourier method of crystal-structure analysis*. *Acta Cryst.* **1**, 138–142.
- Cochran, W. (1948d). *X-ray analysis and the method of steepest descents*. *Acta Cryst.* **1**, 273.
- Cochran, W. (1951a). *Some properties of the $F_o - F_c$ -synthesis*. *Acta Cryst.* **4**, 408–411.
- Cochran, W. (1951b). *The structures of pyrimidines and purines. V. The electron distribution in adenine hydrochloride*. *Acta Cryst.* **4**, 81–92.
- Cochran, W., Crick, F. H. C. & Vand, V. (1952). *The structure of synthetic polypeptides. I. The transform of atoms on a helix*. *Acta Cryst.* **5**, 581–586.
- Cochran, W. T., Cooley, J. W., Favin, D. L., Helms, H. D., Kaenel, R. A., Lang, W. W., Maling, G. C., Nelson, D. E., Rader, C. M. & Welch, P. D. (1967). *What is the fast Fourier transform?* *IEEE Trans. Audio*, **15**, 45–55.
- Collins, D. M. (1975). *Efficiency in Fourier phase refinement for protein crystal structures*. *Acta Cryst.* **A31**, 388–389.
- Collins, D. M., Brice, M. D., Lacour, T. F. M. & Legg, M. J. (1976). *Fourier phase refinement and extension by modification of electron-density maps*. In *Crystallographic computing techniques*, edited by F. R. Ahmed, pp. 330–335. Copenhagen: Munksgaard.
- Colman, P. M. (1974). *Non-crystallographic symmetry and the sampling theorem*. *Z. Kristallogr.* **140**, 344–349.
- Cooley, J. W. & Tukey, J. W. (1965). *An algorithm for the machine calculation of complex Fourier series*. *Math. Comput.* **19**, 297–301.
- Cox, E. G. & Cruickshank, D. W. J. (1948). *The accuracy of electron-density maps in X-ray structure analysis*. *Acta Cryst.* **1**, 92–93.
- Cox, E. G., Gross, L. & Jeffrey, G. A. (1947). *A Hollerith punched-card method for the evaluation of electron density in crystal structure analysis*. *Proc. Leeds Philos. Soc.* **5**, 1–13.
- Cox, E. G., Gross, L. & Jeffrey, G. A. (1949). *A Hollerith technique for computing three-dimensional differential Fourier syntheses in X-ray crystal structure analysis*. *Acta Cryst.* **2**, 351–355.
- Cox, E. G. & Jeffrey, G. A. (1949). *The use of Hollerith computing equipment in crystal structure analysis*. *Acta Cryst.* **2**, 341–343.
- Coxeter, H. S. M. & Moser, W. O. J. (1972). *Generators and relations for discrete groups*, 3rd ed. Berlin: Springer-Verlag.
- Cramér, H. (1946). *Mathematical methods of statistics*. Princeton University Press.
- Crowther, R. A. (1967). *A linear analysis of the non-crystallographic symmetry problem*. *Acta Cryst.* **22**, 758–764.
- Crowther, R. A. (1969). *The use of non-crystallographic symmetry for phase determination*. *Acta Cryst.* **B25**, 2571–2580.
- Crowther, R. A. (1972). *The fast rotation function*. In *The molecular replacement method*, edited by M. G. Rossmann, pp. 173–178. New York: Gordon & Breach.
- Crowther, R. A. & Blow, D. M. (1967). *A method of positioning a known molecule in an unknown crystal structure*. *Acta Cryst.* **23**, 544–548.
- Cruickshank, D. W. J. (1949a). *The accuracy of electron-density maps in X-ray analysis with special reference to dibenzyl*. *Acta Cryst.* **2**, 65–82.
- Cruickshank, D. W. J. (1949b). *The accuracy of atomic co-ordinates derived by least-squares or Fourier methods*. *Acta Cryst.* **2**, 154–157.
- Cruickshank, D. W. J. (1950). *The convergence of the least-squares and Fourier refinement methods*. *Acta Cryst.* **3**, 10–13.
- Cruickshank, D. W. J. (1952). *On the relations between Fourier and least-squares methods of structure determination*. *Acta Cryst.* **5**, 511–518.
- Cruickshank, D. W. J. (1956). *The determination of the anisotropic thermal motion of atoms in crystals*. *Acta Cryst.* **9**, 747–753.
- Cruickshank, D. W. J. (1965a). *Errors in Fourier series*. In *Computing methods in crystallography*, edited by J. S. Rollett, pp. 107–111. Oxford: Pergamon Press.

I. GENERAL RELATIONSHIPS AND TECHNIQUES

1.3 (cont.)

- Cruickshank, D. W. J. (1965*b*). *Errors in least-squares methods*. In *Computing methods in crystallography*, edited by J. S. Rollett, pp. 112–116. Oxford: Pergamon Press.
- Cruickshank, D. W. J. (1970). *Least-squares refinement of atomic parameters*. In *Crystallographic computing*, edited by F. R. Ahmed, pp. 187–197. Copenhagen: Munksgaard.
- Cruickshank, D. W. J., Pilling, D. E., Bujosa, A., Lovell, F. M. & Truter, M. R. (1961). *Crystallographic calculations on the Ferranti Pegasus and mark I computers*. In *Computing methods and the phase problem in X-ray crystal analysis*, edited by R. Pepinsky, J. M. Robertson & J. C. Speakman, pp. 32–78. Oxford: Pergamon Press.
- Cruickshank, D. W. J. & Rollett, J. S. (1953). *Electron-density errors at special positions*. *Acta Cryst.* **6**, 705–707.
- Curtis, C. W. & Reiner, I. (1962). *Representation theory of finite groups and associative algebras*. New York: Wiley-Interscience.
- Daniels, H. E. (1954). *Saddlepoint approximation in statistics*. *Ann. Math. Stat.* **25**, 631–650.
- Deisenhofer, J. & Steigemann, W. (1975). *Crystallographic refinement of the structure of bovine pancreatic trypsin inhibitor at 1.5 Å resolution*. *Acta Cryst.* **B31**, 238–250.
- Diamond, R. (1971). *A real-space refinement procedure for proteins*. *Acta Cryst.* **A27**, 436–452.
- Dickerson, R. E., Kendrew, J. C. & Strandberg, B. E. (1961*a*). *The phase problem and isomorphous replacement methods in protein structures*. In *Computing methods and the phase problem in X-ray crystal analysis*, edited by R. Pepinsky, J. M. Robertson & J. C. Speakman, pp. 236–251. Oxford: Pergamon Press.
- Dickerson, R. E., Kendrew, J. C. & Strandberg, B. E. (1961*b*). *The crystal structure of myoglobin: phase determination to a resolution of 2 Å by the method of isomorphous replacement*. *Acta Cryst.* **14**, 1188–1195.
- Dietrich, H. (1972). *A reconsideration of Fourier methods for the refinement of crystal structures*. *Acta Cryst.* **B28**, 2807–2814.
- Dieudonné, J. (1969). *Foundations of modern analysis*. New York and London: Academic Press.
- Dieudonné, J. (1970). *Treatise on analysis*, Vol. II. New York and London: Academic Press.
- Dirac, P. A. M. (1958). *The principles of quantum mechanics*, 4th ed. Oxford: Clarendon Press.
- Dodson, E. J. (1981). *Block diagonal least squares refinement using fast Fourier techniques*. In *Refinement of protein structures*, compiled by P. A. Machin, J. W. Campbell & M. Elder (ref. DL/SCI/R16), pp. 29–39. Warrington: SERC Daresbury Laboratory.
- Donohue, J. & Schomaker, V. (1949). *The use of punched cards in molecular structure determinations*. III. *Structure factor calculations of X-ray crystallography*. *Acta Cryst.* **2**, 344–347.
- Duane, W. (1925). *The calculation of the X-ray diffracting power at points in a crystal*. *Proc. Natl Acad. Sci. USA*, **11**, 489–493.
- Dym, H. & McKean, H. P. (1972). *Fourier series and integrals*. New York and London: Academic Press.
- Eklundh, J. O. (1972). *A fast computer method for matrix transposing*. *IEEE Trans.* **C-21**, 801–803.
- Engel, P. (1986). *Geometric crystallography*. Dordrecht: Kluwer Academic Publishers.
- Erdélyi, A. (1954). *Tables of integral transforms*, Vol. I. New York: McGraw-Hill.
- Erdélyi, A. (1962). *Operational calculus and generalized functions*. New York: Holt, Rinehart & Winston.
- Ewald, P. P. (1921). *Die Berechnung optischer und elektrostatischer Gitterpotentiale*. *Ann. Phys. Leipzig*, **64**, 253–287.
- Ewald, P. P. (1940). *X-ray diffraction by finite and imperfect crystal lattices*. *Proc. Phys. Soc. London*, **52**, 167–174.
- Ewald, P. P. (1962). *Fifty years of X-ray diffraction*. Dordrecht: Kluwer Academic Publishers.
- Farkas, D. R. (1981). *Crystallographic groups and their mathematics*. *Rocky Mountain J. Math.* **11**, 511–551.
- Fornberg, A. (1981). *A vector implementation of the fast Fourier transform algorithm*. *Math. Comput.* **36**, 189–191.
- Forsyth, J. B. & Wells, M. (1959). *On an analytical approximation to the atomic scattering factor*. *Acta Cryst.* **12**, 412–415.
- Fowler, R. H. (1936). *Statistical mechanics*, 2nd ed. Cambridge University Press.
- Fowweather, F. (1955). *The use of general programmes for crystallographic calculations on the Manchester University electronic digital computer (Mark II)*. *Acta Cryst.* **8**, 633–637.
- Freer, S. T., Alden, R. A., Levens, S. A. & Kraut, J. (1976). *Refinement of five protein structures by constrained $F_o - F_c$ Fourier methods*. In *Crystallographic computing techniques*, edited by F. R. Ahmed, pp. 317–321. Copenhagen: Munksgaard.
- Friedel, G. (1913). *Sur les symétries cristallines que peut révéler la diffraction des rayons Röntgen*. *C. R. Acad. Sci. Paris*, **157**, 1533–1536.
- Friedlander, F. G. (1982). *Introduction to the theory of distributions*. Cambridge University Press.
- Friedlander, P. H., Love, W. & Sayre, D. (1955). *Least-squares refinement at high speed*. *Acta Cryst.* **8**, 732.
- Friedman, A. (1970). *Foundations of modern analysis*. New York: Holt, Rinehart & Winston. [Reprinted by Dover, New York, 1982.]
- Frobenius, G. (1911). *Über die unzerlegbaren diskreten Bewegungsgruppen*. *Sitzungsber. Preuss. Akad. Wiss. Berlin*, **29**, 654–665.
- Gassmann, J. (1976). *Improvement and extension of approximate phase sets in structure determination*. In *Crystallographic computing techniques*, edited by F. R. Ahmed, pp. 144–154. Copenhagen: Munksgaard.
- Gassmann, J. & Zechmeister, K. (1972). *Limits of phase expansion in direct methods*. *Acta Cryst.* **A28**, 270–280.
- Gel'fand, I. M. & Shilov, G. E. (1964). *Generalized functions*, Vol. I. New York and London: Academic Press.
- Gentleman, W. M. & Sande, G. (1966). *Fast Fourier transforms – for fun and profit*. In *AFIPS Proc. 1966 Fall Joint Computer Conference*, pp. 563–578. Washington, DC: Spartan Books.
- Gillis, J. (1948*a*). *Structure factor relations and phase determination*. *Acta Cryst.* **1**, 76–80.
- Gillis, J. (1948*b*). *The application of the Harker-Kasper method of phase determination*. *Acta Cryst.* **1**, 174–179.
- Goedkoop, J. A. (1950). *Remarks on the theory of phase-limiting inequalities and equalities*. *Acta Cryst.* **3**, 374–378.
- Goldstine, H. H. (1977). *A history of numerical analysis from the 16th through the 19th century*. New York: Springer-Verlag.
- Good, I. J. (1958). *The interaction algorithm and practical Fourier analysis*. *J. R. Stat. Soc.* **B20**, 361–372.
- Good, I. J. (1960). *Addendum [to Good (1958)]*. *J. R. Stat. Soc.* **B22**, 372–375.
- Good, I. J. (1971). *The relationship between two fast Fourier transforms*. *IEEE Trans.* **C-20**, 310–317.
- Greenhalgh, D. M. S. & Jeffrey, G. A. (1950). *A new punched card method of Fourier synthesis*. *Acta Cryst.* **3**, 311–312.
- Grems, M. D. & Kasper, J. S. (1949). *An improved punched-card method for crystal structure-factor calculations*. *Acta Cryst.* **2**, 347–351.
- Grenander, U. (1952). *On Toeplitz forms and stationary processes*. *Ark. Math.* **1**, 555–571.
- Grenander, U. & Szegö, G. (1958). *Toeplitz forms and their applications*. Berkeley: University of California Press.
- Guessoum, A. & Mersereau, R. M. (1986). *Fast algorithms for the multidimensional discrete Fourier transform*. *IEEE Trans. Acoust. Speech Signal Process.* **34**, 937–943.
- Hadamard, J. (1932). *Le problème de Cauchy et les équations aux dérivées partielles linéaires hyperboliques*. Paris: Hermann.
- Hadamard, J. (1952). *Lectures on Cauchy's problem in linear partial differential equations*. New York: Dover Publications.
- Hall, M. (1959). *The theory of groups*. New York: Macmillan.
- Hardy, G. H. (1933). *A theorem concerning Fourier transforms*. *J. London Math. Soc.* **8**, 227–231.
- Harker, D. (1936). *The application of the three-dimensional Patterson method and the crystal structures of proustite Ag_3AsS_3 , and pyrargyrite, Ag_3SbS_3* . *J. Chem. Phys.* **4**, 381–390.
- Harker, D. & Kasper, J. S. (1948). *Phases of Fourier coefficients directly from crystal diffraction data*. *Acta Cryst.* **1**, 70–75.

REFERENCES

1.3 (cont.)

- Harris, D. B., McClellan, J. H., Chan, D. S. K. & Schuessler, H. W. (1977). *Vector radix fast Fourier transform*. *Rec. 1977 IEEE Internat. Conf. Acoust. Speech Signal Process.* pp. 548–551.
- Harrison, S. C., Olson, A. J., Schutt, C. E., Winkler, F. K. & Bricogne, G. (1978). *Tomato bushy stunt virus at 2.9 Å resolution*. *Nature (London)*, **276**, 368–373.
- Hartman, P. & Wintner, A. (1950). *On the spectra of Toeplitz's matrices*. *Am. J. Math.* **72**, 359–366.
- Hartman, P. & Wintner, A. (1954). *The spectra of Toeplitz's matrices*. *Am. J. Math.* **76**, 867–882.
- Hauptman, H. & Karle, J. (1953). *Solution of the phase problem. I. The centrosymmetric crystal*. ACA Monograph No. 3. Pittsburgh: Polycrystal Book Service.
- Havighurst, R. J. (1925a). *The distribution of diffracting power in sodium chloride*. *Proc. Natl Acad. Sci. USA*, **11**, 502–507.
- Havighurst, R. J. (1925b). *The distribution of diffracting power in certain crystals*. *Proc. Natl Acad. Sci. USA*, **11**, 507–512.
- Heideman, M. T., Johnson, D. H. & Burrus, C. S. (1984). *Gauss and the history of the fast Fourier transform*. *IEEE Acoust. Speech Signal Process. Mag.* October 1984.
- Hendrickson, W. A. & Konnert, J. H. (1980). *Incorporation of stereochemical information into crystallographic refinement*. In *Computing in crystallography*, edited by R. Diamond, S. Ramaseshan & K. Venkatesan, pp. 13.01–13.26. Bangalore: The Indian Academy of Science.
- Herglotz, G. (1911). *Über Potenzreihen mit positiven, reellen Teil im Einheitskreis*. *Ber. Sächs. Ges. Wiss. Leipzig*, **63**, 501–511.
- Hirschman, I. I. Jr & Hughes, D. E. (1977). *Extreme eigenvalues of Toeplitz operators*. *Lecture notes in mathematics*, Vol. 618. Berlin: Springer-Verlag.
- Hodgson, M. L., Clews, C. J. B. & Cochran, W. (1949). *A punched card modification of the Beevers-Lipson method of Fourier synthesis*. *Acta Cryst.* **2**, 113–116.
- Hoppe, W. & Gassmann, J. (1968). *Phase correction, a new method to solve partially known structures*. *Acta Cryst.* **B24**, 97–107.
- Hoppe, W., Gassmann, J. & Zechmeister, K. (1970). *Some automatic procedures for the solution of crystal structures with direct methods and phase correction*. In *Crystallographic computing*, edited by F. R. Ahmed, S. R. Hall & C. P. Huber, pp. 26–36. Copenhagen: Munksgaard.
- Hörmander, L. (1963). *Linear partial differential operators*. Berlin: Springer-Verlag.
- Hörmander, L. (1973). *An introduction to complex analysis in several variables*, 2nd ed. Amsterdam: North-Holland.
- Huber, R., Kulka, D., Bode, W., Schwager, P., Bartels, K., Deisenhofer, J. & Steigemann, W. (1974). *Structure of the complex formed by bovine trypsin and bovine pancreatic trypsin inhibitor. II. Crystallographic refinement at 1.9 Å resolution*. *J. Mol. Biol.* **89**, 73–101.
- Hughes, E. W. (1941). *The crystal structure of melamine*. *J. Am. Chem. Soc.* **63**, 1737–1752.
- Immirzi, A. (1973). *A general Fourier program for X-ray crystal-structure analysis which utilizes the Cooley-Tukey algorithm*. *J. Appl. Cryst.* **6**, 246–249.
- Immirzi, A. (1976). *Fast Fourier transform in crystallography*. In *Crystallographic computing techniques*, edited by F. R. Ahmed, pp. 399–412. Copenhagen: Munksgaard.
- Isaacs, N. W. (1982a). *The refinement of macromolecules*. In *Computational crystallography*, edited by D. Sayre, pp. 381–397. New York: Oxford University Press.
- Isaacs, N. W. (1982b). *Refinement techniques: use of the FFT*. In *Computational crystallography*, edited by D. Sayre, pp. 398–408. New York: Oxford University Press.
- Isaacs, N. W. (1984). *Refinement using the fast-Fourier transform least squares algorithm*. In *Methods and applications in crystallographic computing*, edited by S. R. Hall & T. Ashida, pp. 193–205. New York: Oxford University Press.
- Isaacs, N. W. & Agarwal, R. C. (1978). *Experience with fast Fourier least squares in the refinement of the crystal structure of rhombohedral 2-zinc insulin at 1.5 Å resolution*. *Acta Cryst.* **A34**, 782–791.
- Jack, A. (1973). *Direct determination of X-ray phases for tobacco mosaic virus protein using non-crystallographic symmetry*. *Acta Cryst.* **A29**, 545–554.
- Jack, A. & Levitt, M. (1978). *Refinement of large structures by simultaneous minimization of energy and R factor*. *Acta Cryst.* **A34**, 931–935.
- James, R. W. (1948a). *The optical principles of the diffraction of X-rays*. London: Bell.
- James, R. W. (1948b). *False detail in three-dimensional Fourier representations of crystal structures*. *Acta Cryst.* **1**, 132–134.
- Janssen, T. (1973). *Crystallographic groups*. Amsterdam: North-Holland.
- Jaynes, E. T. (1957). *Information theory and statistical mechanics*. *Phys. Rev.* **106**, 620–630.
- Jaynes, E. T. (1968). *Prior probabilities*. *IEEE Trans. SSC*, **4**, 227–241.
- Jaynes, E. T. (1983). *Papers on probability, statistics and statistical physics*. Dordrecht: Kluwer Academic Publishers.
- Johnson, H. W. & Burrus, C. S. (1983). *The design of optimal DFT algorithms using dynamic programming*. *IEEE Trans. Acoust. Speech Signal Process.* **31**, 378–387.
- Jürgensen, H. (1970). *Calculation with the elements of a finite group given by generators and defining relations*. In *Computational problems in abstract algebra*, edited by J. Leech, pp. 47–57. Oxford: Pergamon Press.
- Kac, M. (1954). *Toeplitz matrices, translation kernels, and a related problem in probability theory*. *Duke Math. J.* **21**, 501–509.
- Kac, M., Murdock, W. L. & Szegő, G. (1953). *On the eigenvalues of certain Hermitian forms*. *J. Rat. Mech. Anal.* **2**, 767–800.
- Karle, J. & Hauptman, H. (1950). *The phases and magnitudes of the structure factors*. *Acta Cryst.* **3**, 181–187.
- Katznelson, Y. (1968). *An introduction to harmonic analysis*. New York: John Wiley.
- Khinchin, A. I. (1949). *Mathematical foundations of statistical mechanics*. New York: Dover Publications.
- Kitz, N. & Marchington, B. (1953). *A method of Fourier synthesis using a standard Hollerith senior rolling total tabulator*. *Acta Cryst.* **6**, 325–326.
- Klug, A. (1958). *Joint probability distributions of structure factors and the phase problem*. *Acta Cryst.* **11**, 515–543.
- Klug, A., Crick, F. H. C. & Wyckoff, H. W. (1958). *Diffraction by helical structures*. *Acta Cryst.* **11**, 199–213.
- Kluyver, J. C. (1906). *A local probability problem*. *K. Ned. Akad. Wet. Proc.* **8**, 341–350.
- Kolba, D. P. & Parks, T. W. (1977). *A prime factor FFT algorithm using high-speed convolution*. *IEEE Trans. Acoust. Speech Signal Process.* **25**, 281–294.
- Konnert, J. H. (1976). *A restrained-parameter structure-factor least-squares refinement procedure for large asymmetric units*. *Acta Cryst.* **A32**, 614–617.
- Konnert, J. H. & Hendrickson, W. A. (1980). *A restrained-parameter thermal-factor refinement procedure*. *Acta Cryst.* **A36**, 344–350.
- Korn, D. G. & Lambiotte, J. J. Jr (1979). *Computing the fast Fourier transform on a vector computer*. *Math. Comput.* **33**, 977–992.
- Kuriyan, J., Brünger, A. T., Karplus, M. & Hendrickson, W. A. (1989). *X-ray refinement of protein structures by simulated annealing: test of the method on myohemerythrin*. *Acta Cryst.* **A45**, 396–409.
- Lanczos, C. (1966). *Discourse on Fourier series*. Edinburgh: Oliver & Boyd.
- Landau, H. J. & Pollack, H. O. (1961). *Prolate spheroidal wave functions, Fourier analysis and uncertainty (2)*. *Bell Syst. Tech. J.* **40**, 65–84.
- Landau, H. J. & Pollack, H. O. (1962). *Prolate spheroidal wave functions, Fourier analysis and uncertainty (3): the dimension of the space of essentially time- and band-limited signals*. *Bell Syst. Tech. J.* **41**, 1295–1336.
- Lang, S. (1965). *Algebra*. Reading, MA: Addison-Wesley.
- Larmor, J. (1934). *The Fourier discontinuities: a chapter in historical integral calculus*. *Philos. Mag.* **17**, 668–678.

1. GENERAL RELATIONSHIPS AND TECHNIQUES

1.3 (cont.)

- Laue, M. von (1936). *Die äußere Form der Kristalle in ihrem Einfluß auf die Interferenzerscheinungen an Raumgittern*. *Ann. Phys. (Leipzig)*, **26**, 55–68.
- Lavoine, J. (1963). *Transformation de Fourier des pseudo-fonctions, avec tables de nouvelles transformées*. Paris: Editions du CNRS.
- Ledermann, W. (1987). *Introduction to group characters*, 2nd ed. Cambridge University Press.
- Leslie, A. G. W. (1987). *A reciprocal-space method for calculating a molecular envelope using the algorithm of B. C. Wang*. *Acta Cryst.* **A43**, 134–136.
- Lighthill, M. J. (1958). *Introduction to Fourier analysis and generalized functions*. Cambridge University Press.
- Linnik, I. Ju. (1975). *A multidimensional analogue of a limit theorem of G. Szegö*. *Math. USSR Izv.* **9**, 1323–1332.
- Lipson, H. & Beevers, C. A. (1936). *An improved numerical method of two-dimensional Fourier synthesis for crystals*. *Proc. Phys. Soc. London*, **48**, 772–780.
- Lipson, H. & Cochran, W. (1953). *The determination of crystal structures*. London: Bell.
- Lipson, H. & Cochran, W. (1968). *The determination of crystal structures*. Revised and enlarged edition. London: G. Bell & Sons.
- Lipson, H. & Taylor, C. A. (1951). *Optical methods in X-ray analysis. II. Fourier transforms and crystal-structure determination*. *Acta Cryst.* **4**, 458–462.
- Lipson, H. & Taylor, C. A. (1958). *Fourier transforms and X-ray diffraction*. London: Bell.
- Livesey, A. K. & Skilling, J. (1985). *Maximum entropy theory*. *Acta Cryst.* **A41**, 113–122.
- Lonsdale, K. (1936). *Simplified structure factor and electron density formulae for the 230 space groups of mathematical crystallography*. London: Bell.
- Lunin, V. Yu. (1985). *Use of the fast differentiation algorithm for phase refinement in protein crystallography*. *Acta Cryst.* **A41**, 551–556.
- McClellan, J. H. & Rader, C. M. (1979). *Number theory in digital signal processing*. Englewood Cliffs: Prentice Hall.
- MacGillavry, C. H. (1950). *On the derivation of Harker–Kasper inequalities*. *Acta Cryst.* **3**, 214–217.
- MacLane, S. (1963). *Homology*. Berlin: Springer-Verlag.
- Magnus, W., Karrass, A. & Solitar, D. (1976). *Combinatorial group theory: presentations of groups in terms of generators and relations*, 2nd revised ed. New York: Dover Publications.
- Magnus, W., Oberhettinger, F. & Soni, R. P. (1966). *Formulas and theorems for the special functions of mathematical physics*. Berlin: Springer-Verlag.
- Main, P. & Rossmann, M. G. (1966). *Relationships among structure factors due to identical molecules in different crystallographic environments*. *Acta Cryst.* **21**, 67–72.
- Main, P. & Woolfson, M. M. (1963). *Direct determination of phases by the use of linear equations between structure factors*. *Acta Cryst.* **16**, 1046–1051.
- Mayer, S. W. & Trueblood, K. N. (1953). *Three-dimensional Fourier summations on a high-speed digital computer*. *Acta Cryst.* **6**, 427.
- Mersereau, R. & Speake, T. C. (1981). *A unified treatment of Cooley–Tukey algorithms for the evaluation of the multidimensional DFT*. *IEEE Trans. Acoust. Speech Signal Process.* **29**, 1011–1018.
- Mersereau, R. M. (1979). *The processing of hexagonally sampled two-dimensional signals*. *Proc. IEEE*, **67**, 930–949.
- Montroll, E. W., Potts, R. B. & Ward, J. C. (1963). *Correlations and spontaneous magnetization of the two-dimensional Ising model*. *J. Math. Phys.* **4**, 308–322.
- Moore, D. H. (1971). *Heaviside operational calculus. An elementary foundation*. New York: American Elsevier.
- Morris, R. L. (1978). *A comparative study of time efficient FFT and WFTA programs for general purpose computers*. *IEEE Trans. Acoust. Speech Signal Process.* **26**, 141–150.
- Narayan, R. & Nityananda, R. (1982). *The maximum determinant method and the maximum entropy method*. *Acta Cryst.* **A38**, 122–128.
- Natterer, F. (1986). *The mathematics of computerized tomography*. New York: John Wiley.
- Navaza, J. (1985). *On the maximum-entropy estimate of the electron density function*. *Acta Cryst.* **A41**, 232–244.
- Nawab, H. & McClellan, J. H. (1979). *Bounds on the minimum number of data transfers in WFTA and FFT programs*. *IEEE Trans. Acoust. Speech Signal Process.* **27**, 393–398.
- Niggli, A. (1961). *Small-scale computers in X-ray crystallography*. In *Computing methods and the phase problem*, edited by R. Pepinsky, J. M. Robertson & J. C. Speakman, pp. 12–20. Oxford: Pergamon Press.
- Nussbaumer, H. J. (1981). *Fast Fourier transform and convolution algorithms*. Berlin: Springer-Verlag.
- Nussbaumer, H. J. & Quandalle, P. (1979). *Fast computation of discrete Fourier transforms using polynomial transforms*. *IEEE Trans. Acoust. Speech Signal Process.* **27**, 169–181.
- Onsager, L. (1944). *Crystal statistics. I. Two-dimensional model with an order–disorder transition*. *Phys. Rev.* **65**, 117–149.
- Paley, R. E. A. C. & Wiener, N. (1934). *Fourier transforms in the complex domain*. Providence, RI: American Mathematical Society.
- Patterson, A. L. (1934). *A Fourier series method for the determination of the components of interatomic distances in crystals*. *Phys. Rev.* **46**, 372–376.
- Patterson, A. L. (1935a). *A direct method for the determination of the components of interatomic distances in crystals*. *Z. Kristallogr.* **90**, 517–542.
- Patterson, A. L. (1935b). *Tabulated data for the seventeen plane groups*. *Z. Kristallogr.* **90**, 543–554.
- Patterson, A. L. (1959). In *International tables for X-ray crystallography*, Vol. II, pp. 9–10. Erratum, January 1962. Birmingham: Kynoch Press. (Present distributor Kluwer Academic Publishers, Dordrecht.)
- Pearson, K. (1905). *The problem of the random walk*. *Nature (London)*, **72**, 294, 342.
- Pease, M. C. (1968). *An adaptation of the fast Fourier transform for parallel processing*. *J. Assoc. Comput. Mach.* **15**, 252–264.
- Pepinsky, R. (1947). *An electronic computer for X-ray crystal structure analyses*. *J. Appl. Phys.* **18**, 601–604.
- Pepinsky, R. (1952). *The use of positive kernels in Fourier syntheses of crystal structures*. In *Computing methods and the phase problem in X-ray crystal analysis*, edited by R. Pepinsky, pp. 319–338. State College: Penn. State College.
- Pepinsky, R., van den Hende, J. & Vand, V. (1961). *X-RAC and digital computing methods*. In *Computing methods and the phase problem*, edited by R. Pepinsky, J. M. Robertson & J. C. Speakman, pp. 154–160. Oxford: Pergamon Press.
- Pepinsky, R. & Sayre, D. (1948). *Quantitative electron-density contour delineation in the electronic Fourier synthesizer for crystal structure analysis*. *Nature (London)*, **162**, 22–23.
- Petrov, V. V. (1975). *Sums of independent random variables*. Berlin: Springer-Verlag.
- Pollack, H. O. & Slepian, D. (1961). *Prolate spheroidal wave functions, Fourier analysis and uncertainty (1)*. *Bell Syst. Tech. J.* **40**, 43–64.
- Qurashi, M. M. (1949). *Optimal conditions for convergence of steepest descents as applied to structure determination*. *Acta Cryst.* **2**, 404–409.
- Qurashi, M. M. (1953). *An analysis of the efficiency of convergence of different methods of structure determination. I. The methods of least squares and steepest descents: centrosymmetric case*. *Acta Cryst.* **6**, 577–588.
- Qurashi, M. M. & Vand, V. (1953). *Weighting of the least-squares and steepest-descents methods in the initial stages of the crystal-structure determination*. *Acta Cryst.* **6**, 341–349.
- Rader, C. M. (1968). *Discrete Fourier transforms when the number of data samples is prime*. *Proc. IEEE*, **56**, 1107–1108.
- Rayleigh (J. W. Strutt), Lord (1880). *On the resultant of a large number of vibrations of the same pitch and arbitrary phase*. *Philos. Mag.* **10**, 73–78.
- Rayleigh (J. W. Strutt), Lord (1899). *On James Bernoulli's theorem in probabilities*. *Philos. Mag.* **47**, 246–251.

REFERENCES

1.3 (cont.)

- Rayleigh (J. W. Strutt), Lord (1905). *The problem of the random walk*. *Nature (London)*, **72**, 318.
- Rayleigh (J. W. Strutt), Lord (1918). *On the light emitted from a random distribution of luminous sources*. *Philos. Mag.* **36**, 429–449.
- Rayleigh (J. W. Strutt), Lord (1919). *On the problem of random flights in one, two or three dimensions*. *Philos. Mag.* **37**, 321–347.
- Reif, F. (1965). *Fundamentals of statistical and thermal physics*, Appendix A.6. New York: McGraw-Hill.
- Reijen, L. L. van (1942). *Diffraction effects in Fourier syntheses and their elimination in X-ray structure investigations*. *Physica*, **9**, 461–480.
- Rice, S. O. (1944, 1945). *Mathematical analysis of random noise*. *Bell Syst. Tech. J.* **23**, 283–332 (parts I and II); **24**, 46–156 (parts III and IV). [Reprinted in *Selected papers on noise and stochastic processes* (1954), edited by N. Wax, pp. 133–294. New York: Dover Publications.]
- Riesz, M. (1938). *L'intégrale de Riemann–Liouville et le problème de Cauchy pour l'équation des ondes*. *Bull. Soc. Math. Fr.* **66**, 153–170.
- Riesz, M. (1949). *L'intégrale de Riemann–Liouville et le problème de Cauchy*. *Acta Math.* **81**, 1–223.
- Rivard, G. E. (1977). *Direct fast Fourier transform of bivariate functions*. *IEEE Trans. Acoust. Speech Signal Process.* **25**, 250–252.
- Robertson, J. M. (1932). *A simple harmonic continuous calculating machine*. *Philos. Mag.* **13**, 413–419.
- Robertson, J. M. (1935). *An X-ray study of the structure of phthalocyanines. Part I. The metal-free, nickel, copper, and platinum compounds*. *J. Chem. Soc.* pp. 615–621.
- Robertson, J. M. (1936a). *Numerical and mechanical methods in double Fourier synthesis*. *Philos. Mag.* **21**, 176–187.
- Robertson, J. M. (1936b). *Calculation of structure factors and summation of Fourier series in crystal analysis: non-centrosymmetrical projections*. *Nature (London)*, **138**, 683–684.
- Robertson, J. M. (1936c). *An X-ray study of the phthalocyanines. Part II. Quantitative structure determination of the metal-free compound*. *J. Chem. Soc.* pp. 1195–1209.
- Robertson, J. M. (1937). *X-ray analysis and application of Fourier series methods to molecular structures*. *Phys. Soc. Rep. Prog. Phys.* **4**, 332–367.
- Robertson, J. M. (1954). *A fast digital computer for Fourier operations*. *Acta Cryst.* **7**, 817–822.
- Robertson, J. M. (1955). *Some properties of Fourier strips with applications to the digital computer*. *Acta Cryst.* **8**, 286–288.
- Robertson, J. M. (1961). *A digital mechanical computer for Fourier operations*. In *Computing methods and the phase problem*, edited by R. Pepinsky, J. M. Robertson & J. C. Speakman, pp. 21–24. Oxford: Pergamon Press.
- Rollett, J. S. (1965). *Structure factor routines*. In *Computing methods in crystallography*, edited by J. S. Rollett, pp. 38–46. Oxford: Pergamon Press.
- Rollett, J. S. (1970). *Least-squares procedures in crystal structure analysis*. In *Crystallographic computing*, edited by F. R. Ahmed, pp. 167–181. Copenhagen: Munksgaard.
- Rollett, J. S. & Davies, D. R. (1955). *The calculation of structure factors for centrosymmetric monoclinic systems with anisotropic atomic vibration*. *Acta Cryst.* **8**, 125–128.
- Rossmann, M. G. & Blow, D. M. (1962). *The detection of sub-units within the crystallographic asymmetric unit*. *Acta Cryst.* **15**, 24–31.
- Rossmann, M. G. & Blow, D. M. (1963). *Determination of phases by the conditions of non-crystallographic symmetry*. *Acta Cryst.* **16**, 39–45.
- Sayre, D. (1951). *The calculation of structure factors by Fourier summation*. *Acta Cryst.* **4**, 362–367.
- Sayre, D. (1952a). *The squaring method: a new method for phase determination*. *Acta Cryst.* **5**, 60–65.
- Sayre, D. (1952b). *Some implications of a theorem due to Shannon*. *Acta Cryst.* **5**, 843.
- Sayre, D. (1952c). *The Fourier transform in X-ray crystal analysis*. In *Computing methods and the phase problem in X-ray crystal analysis*, edited by R. Pepinsky, pp. 361–390. State College: Penn. State University.
- Sayre, D. (1972). *On least-squares refinement of the phases of crystallographic structure factors*. *Acta Cryst.* **A28**, 210–212.
- Sayre, D. (1974). *Least-squares phase refinement. II. High-resolution phasing of a small protein*. *Acta Cryst.* **A30**, 180–184.
- Sayre, D. (1980). *Phase extension and refinement using convolutional and related equation systems*. In *Theory and practice of direct methods in crystallography*, edited by M. F. C. Ladd & R. A. Palmer, pp. 271–286. New York and London: Plenum.
- Schroeder, M. R. (1986). *Number theory in science and communication*, 2nd ed. Berlin: Springer-Verlag.
- Schwartz, L. (1965). *Mathematics for the physical sciences*. Paris: Hermann, and Reading: Addison-Wesley.
- Schwartz, L. (1966). *Théorie des distributions*. Paris: Hermann.
- Schwarzenberger, R. L. E. (1980). *N-dimensional crystallography. Research notes in mathematics*, Vol. 41. London: Pitman.
- Scott, W. R. (1964). *Group theory*. Englewood Cliffs: Prentice-Hall. [Reprinted by Dover, New York, 1987.]
- Shaffer, P. A. Jr, Schomaker, V. & Pauling, L. (1946a). *The use of punched cards in molecular structure determinations. I. Crystal structure calculations*. *J. Chem. Phys.* **14**, 648–658.
- Shaffer, P. A. Jr, Schomaker, V. & Pauling, L. (1946b). *The use of punched cards in molecular structure determinations. II. Electron diffraction calculations*. *J. Chem. Phys.* **14**, 659–664.
- Shannon, C. E. (1949). *Communication in the presence of noise*. *Proc. Inst. Radio Eng. NY*, **37**, 10–21.
- Shenefelt, M. (1988). *Group invariant finite Fourier transforms*. PhD thesis, Graduate Centre of the City University of New York.
- Shmueli, U. & Weiss, G. H. (1985). *Exact joint probability distribution for centrosymmetric structure factors. Derivation and application to the Σ_1 relationship in the space group $P\bar{1}$* . *Acta Cryst.* **A41**, 401–408.
- Shmueli, U. & Weiss, G. H. (1986). *Exact joint distribution of E_h , E_k and E_{h+k} , and the probability for the positive sign of the triple product in the space group $P\bar{1}$* . *Acta Cryst.* **A42**, 240–246.
- Shmueli, U. & Weiss, G. H. (1987). *Exact random-walk models in crystallographic statistics. III. Distributions of $|E|$ for space groups of low symmetry*. *Acta Cryst.* **A43**, 93–98.
- Shmueli, U. & Weiss, G. H. (1988). *Exact random-walk models in crystallographic statistics. IV. P.d.f.'s of $|E|$ allowing for atoms in special positions*. *Acta Cryst.* **A44**, 413–417.
- Shmueli, U., Weiss, G. H. & Kiefer, J. E. (1985). *Exact random-walk models in crystallographic statistics. II. The bicentric distribution for the space group $P\bar{1}$* . *Acta Cryst.* **A41**, 55–59.
- Shmueli, U., Weiss, G. H., Kiefer, J. E. & Wilson, A. J. C. (1984). *Exact random-walk models in crystallographic statistics. I. Space groups $P\bar{1}$ and $P1$* . *Acta Cryst.* **A40**, 651–660.
- Shoemaker, D. P., Donohue, J., Schomaker, V. & Corey, R. B. (1950). *The crystal structure of L_S -threonine*. *J. Am. Chem. Soc.* **72**, 2328–2349.
- Shoemaker, D. P. & Sly, W. G. (1961). *Computer programming strategy for crystallographic Fourier synthesis: program MIFRI*. *Acta Cryst.* **14**, 552.
- Shohat, J. A. & Tamarkin, J. D. (1943). *The problem of moments*. *Mathematical surveys*, No. 1. New York: American Mathematical Society.
- Silverman, H. F. (1977). *An introduction to programming the Winograd Fourier transform algorithm (WFTA)*. *IEEE Trans. Acoust. Speech Signal Process.* **25**, 152–165.
- Singleton, R. C. (1969). *An algorithm for computing the mixed radix fast Fourier transform*. *IEEE Trans. AU*, **17**, 93–103.
- Sneddon, I. N. (1951). *Fourier transforms*. New York: McGraw-Hill.
- Sneddon, I. N. (1972). *The use of integral transforms*. New York: McGraw-Hill.
- Sparks, R. A., Prosen, R. J., Kruse, F. H. & Trueblood, K. N. (1956). *Crystallographic calculations on the high-speed digital computer SWAC*. *Acta Cryst.* **9**, 350–358.
- Sprecher, D. A. (1970). *Elements of real analysis*. New York: Academic Press. [Reprinted by Dover Publications, New York, 1987.]
- Stout, G. H. & Jensen, L. H. (1968). *X-ray structure determination. A practical guide*. New York: Macmillan.
- Suryan, G. (1957). *An analogue computer for double Fourier series*

1. GENERAL RELATIONSHIPS AND TECHNIQUES

1.3 (cont.)

- summation for X-ray crystal-structure analysis. *Acta Cryst.* **10**, 82–84.
- Sussman, J. L., Holbrook, S. R., Church, G. M. & Kim, S.-H. (1977). A structure-factor least-squares refinement procedure for macromolecular structures using constrained and restrained parameters. *Acta Cryst.* **A33**, 800–804.
- Swartzrauber, P. N. (1984). FFT algorithms for vector computers. *Parallel Comput.* **1**, 45–63.
- Szegő, G. (1915). Ein Grenzwertsatz über die Toeplitz'schen Determinanten einer reellen positiven Funktion. *Math. Ann.* **76**, 490–503.
- Szegő, G. (1920). Beiträge zur Theorie der Toeplitz'schen Formen (Erste Mitteilung). *Math. Z.* **6**, 167–202.
- Szegő, G. (1952). On certain Hermitian forms associated with the Fourier series of a positive function. *Comm. Sémin. Math. Univ. Lund* (Suppl. dedicated to Marcel Riesz), pp. 228–238.
- Takano, T. (1977a). Structure of myoglobin refined at 2.0 Å resolution. I. Crystallographic refinement of metmyoglobin from sperm whale. *J. Mol. Biol.* **110**, 537–568.
- Takano, T. (1977b). Structure of myoglobin refined at 2.0 Å resolution. II. Structure of deoxymyoglobin from sperm whale. *J. Mol. Biol.* **110**, 569–584.
- Temperton, C. (1983a). Self-sorting mixed-radix fast Fourier transforms. *J. Comput. Phys.* **52**, 1–23.
- Temperton, C. (1983b). A note on the prime factor FFT algorithm. *J. Comput. Phys.* **52**, 198–204.
- Temperton, C. (1983c). Fast mixed-radix real Fourier transforms. *J. Comput. Phys.* **52**, 340–350.
- Temperton, C. (1985). Implementation of a self-sorting in-place prime factor FFT algorithm. *J. Comput. Phys.* **58**, 283–299.
- Ten Eyck, L. F. (1973). Crystallographic fast Fourier transforms. *Acta Cryst.* **A29**, 183–191.
- Ten Eyck, L. F. (1977). Efficient structure factor calculation for large molecules by fast Fourier transform. *Acta Cryst.* **A33**, 486–492.
- Ten Eyck, L. F. (1985). Fast Fourier transform calculation of electron density maps. In *Diffraction methods for biological macromolecules* (Methods in enzymology, Vol. 115), edited by H. Wyckoff, C. H. W. Hirs & S. N. Timasheff, pp. 324–337. New York: Academic Press.
- Titchmarsh, E. C. (1922). Hankel transforms. *Proc. Camb. Philos. Soc.* **21**, 463–473.
- Titchmarsh, E. C. (1948). *Introduction to the theory of Fourier integrals*. Oxford: Clarendon Press.
- Toeplitz, O. (1907). Zur Theorie der quadratischen Formen von unendlichvielen Variablen. *Nachr. der Kgl. Ges. Wiss. Göttingen, Math. Phys. Kl.* pp. 489–506.
- Toeplitz, O. (1910). Zur Transformation der Scharen bilinearer Formen von unendlichvielen Veränderlichen. *Nachr. der Kgl. Ges. Wiss. Göttingen, Math. Phys. Kl.* pp. 110–115.
- Toeplitz, O. (1911a). Zur Theorie der quadratischen und bilinearen Formen von unendlichvielen Veränderlichen. I. Teil: Theorie der L-formen. *Math. Ann.* **70**, 351–376.
- Toeplitz, O. (1911b). Über die Fouriersche Entwicklung positiver Funktionen. *Rend. Circ. Mat. Palermo*, **32**, 191–192.
- Tolimieri, R. (1985). The algebra of the finite Fourier transform and coding theory. *Trans. Am. Math. Soc.* **287**, 253–273.
- Tolimieri, R., An, M. & Lu, C. (1989). *Algorithms for discrete Fourier transform and convolution*. New York: Springer-Verlag.
- Tolstov, G. P. (1962). *Fourier series*. Englewood Cliffs, NJ: Prentice-Hall.
- Trèves, F. (1967). *Topological vector spaces, distributions, and kernels*. New York and London: Academic Press.
- Tronrud, D. E., Ten Eyck, L. F. & Matthews, B. W. (1987). An efficient general-purpose least-squares refinement program for macromolecular structures. *Acta Cryst.* **A43**, 489–501.
- Trueblood, K. N. (1956). Symmetry transformations of general anisotropic temperature factors. *Acta Cryst.* **9**, 359–361.
- Truter, M. R. (1954). Refinement of a non-centrosymmetrical structure: sodium nitrite. *Acta Cryst.* **7**, 73–77.
- Uhrich, M. L. (1969). Fast Fourier transforms without sorting. *IEEE Trans. AU*, **17**, 170–172.
- Van der Pol, B. & Bremmer, H. (1955). *Operational calculus*, 2nd ed. Cambridge University Press.
- Vand, V. (1948). Method of steepest descents: improved formula for X-ray analysis. *Nature (London)*, **161**, 600–601.
- Vand, V. (1951). A simplified method of steepest descents. *Acta Cryst.* **4**, 285–286.
- Vand, V., Eiland, P. F. & Pepinsky, R. (1957). Analytical representation of atomic scattering factors. *Acta Cryst.* **10**, 303–306.
- Wang, B. C. (1985). Resolution of phase ambiguity in macromolecular crystallography. In *Diffraction methods for biological macromolecules* (Methods in enzymology, Vol. 115), edited by H. Wyckoff, C. H. W. Hirs & S. N. Timasheff, pp. 90–112. New York: Academic Press.
- Warren, B. & Bragg, W. L. (1929). The structure of diopside, $\text{CaMg}(\text{SiO}_3)_2$. *Z. Kristallogr.* **69**, 168–193.
- Warren, B. E. (1969). *X-ray diffraction*. Reading: Addison-Wesley.
- Warren, B. E. & Gingrich, N. S. (1934). Fourier integral analysis of X-ray powder patterns. *Phys. Rev.* **46**, 368–372.
- Waser, J. (1955a). Symmetry relations between structure factors. *Acta Cryst.* **8**, 595.
- Waser, J. (1955b). The anisotropic temperature factor in triclinic coordinates. *Acta Cryst.* **8**, 731.
- Waser, J. & Schomaker, V. (1953). The Fourier inversion of diffraction data. *Rev. Mod. Phys.* **25**, 671–690.
- Watson, G. L. (1970). *Integral quadratic forms*. Cambridge University Press.
- Watson, G. N. (1944). *A treatise on the theory of Bessel functions*, 2nd ed. Cambridge University Press.
- Wells, M. (1965). Computational aspects of space-group symmetry. *Acta Cryst.* **19**, 173–179.
- Weyl, H. (1931). *The theory of groups and quantum mechanics*. New York: Dutton. [Reprinted by Dover Publications, New York, 1950.]
- Whittaker, E. J. W. (1948). The evaluation of Fourier transforms by a Fourier synthesis method. *Acta Cryst.* **1**, 165–167.
- Whittaker, E. T. (1915). On the functions which are represented by the expansions of the interpolation-theory. *Proc. R. Soc. (Edinburgh)*, **35**, 181–194.
- Whittaker, E. T. (1928). *Oliver Heaviside*. *Bull. Calcutta Math. Soc.* **20**, 199–220. [Reprinted in Moore (1971).]
- Whittaker, E. T. & Robinson, G. (1944). *The calculus of observations*. London: Blackie.
- Whittaker, E. T. & Watson, G. N. (1927). *A course of modern analysis*, 4th ed. Cambridge University Press.
- Widom, H. (1960). A theorem on translation kernels in n dimensions. *Trans. Am. Math. Soc.* **94**, 170–180.
- Widom, H. (1965). Toeplitz matrices. In *Studies in real and complex analysis*, edited by I. I. Hirschmann Jr, pp. 179–209. *MAA studies in mathematics*, Vol. 3. Englewood Cliffs: Prentice-Hall.
- Widom, H. (1975). Asymptotic inversion of convolution operators. *Publ. Math. IHES*, **44**, 191–240.
- Wiener, N. (1933). *The Fourier integral and certain of its applications*. Cambridge University Press. [Reprinted by Dover Publications, New York, 1959.]
- Wilkins, S. W., Varghese, J. N. & Lehmann, M. S. (1983). *Statistical geometry. I. A self-consistent approach to the crystallographic inversion problem based on information theory*. *Acta Cryst.* **A39**, 47–60.
- Winograd, S. (1976). On computing the discrete Fourier transform. *Proc. Natl Acad. Sci. USA*, **73**, 1005–1006.
- Winograd, S. (1977). Some bilinear forms whose multiplicative complexity depends on the field of constants. *Math. Syst. Theor.* **10**, 169–180.
- Winograd, S. (1978). On computing the discrete Fourier transform. *Math. Comput.* **32**, 175–199.
- Winograd, S. (1980). *Arithmetic complexity of computations*. CBMS-NST Regional Conf. Series Appl. Math, Publ. No. 33. Philadelphia: SIAM Publications.

REFERENCES

1.3 (cont.)

- Wolf, J. A. (1967). *Spaces of constant curvature*. New York: McGraw-Hill.
- Wondratschek, H. (1995). *Introduction to space-group symmetry*. In *International tables for crystallography*, Vol. A. *Space-group symmetry*, edited by Th. Hahn, pp. 712–735. Dordrecht: Kluwer Academic Publishers.
- Yosida, K. (1965). *Functional analysis*. Berlin: Springer-Verlag.
- Zachariasen, W. H. (1945). *Theory of X-ray diffraction in crystals*. New York: John Wiley.
- Zassenhaus, H. (1948). *Über eine Algorithmus zur Bestimmung der Raumgruppen*. *Commun. Helv. Math.* **21**, 117–141.
- Zemanian, A. H. (1965). *Distribution theory and transform analysis*. New York: McGraw-Hill.
- Zemanian, A. H. (1968). *Generalised integral transformations*. New York: Interscience.
- Zygmund, A. (1959). *Trigonometric series*, Vols. 1 and 2. Cambridge University Press.
- Zygmund, A. (1976). *Notes on the history of Fourier series*. In *Studies in harmonic analysis*, edited by J. M. Ash, pp. 1–19. *MAA studies in mathematics*, Vol. 13. The Mathematical Association of America.

1.4

- Altermatt, U. D. & Brown, I. D. (1987). *A real-space computer-based symmetry algebra*. *Acta Cryst.* **A43**, 125–130.
- Authier, A. (1981). *The reciprocal lattice*. Edited by the IUCr Commission on Crystallographic Teaching. Cardiff: University College Cardiff Press.
- Bertaut, E. F. (1964). *On the symmetry of phases in the reciprocal lattice: a simple method*. *Acta Cryst.* **17**, 778–779.
- Bienenstock, A. & Ewald, P. P. (1962). *Symmetry of Fourier space*. *Acta Cryst.* **15**, 1253–1261.
- Bourne, P. E., Berman, H. M., McMahon, B., Watenpaugh, K. D., Westbrook, J. D. & Fitzgerald, P. M. D. (1997). *mmCIF: macromolecular crystallographic information file*. *Methods Enzymol.* **277**, 571–590.
- Bragg, L. (1966). *The crystalline state*. Vol. I. *A general survey*. London: Bell.
- Buerger, M. J. (1942). *X-ray crystallography*. New York: John Wiley.
- Buerger, M. J. (1949). *Crystallographic symmetry in reciprocal space*. *Proc. Natl Acad. Sci. USA*, **35**, 198–201.
- Buerger, M. J. (1960). *Crystal structure analysis*. New York: John Wiley.
- Computers in the New Laboratory – a Nature Survey* (1981). *Nature (London)*, **290**, 193–200.
- Dowty, E. (2000). *ATOMS: a program for the display of atomic structures*. Commercial software available from <http://www.shapesoftware.com>.
- Ewald, P. P. (1921). *Das 'reziproke Gitter' in der Strukturtheorie*. *Z. Kristallogr. Teil A*, **56**, 129–156.
- Grosse-Kunstleve, R. W. (1995). *SGINFO: a comprehensive collection of ANSI C routines for the handling of space-group symmetry*. Freely available from <http://www.kristall.ethz.ch/LFK/software/sginfo/>.
- Grosse-Kunstleve, R. W. (1999). *Algorithms for deriving crystallographic space-group information*. *Acta Cryst.* **A55**, 383–395.
- Hall, S. R. (1981a). *Space-group notation with an explicit origin*. *Acta Cryst.* **A37**, 517–525.
- Hall, S. R. (1981b). *Space-group notation with an explicit origin: erratum*. *Acta Cryst.* **A37**, 921.
- Hall, S. R. (1997). *LoopX: a script used to loop Xtal*. Copyright University of Western Australia. Freely available from <http://www.crystal.uwa.edu.au/~syd/symmetry/>.
- Hall, S. R., du Boulay, D. J. & Olthof-Hazekamp, R. (2000). *Xtal: a system of crystallographic programs*. Copyright University of Western Australia. Freely available from <http://xtal.crystal.uwa.edu.au>.

- Hearn, A. C. (1973). *REDUCE 2.0 user's manual*. University of Utah, Salt Lake City, Utah, USA.
- Hovmöller, S. (1992). *CRISP: crystallographic image processing on a personal computer*. *Ultramicroscopy*, **41**, 121–135.
- International Tables for Crystallography* (1983). Vol. A. *Space-group symmetry*, edited by Th. Hahn. Dordrecht: Reidel. (Present distributor Kluwer Academic Publishers, Dordrecht.)
- International Tables for Crystallography* (1987). Vol. A. *Space-group symmetry*, edited by Th. Hahn, 2nd ed. Dordrecht: Reidel. (Present distributor Kluwer Academic Publishers, Dordrecht.)
- International Tables for Crystallography* (1992). Vol. A. *Space-group symmetry*, edited by Th. Hahn, 3rd ed. Dordrecht: Kluwer Academic Publishers.
- International Tables for Crystallography* (1993). Vol. B. *Reciprocal space*, edited by U. Shmueli, 1st ed. Dordrecht: Kluwer Academic Publishers.
- International Tables for X-ray Crystallography* (1952). Vol. I. *Symmetry groups*, edited by N. F. M. Henry & K. Lonsdale. Birmingham: Kynoch Press.
- International Tables for X-ray Crystallography* (1965). Vol. I. *Symmetry groups*, edited by N. F. M. Henry & K. Lonsdale, 2nd ed. Birmingham: Kynoch Press.
- Internationale Tabellen zur Bestimmung von Kristallstrukturen* (1935). 1. Band. Edited by C. Hermann. Berlin: Borntraeger.
- Koch, E. & Fischer, W. (1983). In *International tables for crystallography*, Vol. A, ch. 11. *Symmetry operations*. Dordrecht: Reidel. (Present distributor Kluwer Academic Publishers, Dordrecht.)
- Larine, M., Klimkovich, S., Farrants, G., Hovmöller, S. & Xiaodong, Z. (1995). *Space Group Explorer: a computer program for obtaining extensive information about any of the 230 space groups*. Freely available from <http://www.calidris-em.com/>.
- Lipson, H. & Cochran, W. (1966). *The crystalline state*. Vol. II. *The determination of crystal structures*. London: Bell.
- Lipson, H. & Taylor, C. A. (1958). *Fourier transforms and X-ray diffraction*. London: Bell.
- Seitz, F. (1935). *A matrix-algebraic development of crystallographic groups*. III. *Z. Kristallogr.* **90**, 289–313.
- Shmueli, U. (1984). *Space-group algorithms. I. The space group and its symmetry elements*. *Acta Cryst.* **A40**, 559–567.
- Waser, J. (1955). *Symmetry relations between structure factors*. *Acta Cryst.* **8**, 595.
- Wells, M. (1965). *Computational aspects of space-group symmetry*. *Acta Cryst.* **19**, 173–179.
- Zachariasen, W. H. (1945). *Theory of X-ray diffraction in crystals*. New York: John Wiley.

1.5

- Altmann, S. L. (1977). *Induced representations in crystals and molecules*. London: Academic Press.
- Bouckaert, L. P., Smoluchowski, R. & Wigner, E. P. (1936). *Theory of Brillouin zones and symmetry properties of wave functions in crystals*. *Phys. Rev.* **50**, 58–67.
- Boyle, L. L. (1986). *The classification of space group representations*. In *Proceedings of the 14th international colloquium on group-theoretical methods in physics*, pp. 405–408. Singapore: World Scientific.
- Boyle, L. L. & Kennedy, J. M. (1988). *Raumgruppen Charakterentafeln*. *Z. Kristallogr.* **182**, 39–42.
- Bradley, C. J. & Cracknell, A. P. (1972). *The mathematical theory of symmetry in solids: representation theory for point groups and space groups*. Oxford: Clarendon Press.
- Cracknell, A. P., Davies, B. L., Miller, S. C. & Love, W. F. (1979). *Kronecker product tables*, Vol. 1. *General introduction and tables of irreducible representations of space groups*. New York: IFI/Plenum.
- Davies, B. L. & Cracknell, A. P. (1976). *Some comments on and addenda to the tables of irreducible representations of the*