

2. RECIPROCAL SPACE IN CRYSTAL-STRUCTURE DETERMINATION

2.1 (cont.)

- Srinivasan, R. & Parthasarathy, S. (1976). *Some statistical applications in X-ray crystallography*. Oxford: Pergamon Press.
- Stuart, A. & Ord, K. (1994). *Kendall's advanced theory of statistics*. Vol. 1. *Distribution theory*, 6th ed. London: Edward Arnold.
- Weiss, G. H. & Kiefer, J. E. (1983). *The Pearson random walk with unequal step sizes*. *J. Phys. A*, **16**, 489–495.
- Wilson, A. J. C. (1942). *Determination of absolute from relative intensity data*. *Nature (London)*, **150**, 151–152.
- Wilson, A. J. C. (1949). *The probability distribution of X-ray intensities*. *Acta Cryst.* **2**, 318–320.
- Wilson, A. J. C. (1950). *The probability distribution of X-ray intensities. III. Effects of symmetry elements on zones and rows*. *Acta Cryst.* **3**, 258–261.
- Wilson, A. J. C. (1952). *Hypercentric and hyperparallel distributions of X-ray intensities*. *Research (London)*, **5**, 588–589.
- Wilson, A. J. C. (1956). *The probability distribution of X-ray intensities. VII. Some sesquicentric distributions*. *Acta Cryst.* **9**, 143–144.
- Wilson, A. J. C. (1964). *The probability distribution of X-ray intensities. VIII. A note on compensation for excess average intensity*. *Acta Cryst.* **17**, 1591–1592.
- Wilson, A. J. C. (1975). *Effect of neglect of dispersion on apparent scale and temperature factors*. In *Anomalous scattering*, edited by S. Ramaseshan & S. C. Abrahams, pp. 325–332. Copenhagen: Munksgaard.
- Wilson, A. J. C. (1976). *Statistical bias in least-squares refinement*. *Acta Cryst.* **A32**, 994–996.
- Wilson, A. J. C. (1978a). *On the probability of measuring the intensity of a reflection as negative*. *Acta Cryst.* **A34**, 474–475.
- Wilson, A. J. C. (1978b). *Variance of X-ray intensities: effect of dispersion and higher symmetries*. *Acta Cryst.* **A34**, 986–994.
- Wilson, A. J. C. (1978c). *Statistical bias in scaling factors: Erratum*. *Acta Cryst.* **B34**, 1749.
- Wilson, A. J. C. (1979). *Problems of resolution and bias in the experimental determination of the electron density and other densities in crystals*. *Acta Cryst.* **A35**, 122–130.
- Wilson, A. J. C. (1980a). *Relationship between 'observed' and 'true' intensity: effects of various counting modes*. *Acta Cryst.* **A36**, 929–936.
- Wilson, A. J. C. (1980b). *Effect of dispersion on the probability distribution of X-ray reflections*. *Acta Cryst.* **A36**, 945–946.
- Wilson, A. J. C. (1981). *Can intensity statistics accommodate stereochemistry?* *Acta Cryst.* **A37**, 808–810.
- Wilson, A. J. C. (1986a). *Distributions of sums and ratios of sums of intensities*. *Acta Cryst.* **A42**, 334–339.
- Wilson, A. J. C. (1986b). *Fourier versus Hermite representations of probability distributions*. *Acta Cryst.* **A42**, 81–83.
- Wilson, A. J. C. (1987a). *Treatment of enhanced zones and rows in normalizing intensities*. *Acta Cryst.* **A43**, 250–252.
- Wilson, A. J. C. (1987b). *Functional form of the ideal hypersymmetric distributions of structure factors*. *Acta Cryst.* **A43**, 554–556.
- Wilson, A. J. C. (1993). *Space groups rare for organic structures. III. Symmorphisms and inherent symmetry*. *Acta Cryst.* **A49**, 795–806.
- Argos, P. & Rossmann, M. G. (1980). *Molecular replacement method*. In *Theory and practice of direct methods in crystallography*, edited by M. F. C. Ladd & R. A. Palmer, pp. 381–389. New York: Plenum.
- Avrami, M. (1938). *Direct determination of crystal structure from X-ray data*. *Phys. Rev.* **54**, 300–303.
- Baggio, R., Woolfson, M. M., Declercq, J.-P. & Germain, G. (1978). *On the application of phase relationships to complex structures. XVI. A random approach to structure determination*. *Acta Cryst.* **A34**, 883–892.
- Banerjee, K. (1933). *Determination of the signs of the Fourier terms in complete crystal structure analysis*. *Proc. R. Soc. London Ser. A*, **141**, 188–193.
- Bertaut, E. F. (1955a). *La méthode statistique en cristallographie. I*. *Acta Cryst.* **8**, 537–543.
- Bertaut, E. F. (1955b). *La méthode statistique en cristallographie. II. Quelques applications*. *Acta Cryst.* **8**, 544–548.
- Bertaut, E. F. (1960). *Ordre logarithmique des densités de répartition. I*. *Acta Cryst.* **13**, 546–552.
- Beurskens, P. T., Beurskens, G., de Gelder, R., Garcia-Granda, S., Gould, R. O., Israel, R. & Smits, J. M. M. (1999). *The DIRDIF-99 program system*. Crystallography Laboratory, University of Nijmegen, The Netherlands.
- Beurskens, P. T., Gould, R. O., Bruins Slot, H. J. & Bosman, W. P. (1987). *Translation functions for the positioning of a well oriented molecular fragment*. *Z. Kristallogr.* **179**, 127–159.
- Beurskens, P. T., Prick, A. J., Doesburg, H. M. & Gould, R. O. (1979). *Statistical properties of normalized difference-structure factors for non-centrosymmetric structures*. *Acta Cryst.* **A35**, 765–772.
- Böhme, R. (1982). *Direkte Methoden für Strukturen mit Überstruktureffekten*. *Acta Cryst.* **A38**, 318–326.
- Bouman, J. (1956). *A general theory of inequalities*. *Acta Cryst.* **9**, 777–780.
- Bricogne, G. (1984). *Maximum entropy and the foundation of direct methods*. *Acta Cryst.* **A40**, 410–415.
- Britten, P. L. & Collins, D. M. (1982). *Information theory as a basis for the maximum determinant*. *Acta Cryst.* **A38**, 129–132.
- Buerger, M. J. (1959). *Vector space and its applications in crystal structure investigation*. New York: John Wiley.
- Burla, M. C., Camalli, M., Carrozzini, B., Cascarano, G. L., Giacovazzo, C., Polidori, G. & Spagna, R. (1999). *SIR99, a program for the automatic solution of small and large crystal structures*. *Acta Cryst.* **A55**, 991–999.
- Burla, M. C., Cascarano, G., Giacovazzo, C., Nunzi, A. & Polidori, G. (1987). *A weighting scheme for tangent formula development. III. The weighting scheme of the SIR program*. *Acta Cryst.* **A43**, 370–374.
- Busetta, B. (1976). *An example of the use of quartet and triplet structure invariants when enantiomorph discrimination is difficult*. *Acta Cryst.* **A32**, 139–143.
- Busetta, B., Giacovazzo, C., Burla, M. C., Nunzi, A., Polidori, G. & Viterbo, D. (1980). *The SIR program. I. Use of negative quartets*. *Acta Cryst.* **A36**, 68–74.
- Camalli, M., Giacovazzo, C. & Spagna, R. (1985). *From a partial to the complete crystal structure. II. The procedure and its applications*. *Acta Cryst.* **A41**, 605–613.
- Cascarano, G. & Giacovazzo, C. (1983). *One-phase seminvariants of first rank. I. Algebraic considerations*. *Z. Kristallogr.* **165**, 169–174.
- Cascarano, G. & Giacovazzo, C. (1985). *One-wavelength technique: some probabilistic formulas using the anomalous dispersion effect*. *Acta Cryst.* **A41**, 408–413.
- Cascarano, G., Giacovazzo, C., Burla, M. C., Nunzi, A. & Polidori, G. (1984). *The distribution of α_h* . *Acta Cryst.* **A40**, 389–394.
- Cascarano, G., Giacovazzo, C., Calabrese, G., Burla, M. C., Nunzi, A., Polidori, G. & Viterbo, D. (1984). *One-phase seminvariants of first rank. II. Probabilistic considerations*. *Z. Kristallogr.* **167**, 37–47.

2.2

- Allegra, G. (1979). *Derivation of three-phase invariants from the Patterson function*. *Acta Cryst.* **A35**, 213–220.
- Altomare, A., Burla, M. C., Camalli, M., Cascarano, G. L., Giacovazzo, C., Guagliardi, A., Moliterni, A. G. G., Polidori, G. & Spagna, R. (1999). *SIR97: a new tool for crystal structure determination and refinement*. *J. Appl. Cryst.* **32**, 115–119.
- Anzenhofer, K. & Hoppe, W. (1962). *Phys. Verh. Mosbach*. **13**, 119.
- Ardito, G., Cascarano, G., Giacovazzo, C. & Luić, M. (1985). *I-Phase seminvariants and Harker sections*. *Z. Kristallogr.* **172**, 25–34.

REFERENCES

2.2 (cont.)

- Cascarano, G., Giacovazzo, C., Camalli, M., Spagna, R., Burla, M. C., Nunzi, A. & Polidori, G. (1984). *The method of representations of structure seminvariants. The strengthening of triplet relationships*. *Acta Cryst.* **A40**, 278–283.
- Cascarano, G., Giacovazzo, C. & Luić, M. (1985a). *Non-crystallographic translational symmetry: effects on diffraction-intensity statistics*. In *Structure and statistics in crystallography*, edited by A. J. C. Wilson, pp. 67–77. Gunderland, USA: Adenine Press.
- Cascarano, G., Giacovazzo, C. & Luić, M. (1985b). *Direct methods and superstructures. I. Effects of the pseudotranslation on the reciprocal space*. *Acta Cryst.* **A41**, 544–551.
- Cascarano, G., Giacovazzo, C. & Luić, M. (1987). *Direct methods and structures showing superstructure effects. II. A probabilistic theory of triplet invariants*. *Acta Cryst.* **A43**, 14–22.
- Cascarano, G., Giacovazzo, C. & Luić, M. (1988a). *Direct methods and structures showing superstructure effects. III. A general mathematical model*. *Acta Cryst.* **A44**, 176–183.
- Cascarano, G., Giacovazzo, C. & Luić, M. (1988b). *Direct methods and structures showing superstructure effects. IV. A new approach for phase solution*. *Acta Cryst.* **A44**, 183–188.
- Cascarano, G., Giacovazzo, C., Luić, M., Pifferi, A. & Spagna, R. (1987). *I-Phase seminvariants and Harker sections. II. A new procedure*. *Z. Kristallogr.* **179**, 113–125.
- Cascarano, G., Giacovazzo, C. & Viterbo, D. (1987). *Figures of merit in direct methods: a new point of view*. *Acta Cryst.* **A43**, 22–29.
- Castellano, E. E., Podjarny, A. D. & Navaza, J. (1973). *A multivariate joint probability distribution of phase determination*. *Acta Cryst.* **A29**, 609–615.
- Cochran, W. (1955). *Relations between the phases of structure factors*. *Acta Cryst.* **8**, 473–478.
- Cochran, W. & Douglas, A. S. (1957). *The use of a high-speed digital computer for the direct determination of crystal structure. II*. *Proc. R. Soc. London Ser. A*, **243**, 281–288.
- Cochran, W. & Woolfson, M. M. (1955). *The theory of sign relations between structure factors*. *Acta Cryst.* **8**, 1–12.
- Coulter, C. L. & Dewar, R. B. K. (1971). *Tangent formula applications in protein crystallography: an evaluation*. *Acta Cryst.* **B27**, 1730–1740.
- Crowther, R. A. & Blow, D. M. (1967). *A method of positioning of a known molecule in an unknown crystal structure*. *Acta Cryst.* **23**, 544–548.
- Cutfield, J. F., Dodson, E. J., Dodson, G. G., Hodgkin, D. C., Isaacs, N. W., Sakabe, K. & Sakabe, N. (1975). *The high resolution structure of insulin: a comparison of results obtained from least-squares phase refinement and difference Fourier refinement*. *Acta Cryst.* **A31**, S21.
- Debaerdemaeker, T., Tate, C. & Woolfson, M. M. (1985). *On the application of phase relationships to complex structures. XXIV. The Sayre tangent formula*. *Acta Cryst.* **A41**, 286–290.
- Debaerdemaeker, T. & Woolfson, M. M. (1972). *On the application of phase relationships to complex structures. IV. The coincidence method applied to general phases*. *Acta Cryst.* **A28**, 477–481.
- Debaerdemaeker, T. & Woolfson, M. M. (1983). *On the application of phase relationships to complex structures. XXII. Techniques for random refinement*. *Acta Cryst.* **A39**, 193–196.
- Declercq, J.-P., Germain, G., Main, P. & Woolfson, M. M. (1973). *On the application of phase relationships to complex structures. V. Finding the solution*. *Acta Cryst.* **A29**, 231–234.
- Declercq, J.-P., Germain, G. & Woolfson, M. M. (1975). *On the application of phase relationships to complex structures. VIII. Extension of the magic-integer approach*. *Acta Cryst.* **A31**, 367–372.
- De Titta, G. T., Edmonds, J. W., Langs, D. A. & Hauptman, H. (1975). *Use of the negative quartet cosine invariants as a phasing figure of merit: NQUEST*. *Acta Cryst.* **A31**, 472–479.
- DeTitta, G. T., Weeks, C. M., Thuman, P., Miller, R. & Hauptman, H. A. (1994). *Structure solution by minimal-function phase refinement and Fourier filtering. I. Theoretical basis*. *Acta Cryst.* **A50**, 203–210.
- Egert, E. (1983). *Patterson search – an alternative to direct methods*. *Acta Cryst.* **A39**, 936–940.
- Egert, E. & Sheldrick, G. M. (1985). *Search for a fragment of known geometry by integrated Patterson and direct methods*. *Acta Cryst.* **A41**, 262–268.
- Eller, G. von (1973). *Génération de formules statistiques entre facteurs de structure: la méthode du polynôme*. *Acta Cryst.* **A29**, 63–67.
- Fan, H.-F. (1999). *Crystallographic software: teXsan for Windows*. <http://www.msc.com/brochures/teXsan/wintex.html>.
- Fan, H.-F. & Gu, Y.-X. (1985). *Combining direct methods with isomorphous replacement or anomalous scattering data. III. The incorporation of partial structure information*. *Acta Cryst.* **A41**, 280–284.
- Fan, H. F., Hao, Q. & Woolfson, M. M. (1991). *Proteins and direct methods*. *Z. Kristallogr.* **197**, 197–208.
- Fan, H.-F., Yao, J.-X., Main, P. & Woolfson, M. M. (1983). *On the application of phase relationships to complex structures. XXIII. Automatic determination of crystal structures having pseudo-translational symmetry by a modified MULTAN procedure*. *Acta Cryst.* **A39**, 566–569.
- Fortier, S. & Hauptman, H. (1977). *Quintets in $P\bar{1}$: probabilistic theory of the five-phase structure invariant in the space group $P\bar{1}$* . *Acta Cryst.* **A33**, 829–833.
- Fortier, S., Weeks, C. M. & Hauptman, H. (1984). *On integrating the techniques of direct methods and isomorphous replacement. III. The three-phase invariant for the native and two-derivative case*. *Acta Cryst.* **A40**, 646–651.
- Freer, A. A. & Gilmore, C. J. (1980). *The use of higher invariants in MULTAN*. *Acta Cryst.* **A36**, 470–475.
- French, S. & Wilson, K. (1978). *On the treatment of negative intensity observations*. *Acta Cryst.* **A34**, 517–525.
- Gelder, R. de (1992). Thesis. University of Leiden, The Netherlands.
- Gelder, R. de, de Graaff, R. A. G. & Schenk, H. (1990). *On the construction of Karle–Hauptman matrices*. *Acta Cryst.* **A46**, 688–692.
- Gelder, R. de, de Graaff, R. A. G. & Schenk, H. (1993). *Automatic determination of crystal structures using Karle–Hauptman matrices*. *Acta Cryst.* **A49**, 287–293.
- Germain, G., Main, P. & Woolfson, M. M. (1970). *On the application of phase relationships to complex structures. II. Getting a good start*. *Acta Cryst.* **B26**, 274–285.
- Germain, G., Main, P. & Woolfson, M. M. (1971). *The application of phase relationships to complex structures. III. The optimum use of phase relationships*. *Acta Cryst.* **A27**, 368–376.
- Giacovazzo, C. (1974). *A new scheme for seminvariant tables in all space groups*. *Acta Cryst.* **A30**, 390–395.
- Giacovazzo, C. (1975). *A probabilistic theory in $P\bar{1}$ of the invariant $E_h E_k E_l E_{h+k+l}$* . *Acta Cryst.* **A31**, 252–259.
- Giacovazzo, C. (1976). *A probabilistic theory of the cosine invariant $\cos(\varphi_h + \varphi_k + \varphi_l - \varphi_{h+k+l})$* . *Acta Cryst.* **A32**, 91–99.
- Giacovazzo, C. (1977a). *A general approach to phase relationships: the method of representations*. *Acta Cryst.* **A33**, 933–944.
- Giacovazzo, C. (1977b). *Strengthening of the triplet relationships. II. A new probabilistic approach in $P\bar{1}$* . *Acta Cryst.* **A33**, 527–531.
- Giacovazzo, C. (1977c). *On different probabilistic approaches to quartet theory*. *Acta Cryst.* **A33**, 50–54.
- Giacovazzo, C. (1977d). *Quintets in $P\bar{1}$ and related phase relationships: a probabilistic approach*. *Acta Cryst.* **A33**, 944–948.
- Giacovazzo, C. (1977e). *A probabilistic theory of the coincidence method. I. Centrosymmetric space groups*. *Acta Cryst.* **A33**, 531–538.
- Giacovazzo, C. (1977f). *A probabilistic theory of the coincidence method. II. Non-centrosymmetric space groups*. *Acta Cryst.* **A33**, 539–547.
- Giacovazzo, C. (1978). *The estimation of the one-phase structure seminvariants of first rank by means of their first and second representation*. *Acta Cryst.* **A34**, 562–574.
- Giacovazzo, C. (1979a). *A probabilistic theory of two-phase seminvariants of first rank via the method of representations. III*. *Acta Cryst.* **A35**, 296–305.

2. RECIPROCAL SPACE IN CRYSTAL-STRUCTURE DETERMINATION

2.2 (cont.)

- Giacovazzo, C. (1979b). *A theoretical weighting scheme for tangent-formula development and refinement and Fourier synthesis*. *Acta Cryst.* **A35**, 757–764.
- Giacovazzo, C. (1980a). *Direct methods in crystallography*. London: Academic Press.
- Giacovazzo, C. (1980b). *The method of representations of structure seminvariants. II. New theoretical and practical aspects*. *Acta Cryst.* **A36**, 362–372.
- Giacovazzo, C. (1980c). *Triplet and quartet relations: their use in direct procedures*. *Acta Cryst.* **A36**, 74–82.
- Giacovazzo, C. (1983a). *From a partial to the complete crystal structure*. *Acta Cryst.* **A39**, 685–692.
- Giacovazzo, C. (1983b). *The estimation of two-phase invariants in $P\bar{1}$ when anomalous scatterers are present*. *Acta Cryst.* **A39**, 585–592.
- Giacovazzo, C. (1987). *One wavelength technique: estimation of centrosymmetrical two-phase invariants in dispersive structures*. *Acta Cryst.* **A43**, 73–75.
- Giacovazzo, C. (1988). *New probabilistic formulas for finding the positions of correctly oriented atomic groups*. *Acta Cryst.* **A44**, 294–300.
- Giacovazzo, C. (1998). *Direct phasing in crystallography*. New York: IUCr, Oxford University Press.
- Giacovazzo, C., Cascarano, G. & Zheng, C.-D. (1988). *On integrating the techniques of direct methods and isomorphous replacement. A new probabilistic formula for triplet invariants*. *Acta Cryst.* **A44**, 45–51.
- Giacovazzo, C., Guagliardi, A., Ravelli, R. & Siliqi, D. (1994). *Ab initio direct phasing of proteins: the limits*. *Z. Kristallogr.* **209**, 136–142.
- Giacovazzo, C., Siliqi, D. & Platas, J. G. (1995). *The ab initio crystal structure solution of proteins by direct methods. V. A new normalizing procedure*. *Acta Cryst.* **A51**, 811–820.
- Giacovazzo, C., Siliqi, D., Platas, J. G., Hecht, H.-J., Zanotti, G. & York, B. (1996). *The ab initio crystal structure solution of proteins by direct methods. VI. Complete phasing up to derivative resolution*. *Acta Cryst.* **D52**, 813–825.
- Giacovazzo, C., Siliqi, D. & Ralph, A. (1994). *The ab initio crystal structure solution of proteins by direct methods. I. Feasibility*. *Acta Cryst.* **A50**, 503–510.
- Giacovazzo, C., Siliqi, D. & Spagna, R. (1994). *The ab initio crystal structure solution of proteins by direct methods. II. The procedure and its first applications*. *Acta Cryst.* **A50**, 609–621.
- Giacovazzo, C., Siliqi, D. & Zanotti, G. (1995). *The ab initio crystal structure solution of proteins by direct methods. III. The phase extension process*. *Acta Cryst.* **A51**, 177–188.
- Gillis, J. (1948). *Structure factor relations and phase determination*. *Acta Cryst.* **1**, 76–80.
- Gilmore, C. J. (1984). *MITHRIL. An integrated direct-methods computer program*. *J. Appl. Cryst.* **17**, 42–46.
- Goedkoop, J. A. (1950). *Remarks on the theory of phase limiting inequalities and equalities*. *Acta Cryst.* **3**, 374–378.
- Gramlich, V. (1984). *The influence of rational dependence on the probability distribution of structure factors*. *Acta Cryst.* **A40**, 610–616.
- Grant, D. F., Howells, R. G. & Rogers, D. (1957). *A method for the systematic application of sign relations*. *Acta Cryst.* **10**, 489–497.
- Hall, S. R., du Boulay, D. J. & Olthof-Hazekamp, R. (1999). *Xtal3.6 crystallographic software*. <http://www.crystal.uwa.edu.au/Crystal/xtal>.
- Hao, Q. & Woolfson, M. M. (1989). *Application of the P_s -function method to macromolecular structure determination*. *Acta Cryst.* **A45**, 794–797.
- Harker, D. & Kasper, J. S. (1948). *Phases of Fourier coefficients directly from crystal diffraction data*. *Acta Cryst.* **1**, 70–75.
- Hauptman, H. (1964). *The role of molecular structure in the direct determination of phase*. *Acta Cryst.* **17**, 1421–1433.
- Hauptman, H. (1965). *The average value of $\exp\{2\pi i(\mathbf{h} \cdot \mathbf{r} + \mathbf{h}' \cdot \mathbf{r}')\}$* . *Z. Kristallogr.* **121**, 1–8.
- Hauptman, H. (1970). *Communication at New Orleans Meeting of Am. Crystallogr. Assoc.*
- Hauptman, H. (1974). *On the identity and estimation of those cosine invariants, $\cos(\varphi_m + \varphi_n + \varphi_p + \varphi_q)$, which are probably negative*. *Acta Cryst.* **A30**, 472–476.
- Hauptman, H. (1975). *A new method in the probabilistic theory of the structure invariants*. *Acta Cryst.* **A31**, 680–687.
- Hauptman, H. (1982a). *On integrating the techniques of direct methods and isomorphous replacement. I. The theoretical basis*. *Acta Cryst.* **A38**, 289–294.
- Hauptman, H. (1982b). *On integrating the techniques of direct methods with anomalous dispersion. I. The theoretical basis*. *Acta Cryst.* **A38**, 632–641.
- Hauptman, H. (1995). *Looking ahead*. *Acta Cryst.* **B51**, 416–422.
- Hauptman, H., Fisher, J., Hancock, H. & Norton, D. A. (1969). *Phase determination for the estriol structure*. *Acta Cryst.* **B25**, 811–814.
- Hauptman, H. & Green, E. A. (1976). *Conditional probability distributions of the four-phase structure invariant $\varphi_h + \varphi_k + \varphi_l + \varphi_m$ in $P\bar{1}$* . *Acta Cryst.* **A32**, 45–49.
- Hauptman, H. & Green, E. A. (1978). *Pairs in $P2_1$: probability distributions which lead to estimates of the two-phase structure seminvariants in the vicinity of $\pi/2$* . *Acta Cryst.* **A34**, 224–229.
- Hauptman, H. & Karle, J. (1953). *Solution of the phase problem. I. The centrosymmetric crystal*. Am. Crystallogr. Assoc. Monograph No. 3. Dayton, Ohio: Polycrystal Book Service.
- Hauptman, H. & Karle, J. (1956). *Structure invariants and seminvariants for non-centrosymmetric space groups*. *Acta Cryst.* **9**, 45–55.
- Hauptman, H. & Karle, J. (1958). *Phase determination from new joint probability distributions: space group $P\bar{1}$* . *Acta Cryst.* **11**, 149–157.
- Hauptman, H. & Karle, J. (1959). *Table 2. Equivalence classes, seminvariant vectors and seminvariant moduli for the centered centrosymmetric space groups, referred to a primitive unit cell*. *Acta Cryst.* **12**, 93–97.
- Heinermann, J. J. L. (1977a). *The use of structural information in the phase probability of a triple product*. *Acta Cryst.* **A33**, 100–106.
- Heinermann, J. J. L. (1977b). *Thesis*. University of Utrecht.
- Heinermann, J. J. L., Krabbendam, H. & Kroon, J. (1979). *The joint probability distribution of the structure factors in a Karle–Hauptman matrix*. *Acta Cryst.* **A35**, 101–105.
- Heinermann, J. J. L., Krabbendam, H., Kroon, J. & Spek, A. L. (1978). *Direct phase determination of triple products from Bijvoet inequalities. II. A probabilistic approach*. *Acta Cryst.* **A34**, 447–450.
- Hendrickson, W. A., Love, W. E. & Karle, J. (1973). *Crystal structure analysis of sea lamprey hemoglobin at 2 Å resolution*. *J. Mol. Biol.* **74**, 331–361.
- Hendrickson, W. A. & Ogata, C. M. (1997). *Phase determination from multiwavelength anomalous diffraction measurements*. *Methods Enzymol.* **276**, 494–523.
- Hoppe, W. (1963). *Phase determination and zero points in the Patterson function*. *Acta Cryst.* **16**, 1056–1057.
- Hughes, E. W. (1953). *The signs of products of structure factors*. *Acta Cryst.* **6**, 871.
- Hull, S. E. & Irwin, M. J. (1978). *On the application of phase relationships to complex structures. XIV. The additional use of statistical information in tangent-formula refinement*. *Acta Cryst.* **A34**, 863–870.
- Hull, S. E., Viterbo, D., Woolfson, M. M. & Shao-Hui, Z. (1981). *On the application of phase relationships to complex structures. XIX. Magic-integer representation of a large set of phases: the MAGEX procedure*. *Acta Cryst.* **A37**, 566–572.
- International Tables for Crystallography* (2001). Vol. F. *Macromolecular crystallography*, edited by M. G. Rossmann & E. Arnold. In the press.
- Jaynes, E. T. (1957). *Information theory and statistical mechanics*. *Phys. Rev.* **106**, 620–630.
- Karle, J. (1970a). *An alternative form for $B_{3,0}$, a phase determining formula*. *Acta Cryst.* **B26**, 1614–1617.

REFERENCES

2.2 (cont.)

- Karle, J. (1970b). *Partial structures and use of the tangent formula and translation functions*. In *Crystallographic computing*, pp. 155–164. Copenhagen: Munksgaard.
- Karle, J. (1972). *Translation functions and direct methods*. *Acta Cryst.* **B28**, 820–824.
- Karle, J. (1979). *Triple phase invariants: formula for centric case from fourth-order determinantal joint probability distributions*. *Proc. Natl Acad. Sci. USA*, **76**, 2089–2093.
- Karle, J. (1980). *Triplet phase invariants: formula for acentric case from fourth-order determinantal joint probability distributions*. *Proc. Natl Acad. Sci. USA*, **77**, 5–9.
- Karle, J. (1983). *A simple rule for finding and distinguishing triplet phase invariants with values near 0 or π with isomorphous replacement data*. *Acta Cryst.* **A39**, 800–805.
- Karle, J. (1984). *Rules for evaluating triplet phase invariants by use of anomalous dispersion data*. *Acta Cryst.* **A40**, 4–11.
- Karle, J. (1985). *Many algebraic formulas for the evaluation of triplet phase invariants from isomorphous replacement and anomalous dispersion data*. *Acta Cryst.* **A41**, 182–189.
- Karle, J. & Hauptman, H. (1950). *The phases and magnitudes of the structure factors*. *Acta Cryst.* **3**, 181–187.
- Karle, J. & Hauptman, H. (1956). *A theory of phase determination for the four types of non-centrosymmetric space groups $1P222$, $2P22$, $3P12$, $3P22$* . *Acta Cryst.* **9**, 635–651.
- Karle, J. & Hauptman, H. (1958). *Phase determination from new joint probability distributions: space group $P1$* . *Acta Cryst.* **11**, 264–269.
- Karle, J. & Hauptman, H. (1961). *Seminvariants for non-centrosymmetric space groups with conventional centered cells*. *Acta Cryst.* **14**, 217–223.
- Karle, J. & Karle, I. L. (1966). *The symbolic addition procedure for phase determination for centrosymmetric and non-centrosymmetric crystals*. *Acta Cryst.* **21**, 849–859.
- Klug, A. (1958). *Joint probability distributions of structure factors and the phase problem*. *Acta Cryst.* **11**, 515–543.
- Koch, M. H. J. (1974). *On the application of phase relationships to complex structures. IV. Automatic interpretation of electron-density maps for organic structures*. *Acta Cryst.* **A30**, 67–70.
- Krabbendam, H. & Kroon, J. (1971). *A relation between structure factor, triple products and a single Patterson vector, and its application to sign determination*. *Acta Cryst.* **A27**, 362–367.
- Kroon, J., Spek, A. L. & Krabbendam, H. (1977). *Direct phase determination of triple products from Bijvoet inequalities*. *Acta Cryst.* **A33**, 382–385.
- Lajz rowicz, J. & Lajz rowicz, J. (1966). *Loi de distribution des facteurs de structure pour un r partition non uniforme des atomes*. *Acta Cryst.* **21**, 8–12.
- Langs, D. A. (1985). *Translation functions: the elimination of structure-dependent spurious maxima*. *Acta Cryst.* **A41**, 305–308.
- Lessinger, L. & Wondratschek, H. (1975). *Seminvariants for space groups $I42m$ and $I4d$* . *Acta Cryst.* **A31**, 521.
- Mackay, A. L. (1953). *A statistical treatment of superlattice reflexions*. *Acta Cryst.* **6**, 214–215.
- Main, P. (1976). *Recent developments in the MULTAN system. The use of molecular structure*. In *Crystallographic computing techniques*, edited by F. R. Ahmed, pp. 97–105. Copenhagen: Munksgaard.
- Main, P. (1977). *On the application of phase relationships to complex structures. XI. A theory of magic integers*. *Acta Cryst.* **A33**, 750–757.
- Main, P., Fiske, S. J., Germain, G., Hull, S. E., Declercq, J.-P., Lessinger, L. & Woolfson, M. M. (1999). *Crystallographic software: teXsan for Windows*. <http://www.msc.com/brochures/teXsan/wintex.html>.
- Main, P. & Hull, S. E. (1978). *The recognition of molecular fragments in E maps and electron density maps*. *Acta Cryst.* **A34**, 353–361.
- Moncrief, J. W. & Lipscomb, W. N. (1966). *Structure of leurocristine methiodide dihydrate by anomalous scattering methods; relation to leurocristine (vincristine) and vincalcestine (vinblastine)*. *Acta Cryst.* **A21**, 322–331.
- Mukherjee, A. K., Helliwell, J. R. & Main, P. (1989). *The use of MULTAN to locate the positions of anomalous scatterers*. *Acta Cryst.* **A45**, 715–718.
- Narayan, R. & Nityananda, R. (1982). *The maximum determinant method and the maximum entropy method*. *Acta Cryst.* **A38**, 122–128.
- Navaza, J. (1985). *On the maximum-entropy estimate of the electron density function*. *Acta Cryst.* **A41**, 232–244.
- Navaza, J., Castellano, E. E. & Tsoucaris, G. (1983). *Constrained density modifications by variational techniques*. *Acta Cryst.* **A39**, 622–631.
- Naya, S., Nitta, I. & Oda, T. (1964). *A study on the statistical method for determination of signs of structure factors*. *Acta Cryst.* **17**, 421–433.
- Naya, S., Nitta, I. & Oda, T. (1965). *Affinement tridimensionnelle du sulfanilamide β* . *Acta Cryst.* **19**, 734–747.
- Nordman, C. E. (1985). *Introduction to Patterson search methods*. In *Crystallographic computing 3. Data collection, structure determination, proteins and databases*, edited by G. M. Sheldrick, G. Kruger & R. Goddard, pp. 232–244. Oxford: Clarendon Press.
- Oda, T., Naya, S. & Taguchi, I. (1961). *Matrix theoretical derivation of inequalities. II*. *Acta Cryst.* **14**, 456–458.
- Okaya, J. & Nitta, I. (1952). *Linear structure factor inequalities and the application to the structure determination of tetragonal ethylenediamine sulphate*. *Acta Cryst.* **5**, 564–570.
- Okaya, Y. & Pepinsky, R. (1956). *New formulation and solution of the phase problem in X-ray analysis of non-centric crystals containing anomalous scatterers*. *Phys. Rev.* **103**, 1645–1647.
- Ott, H. (1927). *Zur Methodik der Strukturanalyse*. *Z. Kristallogr.* **66**, 136–153.
- Parthasarathy, S. & Srinivasan, R. (1964). *The probability distribution of Bijvoet differences*. *Acta Cryst.* **17**, 1400–1407.
- Peerdeman, A. F. & Bijvoet, J. M. (1956). *The indexing of reflexions in investigations involving the use of the anomalous scattering effect*. *Acta Cryst.* **9**, 1012–1015.
- Piro, O. E. (1983). *Information theory and the phase problem in crystallography*. *Acta Cryst.* **A39**, 61–68.
- Podjarny, A. D., Schevitz, R. W. & Sigler, P. B. (1981). *Phasing low-resolution macromolecular structure factors by matrixial direct methods*. *Acta Cryst.* **A37**, 662–668.
- Podjarny, A. D., Yonath, A. & Traub, W. (1976). *Application of multivariate distribution theory to phase extension for a crystalline protein*. *Acta Cryst.* **A32**, 281–292.
- Rae, A. D. (1977). *The use of structure factors to find the origin of an oriented molecular fragment*. *Acta Cryst.* **A33**, 423–425.
- Ralph, A. C. & Woolfson, M. M. (1991). *On the application of one-wavelength anomalous scattering. III. The Wilson-distribution and MPS methods*. *Acta Cryst.* **A47**, 533–537.
- Ramachandran, G. N. & Raman, S. (1956). *A new method for the structure analysis of non-centrosymmetric crystals*. *Curr. Sci. (India)*, **25**, 348.
- Raman, S. (1959). *Syntheses for the deconvolution of the Patterson function. Part II. Detailed theory for non-centrosymmetric crystals*. *Acta Cryst.* **12**, 964–975.
- Rango, C. de (1969). Thesis. Paris.
- Rango, C. de, Maugu n, Y. & Tsoucaris, G. (1975). *Use of high-order probability laws in phase refinement and extension of protein structures*. *Acta Cryst.* **A31**, 227–233.
- Rango, C. de, Maugu n, Y., Tsoucaris, G., Dodson, E. J., Dodson, G. G. & Taylor, D. J. (1985). *The extension and refinement of the 1.9   spacing isomorphous phases to 1.5   spacing in 2Zn insulin by determinantal methods*. *Acta Cryst.* **A41**, 3–17.
- Rango, C. de, Tsoucaris, G. & Zelwer, C. (1974). *Phase determination from the Karle–Hauptman determinant. II. Connexion between inequalities and probabilities*. *Acta Cryst.* **A30**, 342–353.
- Rogers, D., Stanley, E. & Wilson, A. J. C. (1955). *The probability distribution of intensities. VI. The influence of intensity errors on the statistical tests*. *Acta Cryst.* **8**, 383–393.

2. RECIPROCAL SPACE IN CRYSTAL-STRUCTURE DETERMINATION

2.2 (cont.)

- Rogers, D. & Wilson, A. J. C. (1953). *The probability distribution of X-ray intensities. V. A note on some hypersymmetric distributions.* *Acta Cryst.* **6**, 439–449.
- Rossmann, M. G., Blow, D. M., Harding, M. M. & Collier, E. (1964). *The relative positions of independent molecules within the same asymmetric unit.* *Acta Cryst.* **17**, 338–342.
- Sayre, D. (1952). *The squaring method: a new method for phase determination.* *Acta Cryst.* **5**, 60–65.
- Sayre, D. (1953). *Double Patterson function.* *Acta Cryst.* **6**, 430–431.
- Sayre, D. (1972). *On least-squares refinement of the phases of crystallographic structure factors.* *Acta Cryst.* **A28**, 210–212.
- Sayre, D. & Toupin, R. (1975). *Major increase in speed of least-squares phase refinement.* *Acta Cryst.* **A31**, S20.
- Schenk, H. (1973a). *Direct structure determination in P1 and other non-centrosymmetric symmorphic space groups.* *Acta Cryst.* **A29**, 480–481.
- Schenk, H. (1973b). *The use of phase relationships between quartets of reflexions.* *Acta Cryst.* **A29**, 77–82.
- Sheldrick, G. M. (1990). *Phase annealing in SHELX-90: direct methods for larger structures.* *Acta Cryst.* **A46**, 467–473.
- Sheldrick, G. M. (1997). In *Direct methods for solving macromolecular structures.* NATO Advanced Study Institute, Erice, Italy.
- Sheldrick, G. M. (2000a). *The SHELX home page.* <http://shelx.uni-ac.gwdg.de/SHELX/>.
- Sheldrick, G. M. (2000b). *SHELX.* <http://www.ucg.ie/cryst/shelx.htm>.
- Sheldrick, G. M. & Gould, R. O. (1995). *Structure solution by iterative peaklist optimization and tangent expansion in space group P1.* *Acta Cryst.* **B51**, 423–431.
- Sim, G. A. (1959). *The distribution of phase angles for structures containing heavy atoms. II. A modification of the normal heavy-atoms method for non-centrosymmetrical structures.* *Acta Cryst.* **12**, 813–815.
- Simerska, M. (1956). *Czech. J. Phys.* **6**, 1.
- Simonov, V. I. & Weissberg, A. M. (1970). *Calculation of the signs of structure amplitudes by a binary function section of interatomic vectors.* *Sov. Phys. Dokl.* **15**, 321–323. [Translated from *Dokl. Akad. Nauk SSSR*, **191**, 1050–1052.]
- Sint, L. & Schenk, H. (1975). *Phase extension and refinement in non-centrosymmetric structures containing large molecules.* *Acta Cryst.* **A31**, S22.
- Smith, J. L. (1998). *Multiwavelength anomalous diffraction in macromolecular crystallography.* In *Direct methods for solving macromolecular structures*, edited by S. Fortier, pp. 221–225. Dordrecht: Kluwer Academic Publishers.
- Srinivasan, R. & Parthasarathy, S. (1976). *Some statistical applications in X-ray crystallography.* Oxford: Pergamon Press.
- Taylor, D. J., Woolfson, M. M. & Main, P. (1978). *On the application of phase relationships to complex structures. XV. Magic determinants.* *Acta Cryst.* **A34**, 870–883.
- Tsoucaris, G. (1970). *A new method for phase determination. The maximum determinant rule.* *Acta Cryst.* **A26**, 492–499.
- Van der Putten, N. & Schenk, H. (1977). *On the conditional probability of quintets.* *Acta Cryst.* **A33**, 856–858.
- Vaughan, P. A. (1958). *A phase-determining procedure related to the vector-coincidence method.* *Acta Cryst.* **11**, 111–115.
- Vermin, W. J. & de Graaff, R. A. G. (1978). *The use of Karle–Hauptman determinants in small-structure determinations.* *Acta Cryst.* **A34**, 892–894.
- Vicković, I. & Viterbo, D. (1979). *A simple statistical treatment of unobserved reflexions. Application to two organic substances.* *Acta Cryst.* **A35**, 500–501.
- Weeks, C. M., DeTitta, G. T., Hauptman, H. A., Thuman, P. & Miller, R. (1994). *Structure solution by minimal-function phase refinement and Fourier filtering. II. Implementation and applications.* *Acta Cryst.* **A50**, 210–220.
- Weeks, C. M. & Miller, R. (1999). *The design and implementation of SnB version 2.0.* *J. Appl. Cryst.* **32**, 120–124.

- Weinzierl, J. E., Eisenberg, D. & Dickerson, R. E. (1969). *Refinement of protein phases with the Karle–Hauptman tangent formula.* *Acta Cryst.* **B25**, 380–387.
- White, P. & Woolfson, M. M. (1975). *The application of phase relationships to complex structures. VII. Magic integers.* *Acta Cryst.* **A31**, 53–56.
- Wilkins, S. W., Varghese, J. N. & Lehmann, M. S. (1983). *Statistical geometry. I. A self-consistent approach to the crystallographic inversion problem based on information theory.* *Acta Cryst.* **A39**, 47–60.
- Wilson, A. J. C. (1942). *Determination of absolute from relative X-ray intensity data.* *Nature (London)*, **150**, 151–152.
- Wilson, K. S. (1978). *The application of MULTAN to the analysis of isomorphous derivatives in protein crystallography.* *Acta Cryst.* **B34**, 1599–1608.
- Wolff, P. M. de & Bouman, J. (1954). *A fundamental set of structure factor inequalities.* *Acta Cryst.* **7**, 328–333.
- Woolfson, M. M. (1958). *Crystal and molecular structure of p,p'-dimethoxybenzophenone by the direct probability method.* *Acta Cryst.* **11**, 277–283.
- Woolfson, M. M. (1977). *On the application of phase relationships to complex structures. X. MAGLIN – a successor to MULTAN.* *Acta Cryst.* **A33**, 219–225.
- Woolfson, M. & Fan, H.-F. (1995). *Physical and non-physical methods of solving crystal structures.* Cambridge University Press.
- Yao, J.-X. (1981). *On the application of phase relationships to complex structures. XVIII. RANTAN – random MULTAN.* *Acta Cryst.* **A37**, 642–664.

2.3

- Abad-Zapatero, C., Abdel-Meguid, S. S., Johnson, J. E., Leslie, A. G. W., Rayment, I., Rossmann, M. G., Suck, D. & Tsukihara, T. (1980). *Structure of southern bean mosaic virus at 2.8 Å resolution.* *Nature (London)*, **286**, 33–39.
- Acharya, R., Fry, E., Stuart, D., Fox, G., Rowlands, D. & Brown, F. (1989). *The three-dimensional structure of foot-and-mouth disease virus at 2.9 Å resolution.* *Nature (London)*, **337**, 709–716.
- Adams, M. J., Blundell, T. L., Dodson, E. J., Dodson, G. G., Vijayan, M., Baker, E. N., Harding, M. M., Hodgkin, D. C., Rimmer, B. & Sheat, S. (1969). *Structure of rhombohedral 2 zinc insulin crystals.* *Nature (London)*, **224**, 491–495.
- Åkervall, K., Strandberg, B., Rossmann, M. G., Bengtsson, U., Fridborg, K., Johannisen, H., Kannan, K. K., Lövgren, S., Petef, G., Öberg, B., Eaker, D., Hjertén, S., Rydén, L. & Moring, I. (1972). *X-ray diffraction studies of the structure of satellite tobacco necrosis virus.* *Cold Spring Harbor Symp. Quant. Biol.* **36**, 469–488.
- Argos, P., Ford, G. C. & Rossmann, M. G. (1975). *An application of the molecular replacement technique in direct space to a known protein structure.* *Acta Cryst.* **A31**, 499–506.
- Argos, P. & Rossmann, M. G. (1974). *Determining heavy-atom positions using non-crystallographic symmetry.* *Acta Cryst.* **A30**, 672–677.
- Argos, P. & Rossmann, M. G. (1976). *A method to determine heavy-atom positions for virus structures.* *Acta Cryst.* **B32**, 2975–2979.
- Argos, P. & Rossmann, M. G. (1980). *Molecular replacement methods.* In *Theory and practice of direct methods in crystallography*, edited by M. F. C. Ladd & R. A. Palmer, pp. 361–417. New York: Plenum.
- Arnold, E., Erickson, J. W., Fout, G. S., Frankenberger, E. A., Hecht, H. J., Luo, M., Rossmann, M. G. & Rueckert, R. R. (1984). *Virion orientation in cubic crystals of the human common cold virus HRV14.* *J. Mol. Biol.* **177**, 417–430.
- Arnold, E. & Rossmann, M. G. (1986). *Effect of errors, redundancy, and solvent content in the molecular replacement procedure for the structure determination of biological macromolecules.* *Proc. Natl Acad. Sci. USA*, **83**, 5489–5493.