

### 2.3. PATTERSON AND MOLECULAR REPLACEMENT TECHNIQUES

Zhang *et al.*, 2001 (*IT F* Chapter 15.1)], and structural fragment matching procedures (Terwilliger, 2003a) have been added to the arsenal of density-modification methods. Automated mask and molecular-envelope definition has helped to remove the tedium and increase the efficiency and quality of density-modification and symmetry-averaging procedures. Noncrystallographic symmetry averaging among different crystal forms (Perutz, 1954) has become increasingly common, and exploitation of the unit-cell variation among flash-cooled and noncooled forms of the same crystal is a broadly applicable method for phase determination (Das *et al.*, 1996; Ding *et al.*, 1995); soaking crystals in a series of different solvents and buffers can produce an analogous effect (Ren *et al.*, 1995; Tong *et al.*, 1997). Phases from noncrystallographic symmetry averaging and other ‘experimental’ sources have been incorporated into crystallographic refinement procedures using a number of formalisms (Arnold & Rossmann, 1988; Rees & Lewis, 1983) including maximum likelihood (Pannu *et al.*, 1998).

#### 2.3.8.4. Equivalence of real- and reciprocal-space molecular replacement

Let us proceed in reciprocal space doing exactly the same as is done in real-space averaging. Thus

$$\rho_{AV}(\mathbf{x}) = \frac{1}{N} \sum_{n=1}^N \rho(\mathbf{x}_n),$$

where

$$\mathbf{x}_n = [\mathbf{C}_n]\mathbf{x} + \mathbf{d}_n.$$

Therefore,

$$\rho_{AV}(\mathbf{x}) = \frac{1}{N} \sum_N \frac{1}{V} \left[ \sum_{\mathbf{h}} \mathbf{F}_{\mathbf{h}} \exp(2\pi i \mathbf{h} \cdot \mathbf{x}_n) \right].$$

The next step is to perform the back-transform of the averaged electron density. Hence,

$$\mathbf{F}_{\mathbf{p}} = \int_U \rho_{AV}(\mathbf{x}) \exp(-2\pi i \mathbf{p} \cdot \mathbf{x}) \, d\mathbf{x},$$

where  $U$  is the volume within the averaged part of the cell. Hence, substituting for  $\rho_{AV}$ ,

$$\mathbf{F}_{\mathbf{p}} = \int_U \left[ \frac{1}{NV} \sum_N \sum_{\mathbf{h}} \mathbf{F}_{\mathbf{h}} \exp(2\pi i \mathbf{h} \cdot \mathbf{x}_n) \right] \exp(-2\pi i \mathbf{p} \cdot \mathbf{x}) \, d\mathbf{x},$$

which is readily simplified to

$$\mathbf{F}_{\mathbf{p}} = \frac{U}{NV} \sum_{\mathbf{h}} \mathbf{F}_{\mathbf{h}} \sum_N G_{\mathbf{h}\mathbf{p}n} \exp(2\pi i \mathbf{h} \cdot \mathbf{d}_n).$$

Setting

$$\mathbf{B}_{\mathbf{h}\mathbf{p}} = \frac{U}{NV} \sum_N G_{\mathbf{h}\mathbf{p}n} \exp(2\pi i \mathbf{h} \cdot \mathbf{d}_n),$$

the molecular replacement equations can be written as

$$\mathbf{F}_{\mathbf{p}} = \sum_{\mathbf{h}} \mathbf{B}_{\mathbf{h}\mathbf{p}} \mathbf{F}_{\mathbf{h}} \quad (2.3.8.12)$$

(Main & Rossmann, 1966), or in matrix form

$$\mathbf{F} = [\mathbf{B}]\mathbf{F},$$

which is the form of the equations used by Main (1967) and by Crowther (1967). Colman (1974) arrived at the same conclusions by an application of Shannon’s sampling theorem. It should be noted that the elements of  $[\mathbf{B}]$  are dependent only on knowledge of the noncrystallographic symmetry and the volume within which it is valid. Substitution of approximate phases into the right-hand side of (2.3.8.12) produces a set of calculated structure factors exactly analogous to those produced by back-transforming the averaged electron density in real space. The new phases can then be used in a renewed cycle of molecular replacement. The reciprocal-space molecular replacement procedure has been implemented and tested in a computer program (Tong & Rossmann, 1995).

Computationally, it has been found more convenient and faster to work in real space. This may, however, change with the advent of vector processing in ‘supercomputers’. Obtaining improved phases by substitution of current phases on the right-hand side of the molecular replacement equations (2.3.8.1) seems less cumbersome than the repeated forward and backward Fourier transformation, intermediate sorting, and averaging required in the real-space procedure.

### 2.3.9. Conclusions

Complete interpretation of Patterson maps is no longer used frequently in structure analysis, although most determinations of heavy-atom positions of isomorphous pairs are based on Patterson analyses. Incorporation of the Patterson concept is crucial in many sophisticated techniques essential for the solution of complex problems, particularly in the application to biological macromolecular structures. Patterson techniques provide important physical insights in a link between real- and reciprocal-space formulation of crystal structures and diffraction data.

This article, first written in December 1984 (by MGR and EA) and completed in January 1986, was published in the first edition of this volume 1993, and in a mildly revised form in the second edition in 2001. We are grateful for generous support of our laboratories from the National Science Foundation (to LT and MGR) and from the National Institutes of Health (LT, MGR and EA). We acknowledge the many authors whose insights, innovation and writings make up the subject matter of this review. We also acknowledge Sharon Wilder for her painstaking attention to detail in preparation of the original manuscript and an article by Argos & Rossmann (1980) as the source of some material in this article.

### References

- Abad-Zapatero, C., Abdel-Meguid, S. S., Johnson, J. E., Leslie, A. G. W., Rayment, I., Rossmann, M. G., Suck, D. & Tsukihara, T. (1980). *Structure of southern bean mosaic virus at 2.8 Å resolution. Nature (London)*, **286**, 33–39.
- Abrahams, J. P. (1997). *Bias reduction in phase refinement by modified interference functions: introducing the  $\gamma$  correction. Acta Cryst. D53*, 371–376.
- Abrahams, J. P. & Leslie, A. G. W. (1996). *Methods used in the structure determination of bovine mitochondrial F1 ATPase. Acta Cryst. D52*, 30–42.

## 2. RECIPROCAL SPACE IN CRYSTAL-STRUCTURE DETERMINATION

- Acharya, R., Fry, E., Stuart, D., Fox, G., Rowlands, D. & Brown, F. (1989). *The three-dimensional structure of foot-and-mouth disease virus at 2.9 Å resolution. Nature (London)*, **337**, 709–716.
- Adams, M. J., Blundell, T. L., Dodson, E. J., Dodson, G. G., Vijayan, M., Baker, E. N., Harding, M. M., Hodgkin, D. C., Rimmer, B. & Sheat, S. (1969). *Structure of rhombohedral 2 zinc insulin crystals. Nature (London)*, **224**, 491–495.
- Åkervall, K., Strandberg, B., Rossmann, M. G., Bengtsson, U., Fridborg, K., Johannisen, H., Kannan, K. K., Lövgren, S., Petef, G., Öberg, B., Eaker, D., Hjertén, S., Rydén, L. & Moring, I. (1972). *X-ray diffraction studies of the structure of satellite tobacco necrosis virus. Cold Spring Harbor Symp. Quant. Biol.* **36**, 469–488.
- Argos, P., Ford, G. C. & Rossmann, M. G. (1975). *An application of the molecular replacement technique in direct space to a known protein structure. Acta Cryst.* **A31**, 499–506.
- Argos, P. & Rossmann, M. G. (1974). *Determining heavy-atom positions using non-crystallographic symmetry. Acta Cryst.* **A30**, 672–677.
- Argos, P. & Rossmann, M. G. (1976). *A method to determine heavy-atom positions for virus structures. Acta Cryst.* **B32**, 2975–2979.
- Argos, P. & Rossmann, M. G. (1980). *Molecular replacement methods. In Theory and Practice of Direct Methods in Crystallography*, edited by M. F. C. Ladd & R. A. Palmer, pp. 361–417. New York: Plenum.
- Arnold, E., Erickson, J. W., Fout, G. S., Frankenberger, E. A., Hecht, H. J., Luo, M., Rossmann, M. G. & Rueckert, R. R. (1984). *Virion orientation in cubic crystals of the human common cold virus HRV14. J. Mol. Biol.* **177**, 417–430.
- Arnold, E. & Rossmann, M. G. (1986). *Effect of errors, redundancy, and solvent content in the molecular replacement procedure for the structure determination of biological macromolecules. Proc. Natl Acad. Sci. USA*, **83**, 5489–5493.
- Arnold, E. & Rossmann, M. G. (1988). *The use of molecular-replacement phases for the refinement of the human rhinovirus 14 structure. Acta Cryst.* **A44**, 270–283.
- Arnold, E., Vriend, G., Luo, M., Griffith, J. P., Kamer, G., Erickson, J. W., Johnson, J. E. & Rossmann, M. G. (1987). *The structure determination of a common cold virus, human rhinovirus 14. Acta Cryst.* **A43**, 346–361.
- Baker, D., Bystroff, C., Fletterick, R. J. & Agard, D. A. (1993). *PRISM: topologically constrained phase refinement for macromolecular crystallography. Acta Cryst.* **D49**, 429–439.
- Beevers, C. A. & Robertson, J. M. (1950). *Interpretation of the Patterson synthesis. Acta Cryst.* **3**, 164.
- Beurskens, P. T. (1981). *A statistical interpretation of rotation and translation functions in reciprocal space. Acta Cryst.* **A37**, 426–430.
- Bhat, T. N. & Blow, D. M. (1982). *A density-modification method for the improvement of poorly resolved protein electron-density maps. Acta Cryst.* **A38**, 21–29.
- Bijvoet, J. M. (1954). *Structure of optically active compounds in the solid state. Nature (London)*, **173**, 888–891.
- Bijvoet, J. M., Peerdeman, A. F. & van Bommel, A. J. (1951). *Determination of the absolute configuration of optically active compounds by means of X-rays. Nature (London)*, **168**, 271–272.
- Blanc, E., Roversi, P., Vornrhein, C., Flensburg, C., Lea, S. M. & Bricogne, G. (2004). *Refinement of severely incomplete structures with maximum likelihood in BUSTER-TNT. Acta Cryst.* **D60**, 2210–2221.
- Bloomer, A. C., Champness, J. N., Bricogne, G., Staden, R. & Klug, A. (1978). *Protein disk of tobacco mosaic virus at 2.8 Å resolution showing the interactions within and between subunits. Nature (London)*, **276**, 362–368.
- Blow, D. M. (1958). *The structure of haemoglobin. VII. Determination of phase angles in the noncentrosymmetric [100] zone. Proc. R. Soc. London Ser. A*, **247**, 302–336.
- Blow, D. M. (2001). *Noncrystallographic symmetry. In International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, ch. 13.1. Dordrecht: Kluwer Academic Publishers.
- Blow, D. M. & Crick, F. H. C. (1959). *The treatment of errors in the isomorphous replacement method. Acta Cryst.* **12**, 794–802.
- Blow, D. M. & Rossmann, M. G. (1961). *The single isomorphous replacement method. Acta Cryst.* **14**, 1195–1202.
- Blow, D. M., Rossmann, M. G. & Jeffery, B. A. (1964). *The arrangement of  $\alpha$ -chymotrypsin molecules in the monoclinic crystal form. J. Mol. Biol.* **8**, 65–78.
- Bluhm, M. M., Bodo, G., Dintzis, H. M. & Kendrew, J. C. (1958). *The crystal structure of myoglobin. IV. A Fourier projection of sperm-whale myoglobin by the method of isomorphous replacement. Proc. R. Soc. London Ser. A*, **246**, 369–389.
- Blundell, T. L. & Johnson, L. N. (1976). *Protein Crystallography*. New York: Academic Press.
- Bodo, G., Dintzis, H. M., Kendrew, J. C. & Wyckoff, H. W. (1959). *The crystal structure of myoglobin. V. A low-resolution three-dimensional Fourier synthesis of sperm-whale myoglobin crystals. Proc. R. Soc. London Ser. A*, **253**, 70–102.
- Bragg, W. L. (1958). *The determination of the coordinates of heavy atoms in protein crystals. Acta Cryst.* **11**, 70–75.
- Bragg, W. L. & Perutz, M. F. (1954). *The structure of haemoglobin. VI. Fourier projections on the 010 plane. Proc. R. Soc. London Ser. A*, **225**, 315–329.
- Braun, P. B., Hornstra, J. & Leenhouts, J. I. (1969). *Automated crystal-structure determination by Patterson search using a known part of the molecule. Philips Res. Rep.* **24**, 85–118.
- Bricogne, G. (1974). *Geometric sources of redundancy in intensity data and their use for phase determination. Acta Cryst.* **A30**, 395–405.
- Bricogne, G. (1976). *Methods and programs for the direct space exploitation of geometric redundancies. Acta Cryst.* **A32**, 832–847.
- Brünger, A. T. (1990). *Extension of molecular replacement: a new search strategy based on Patterson correlation refinement. Acta Cryst.* **A46**, 46–57.
- Brünger, A. T., Adams, P. D., Clore, G. M., DeLano, W. L., Gros, P., Grosse-Kunstleve, R. W., Jiang, J.-S., Kuszewski, J., Nilges, M., Pannu, N. S., Read, R. J., Rice, L. M., Simonson, T. & Warren, G. L. (1998). *Crystallography & NMR System: a new software suite for macromolecular structure determination. Acta Cryst.* **D54**, 905–921.
- Brunger, A. T., Adams, P. D., DeLano, W. L., Gros, P., Grosse-Kunstleve, R. W., Jiang, J.-S., Pannu, N. S., Read, R. J., Rice, L. M. & Simonson, T. (2001). *The structure-determination language of the Crystallography & NMR System. In International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, Section 25.2.3. Dordrecht: Kluwer Academic Publishers.
- Brunger, A. T., Adams, P. D. & Rice, L. M. (2001). *Enhanced macromolecular refinement by simulated annealing. In International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, ch. 18.2. Dordrecht: Kluwer Academic Publishers.
- Buehner, M., Ford, G. C., Moras, D., Olsen, K. W. & Rossmann, M. G. (1974). *Structure determination of crystalline lobster D-glyceraldehyde-3-phosphate dehydrogenase. J. Mol. Biol.* **82**, 563–585.
- Buerger, M. J. (1946). *The interpretation of Harker syntheses. J. Appl. Phys.* **17**, 579–595.
- Buerger, M. J. (1950a). *Some new functions of interest in X-ray crystallography. Proc. Natl Acad. Sci. USA*, **36**, 376–382.
- Buerger, M. J. (1950b). *Limitation of electron density by the Patterson function. Proc. Natl Acad. Sci. USA*, **36**, 738–742.
- Buerger, M. J. (1951). *A new approach to crystal-structure analysis. Acta Cryst.* **4**, 531–544.
- Buerger, M. J. (1953a). *Image theory of superposed vector sets. Proc. Natl Acad. Sci. USA*, **39**, 669–673.
- Buerger, M. J. (1953b). *Solution functions for solving superposed Patterson syntheses. Proc. Natl Acad. Sci. USA*, **39**, 674–678.
- Buerger, M. J. (1953c). *An intersection function and its relations to the minimum function of X-ray crystallography. Proc. Natl Acad. Sci. USA*, **39**, 678–680.
- Buerger, M. J. (1959). *Vector Space and its Application in Crystal-Structure Investigation*. New York: John Wiley.
- Buerger, M. J. (1966). *Background for the use of image-seeking functions. Trans. Am. Crystallogr. Assoc.* **2**, 1–9.
- Bullough, R. K. (1961). *On homometric sets. I. Some general theorems. Acta Cryst.* **14**, 257–269.
- Bullough, R. K. (1964). *On homometric sets. II. Sets obtained by singular transformations. Acta Cryst.* **17**, 295–308.
- Burdina, V. I. (1970). *Symmetry of the rotation function. Kristallografiya*, **15**, 623–630.
- Burdina, V. I. (1971). *Symmetry of the rotation function. Sov. Phys. Crystallogr.* **15**, 545–550.
- Burdina, V. I. (1973). *Primitive rotation regions of two Patterson syntheses. Kristallografiya*, **18**, 694–700.
- Burnett, R. M. & Rossmann, M. G. (1971). *The determination of the crystal structure of trans-2,4-dihydroxy-2,4-dimethylcyclohexane-trans-*

### 2.3. PATTERSON AND MOLECULAR REPLACEMENT TECHNIQUES

- l*-acetic acid  $\gamma$ -lactone,  $C_{10}H_{16}O_3$ , using rotation and translation functions in reciprocal space. *Acta Cryst.* **B27**, 1378–1387.
- Carlisle, C. H. & Crowfoot, D. (1945). *The crystal structure of cholesteryl iodide*. *Proc. R. Soc. London Ser. A*, **184**, 64–83.
- Caspar, D. L. D. & Klug, A. (1962). *Physical principles in the construction of regular viruses*. *Cold Spring Harbor Symp. Quant. Biol.* **27**, 1–24.
- Chang, G. & Lewis, M. (1997). *Molecular replacement using genetic algorithms*. *Acta Cryst.* **D53**, 279–289.
- Chapman, M. S., Tsao, J. & Rossmann, M. G. (1992). *Ab initio phase determination for spherical viruses: parameter determination for spherical-shell models*. *Acta Cryst.* **A48**, 301–312.
- Clastre, J. & Gay, R. (1950). *La détermination des structures cristallines à partir du diagramme de Patterson*. *Compt. Rend.* **230**, 1876–1877.
- Collaborative Computational Project, Number 4 (1994). *The CCP4 suite: programs for protein crystallography*. *Acta Cryst.* **D50**, 760–763.
- Collins, D. M. (1975). *Efficiency in Fourier phase refinement for protein crystal structures*. *Acta Cryst.* **A31**, 388–389.
- Colman, P. M. (1974). *Noncrystallographic symmetry and the sampling theorem*. *Z. Kristallogr.* **140**, 344–349.
- Colman, P. M. & Fehlhämmer, H. (1976). *Appendix: the use of rotation and translation functions in the interpretation of low resolution electron density maps*. *J. Mol. Biol.* **100**, 278–282.
- Colman, P. M., Fehlhämmer, H. & Bartels, K. (1976). *Patterson search methods in protein structure determination:  $\beta$ -trypsin and immunoglobulin fragments*. In *Crystallographic Computing Techniques*, edited by F. R. Ahmed, K. Huml & B. Sedlacek, pp. 248–258. Copenhagen: Munksgaard.
- Corfield, P. W. R. & Rosenstein, R. D. (1966). *Maximum information from the minimum function*. *Trans. Am. Crystallogr. Assoc.* **2**, 17–28.
- Cowtan, K. (1999). *Error estimation and bias correction in phase-improvement calculations*. *Acta Cryst.* **D55**, 1555–1567.
- Cowtan, K. D. & Main, P. (1993). *Improvement of macromolecular electron-density maps by the simultaneous application of real and reciprocal space constraints*. *Acta Cryst.* **D49**, 148–157.
- Cowtan, K. D. & Main, P. (1996). *Phase combination and cross validation in iterated density-modification calculations*. *Acta Cryst.* **D52**, 43–48.
- Cowtan, K. D., Zhang, K. Y. J. & Main, P. (2001). *DM/DMMULTI software for phase improvement by density modification*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, Section 25.2.2. Dordrecht: Kluwer Academic Publishers.
- Crick, F. H. C. & Magdoff, B. S. (1956). *The theory of the method of isomorphous replacement for protein crystals. I*. *Acta Cryst.* **9**, 901–908.
- Cromer, D. T. (1974). *Dispersion corrections for X-ray atomic scattering factors*. In *International Tables for X-ray Crystallography*, Vol. IV, edited by J. A. Ibers & W. C. Hamilton, pp. 148–151. Birmingham: Kynoch Press.
- Crowther, R. A. (1967). *A linear analysis of the non-crystallographic symmetry problem*. *Acta Cryst.* **22**, 758–764.
- Crowther, R. A. (1969). *The use of non-crystallographic symmetry for phase determination*. *Acta Cryst.* **B25**, 2571–2580.
- Crowther, R. A. (1972). *The fast rotation function*. In *The Molecular Replacement Method*, edited by M. G. Rossmann, pp. 173–178. New York: Gordon & Breach.
- Crowther, R. A. & Blow, D. M. (1967). *A method of positioning a known molecule in an unknown crystal structure*. *Acta Cryst.* **23**, 544–548.
- Cullis, A. F., Muirhead, H., Perutz, M. F., Rossmann, M. G. & North, A. C. T. (1962). *The structure of haemoglobin. IX. A three-dimensional Fourier synthesis at 5.5 Å resolution: description of the structure*. *Proc. R. Soc. London Ser. A*, **265**, 161–187.
- Das, K., Ding, J., Hsiou, Y., Clark, A. D. Jr, Moereels, H., Koymans, L., Andries, K., Pauwels, R., Janssen, P. A. J., Boyer, P. L., Clark, P., Smith, R. H. Jr, Smith, M. B. K., Michejda, C. J., Hughes, S. H. & Arnold, E. (1996). *Crystal structures of 8-Cl and 9-Cl TIBO complexed with wild-type HIV-1 RT and 8-Cl TIBO complexed with the Tyr181Cys HIV-1 RT drug-resistant mutant*. *J. Mol. Biol.* **264**, 1085–1100.
- Dauter, Z., Dauter, M. & Rajashankar, K. R. (2000). *Novel approach to phasing proteins: derivatization by short cryo-soaking with halides*. *Acta Cryst.* **D56**, 232–237.
- Dauter, Z., Murshudov, G. N. & Wilson, K. S. (2001). *Refinement at atomic resolution*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, ch. 18.4. Dordrecht: Kluwer Academic Publishers.
- Debreczeni, J. É., Bunkóczi, G., Ma, Q., Blaser, H. & Sheldrick, G. M. (2003). *In-house measurement of the sulfur anomalous signal and its use for phasing*. *Acta Cryst.* **D59**, 688–696.
- DeLano, W. L. & Brünger, A. T. (1995). *The direct rotation function: rotational Patterson correlation search applied to molecular replacement*. *Acta Cryst.* **D51**, 740–748.
- Dickerson, R. E., Kendrew, J. C. & Strandberg, B. E. (1961). *The crystal structure of myoglobin: phase determination to a resolution of 2 Å by the method of isomorphous replacement*. *Acta Cryst.* **14**, 1188–1195.
- Dickerson, R. E., Kopka, M. L., Varnum, J. C. & Weinzierl, J. E. (1967). *Bias, feedback and reliability in isomorphous phase analysis*. *Acta Cryst.* **23**, 511–522.
- Dickerson, R. E., Weinzierl, J. E. & Palmer, R. A. (1968). *A least-squares refinement method for isomorphous replacement*. *Acta Cryst.* **B24**, 997–1003.
- Ding, J., Das, K., Moereels, H., Koymans, L., Andries, K., Janssen, P. A. J., Hughes, S. H. & Arnold, E. (1995). *Structure of HIV-1 RT/TIBO R 86183 complex reveals similarity in the binding of diverse nonnucleoside inhibitors*. *Nature Struct. Biol.* **2**, 407–415.
- Dodson, E., Harding, M. M., Hodgkin, D. C. & Rossmann, M. G. (1966). *The crystal structure of insulin. III. Evidence for a 2-fold axis in rhombohedral zinc insulin*. *J. Mol. Biol.* **16**, 227–241.
- Egert, E. (1983). *Patterson search – an alternative to direct methods*. *Acta Cryst.* **A39**, 936–940.
- Egert, E. & Sheldrick, G. M. (1985). *Search for a fragment of known geometry by integrated Patterson and direct methods*. *Acta Cryst.* **A41**, 262–268.
- Eisenberg, D. (1970). *X-ray crystallography and enzyme structure*. In *The Enzymes*, edited by P. D. Boyer, Vol. 1, 3rd ed., pp. 1–89. New York: Academic Press.
- Fitzgerald, P. M. D. (1988). *MERLOT, an integrated package of computer programs for the determination of crystal structures by molecular replacement*. *J. Appl. Cryst.* **21**, 273–278.
- Fletcher, R. J. & Steitz, T. A. (1976). *The combination of independent phase information obtained from separate protein structure determinations of yeast hexokinase*. *Acta Cryst.* **A32**, 125–132.
- Fridrichsons, J. & Mathieson, A. McL. (1962). *Image-seeking. A brief study of its scope and comments on certain limitations*. *Acta Cryst.* **15**, 1065–1074.
- Fujinaga, M. & Read, R. J. (1987). *Experiences with a new translation-function program*. *J. Appl. Cryst.* **20**, 517–521.
- Fukuyama, K., Abdel-Meguid, S. S., Johnson, J. E. & Rossmann, M. G. (1983). *Structure of a  $T = 1$  aggregate of alfalfa mosaic virus coat protein seen at 4.5 Å resolution*. *J. Mol. Biol.* **167**, 873–894.
- Furey, W. (2001). *PHASES*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, Section 25.2.1. Dordrecht: Kluwer Academic Publishers.
- Furey, W. & Swaminathan, S. (1997). *PHASES-95: a program package for processing and analyzing diffraction data from macromolecules*. *Methods Enzymol.* **277**, 590–620.
- Garrido, J. (1950a). *Sur la détermination des structures cristallines au moyen de la transformée de Patterson*. *Compt. Rend.* **230**, 1878–1879.
- Garrido, J. (1950b). *Les coïncidences fortuites dans la méthode des différences vectorielles*. *Compt. Rend.* **231**, 297–298.
- Gaykema, W. P., Volbeda, A. & Hol, W. G. (1986). *Structure determination of Panulirus interruptus haemocyanin at 3.2 Å resolution. Successful phase extension by sixfold density averaging*. *J. Mol. Biol.* **187**, 255–275.
- Gaykema, W. P. J., Hol, W. G. J., Vereijken, J. M., Soeter, N. M., Bak, H. J. & Beintema, J. J. (1984). *3.2 Å structure of the copper-containing, oxygen-carrying protein Panulirus interruptus haemocyanin*. *Nature (London)*, **309**, 23–29.
- Gibbs, J. W. (1898). *Remarks regarding Michelson's letter*. *Nature (London)*, **59**, 200.
- Glykos, N. M. & Kokkinidis, M. (2000). *A stochastic approach to molecular replacement*. *Acta Cryst.* **D56**, 169–174.
- Grau, U. M., Rossmann, M. G. & Trommer, W. E. (1981). *The crystallization and structure determination of an active ternary complex of pig heart lactate dehydrogenase*. *Acta Cryst.* **B37**, 2019–2026.
- Green, D. W., Ingram, V. M. & Perutz, M. F. (1954). *The structure of haemoglobin. IV. Sign determination by the isomorphous replacement method*. *Proc. R. Soc. London Ser. A*, **225**, 287–307.

## 2. RECIPROCAL SPACE IN CRYSTAL-STRUCTURE DETERMINATION

- Grosse-Kunstleve, R. W. & Brunger, A. T. (1999). *A highly automated heavy-atom search procedure for macromolecular structures*. *Acta Cryst.* **D55**, 1568–1577.
- Hamilton, W. C. (1965). *The crystal structure of orthorhombic acetamide*. *Acta Cryst.* **18**, 866–870.
- Harada, Y., Lifchitz, A., Berthou, J. & Jolles, P. (1981). *A translation function combining packing and diffraction information: an application to lysozyme (high-temperature form)*. *Acta Cryst.* **A37**, 398–406.
- Harker, D. (1936). *The application of the three-dimensional Patterson method and the crystal structures of proustite,  $Ag_3AsS_3$ , and pyrargyrite,  $Ag_3SbS_3$* . *J. Chem. Phys.* **4**, 381–390.
- Harker, D. (1956). *The determination of the phases of the structure factors of non-centrosymmetric crystals by the method of double isomorphous replacement*. *Acta Cryst.* **9**, 1–9.
- Harrison, S. C., Olson, A. J., Schutt, C. E., Winkler, F. K. & Bricogne, G. (1978). *Tomato bushy stunt virus at 2.9 Å resolution*. *Nature (London)*, **276**, 368–373.
- Hendrickson, W. A. (1991). *Determination of macromolecular structures from anomalous diffraction of synchrotron radiation*. *Science*, **254**, 51–58.
- Hendrickson, W. A. & Lattman, E. E. (1970). *Representation of phase probability distributions for simplified combination of independent phase information*. *Acta Cryst.* **B26**, 136–143.
- Hendrickson, W. A. & Teeter, M. M. (1981). *Structure of the hydrophobic protein crambin determined directly from the anomalous scattering of sulphur*. *Nature (London)*, **290**, 107–113.
- Hendrickson, W. A. & Ward, K. B. (1976). *A packing function for delimiting the allowable locations of crystallized macromolecules*. *Acta Cryst.* **A32**, 778–780.
- High, D. F. & Kraut, J. (1966). *The crystal structure of androsterone*. *Acta Cryst.* **21**, 88–96.
- Hirshfeld, F. L. (1968). *Symmetry in the generation of trial structures*. *Acta Cryst.* **A24**, 301–311.
- Hodgkin, D. C., Kamper, J., Lindsey, J., MacKay, M., Pickworth, J., Robertson, J. H., Shoemaker, C. B., White, J. G., Prosen, R. J. & Trueblood, K. N. (1957). *The structure of vitamin  $B_{12}$ . I. An outline of the crystallographic investigation of vitamin  $B_{12}$* . *Proc. R. Soc. London Ser. A*, **242**, 228–263.
- Hogle, J. M., Chow, M. & Filman, D. J. (1985). *Three-dimensional structure of poliovirus at 2.9 Å resolution*. *Science*, **229**, 1358–1365.
- Hoppe, W. (1957a). *Die Faltmolekülmethode und ihre anwendung in der Röntgenographischen Konstitutionsanalyse von Biflorin ( $C_{20}H_{20}O_4$ )*. *Z. Elektrochem.* **61**, 1076–1083.
- Hoppe, W. (1957b). *Die 'Faltmolekülmethode' – eine neue Methode zur Bestimmung der Kristallstruktur bei ganz oder teilweise bekannter Molekülstruktur*. *Acta Cryst.* **10**, 750–751.
- Hoppe, W. (1959). *Die Bestimmung genauer Schweratom-parameter in isomorphen azentrischen Kristallen*. *Acta Cryst.* **12**, 665–674.
- Hoppe, W. (1962). *'Nahezu-Homometrische Lösungen' und Faltmolekül-methode*. *Z. Kristallogr.* **117**, 249–258.
- Hoppe, W. & Gassmann, J. (1968). *Phase correction, a new method to solve partially known structures*. *Acta Cryst.* **B24**, 97–107.
- Hosemann, R. & Bagchi, S. N. (1954). *On homometric structures*. *Acta Cryst.* **7**, 237–241.
- Huber, R. (1965). *Die automatisierte Faltmolekülmethode*. *Acta Cryst.* **19**, 353–356.
- Hughes, E. W. (1940). *The crystal structure of dicyandiamide*. *J. Am. Chem. Soc.* **62**, 1258–1267.
- Hunt, J. F. & Deisenhofer, J. (2003). *Ping-pong cross-validation in real space: a method for increasing the phasing power of a partial model without risk of model bias*. *Acta Cryst.* **D59**, 214–224.
- International Tables for Crystallography* (2005). Vol. A, *Space-Group Symmetry*, edited by Th. Hahn. Heidelberg: Springer.
- Jacobson, R. A., Wunderlich, J. A. & Lipscomb, W. N. (1961). *The crystal and molecular structure of cellobiose*. *Acta Cryst.* **14**, 598–607.
- James, R. W. (1965). *The optical principles of the diffraction of X-rays*. Ithaca: Cornell University Press.
- Jogl, G., Tao, X., Xu, Y. & Tong, L. (2001). *COMO: a program for combined molecular replacement*. *Acta Cryst.* **D57**, 1127–1134.
- Johnson, J. E. (1978). *Appendix II. Averaging of electron density maps*. *Acta Cryst.* **B34**, 576–577.
- Johnson, J. E., Akimoto, T., Suck, D., Rayment, I. & Rossmann, M. G. (1976). *The structure of southern bean mosaic virus at 22.5 Å resolution*. *Virology*, **75**, 394–400.
- Johnson, J. E., Argos, P. & Rossmann, M. G. (1975). *Rotation function studies of southern bean mosaic virus at 22 Å resolution*. *Acta Cryst.* **B31**, 2577–2583.
- Jones, T. A. (1992). *A, yaap, asap, @#\*? A set of averaging programs*. In *Molecular Replacement*, edited by E. J. Dodson, S. Glover & W. Wolf, pp. 91–105. Warrington: SERC Daresbury Laboratory.
- Karle, J. (1976). *Partial structures and use of the tangent formula and translation functions*. In *Crystallographic Computing Techniques*, edited by F. R. Ahmed, K. Huml & B. Sedlacek, pp. 155–164. Copenhagen: Munksgaard.
- Karle, J. & Hauptman, H. (1964). *Positivity, point atoms, and Pattersons*. *Acta Cryst.* **17**, 392–396.
- Kartha, G. (1961). *Isomorphous replacement method in non-centrosymmetric structures*. *Acta Cryst.* **14**, 680–686.
- Kartha, G. & Parthasarathy, R. (1965). *Combination of multiple isomorphous replacement and anomalous dispersion data for protein structure determination. I. Determination of heavy-atom positions in protein derivatives*. *Acta Cryst.* **18**, 745–749.
- Ketelaar, J. A. A. & de Vries, T. A. (1939). *The crystal structure of tetra phosphonitride chloride,  $P_4N_4Cl_8$* . *Recl Trav. Chim.* **58**, 1081–1099.
- Kissinger, C. R., Gehlhaar, D. K. & Fogel, D. B. (1999). *Rapid automated molecular replacement by evolutionary search*. *Acta Cryst.* **D55**, 484–491.
- Kleywegt, G. J. (1996). *Use of non-crystallographic symmetry in protein structure refinement*. *Acta Cryst.* **D52**, 842–857.
- Kraut, J. (1961). *The crystal structure of 2-amino-ethanol phosphate*. *Acta Cryst.* **14**, 1146–1152.
- Lamzin, V. S., Perrakis, A. & Wilson, K. S. (2001). *The ARP/wARP suite for automated construction and refinement of protein models*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, Section 25.2.5. Dordrecht: Kluwer Academic Publishers.
- Lattman, E. E. (1972). *Optimal sampling of the rotation function*. *Acta Cryst.* **B28**, 1065–1068.
- Lattman, E. E. & Love, W. E. (1970). *A rotational search procedure for detecting a known molecule in a crystal*. *Acta Cryst.* **B26**, 1854–1857.
- Lentz, P. J. Jr, Strandberg, B., Unge, T., Vaara, I., Borell, A., Fridborg, K. & Petef, G. (1976). *The determination of the heavy-atom substitution sites in the satellite tobacco necrosis virus*. *Acta Cryst.* **B32**, 2979–2983.
- Leslie, A. G. W. (1987). *A reciprocal-space method for calculating a molecular envelope using the algorithm of B.C. Wang*. *Acta Cryst.* **A43**, 134–136.
- Lifchitz, A. (1983). *On the choice of the model cell and the integration volume in the use of the rotation function*. *Acta Cryst.* **A39**, 130–139.
- Liljas, L., Unge, T., Jones, T. A., Fridborg, K., Lövgren, S., Skoglund, U. & Strandberg, B. (1982). *Structure of satellite tobacco necrosis virus at 3.0 Å resolution*. *J. Mol. Biol.* **159**, 93–108.
- Lipson, H. & Cochran, W. (1966). *The Determination of Crystal Structures*. Ithaca: Cornell University Press.
- Litvin, D. B. (1975). *The molecular replacement method. I. The rotation function problem, application to bovine liver catalase and STNV*. *Acta Cryst.* **A31**, 407–416.
- Lu, G. (1999). *FINDNCS: a program to detect non-crystallographic symmetries in protein crystals from heavy-atom sites*. *J. Appl. Cryst.* **32**, 365–368.
- Lunin, V. Y. (1993). *Electron-density histograms and the phase problem*. *Acta Cryst.* **D49**, 90–99.
- Lunin, V. Y., Lunina, N. L., Petrova, T. E., Skovoroda, T. P., Urzhumtsev, A. G. & Podjarny, A. D. (2000). *Low-resolution ab initio phasing: problems and advances*. *Acta Cryst.* **D56**, 1223–1232.
- Luo, M., Vriend, G., Kamer, G. & Rossmann, M. G. (1989). *Structure determination of Mengo virus*. *Acta Cryst.* **B45**, 85–92.
- Luzzati, V. (1953). *Résolution d'une structure cristalline lorsque les positions d'une partie des atomes sont connues: traitement statistique*. *Acta Cryst.* **6**, 142–152.
- McKenna, R., Xia, D., Willingmann, P., Ilag, L. L. & Rossmann, M. G. (1992). *Structure determination of the bacteriophage  $\phi$ X174*. *Acta Cryst.* **B48**, 499–511.
- McLachlan, D. Jr & Harker, D. (1951). *Finding the signs of the  $F$ 's from the shifted Patterson product*. *Proc. Natl Acad. Sci. USA*, **37**, 846–849.
- Main, P. (1967). *Phase determination using non-crystallographic symmetry*. *Acta Cryst.* **23**, 50–54.
- Main, P. & Rossmann, M. G. (1966). *Relationships among structure factors due to identical molecules in different crystallographic environments*. *Acta Cryst.* **21**, 67–72.

### 2.3. PATTERSON AND MOLECULAR REPLACEMENT TECHNIQUES

- Matthews, B. W. (1966). *The determination of the position of anomalously scattering heavy atom groups in protein crystals*. *Acta Cryst.* **20**, 230–239.
- Matthews, B. W. & Czerwinski, E. W. (1975). *Local scaling: a method to reduce systematic errors in isomorphous replacement and anomalous scattering measurements*. *Acta Cryst.* **A31**, 480–487.
- Matthews, B. W., Sigler, P. B., Henderson, R. & Blow, D. M. (1967). *Three-dimensional structure of tosyl- $\alpha$ -chymotrypsin*. *Nature (London)*, **214**, 652–656.
- Menzer, G. (1949). *Über die mehrdeutigkeit der Kristallstrukturbestimmung*. *Z. Naturforsch. Teil A*, **4**, 11–21.
- Mighell, A. D. & Jacobson, R. A. (1963). *Analysis of three-dimensional Patterson maps using vector verification*. *Acta Cryst.* **16**, 443–445.
- Miller, S. T., Hogle, J. M. & Filman, D. J. (2001). *Ab initio phasing of high-symmetry macromolecular complexes: successful phasing of authentic poliovirus data to 3.0 Å resolution*. *J. Mol. Biol.* **307**, 499–512.
- Moncrief, J. W. & Lipscomb, W. N. (1966). *Structure of leurocristine methiodide dihydrate by anomalous scattering methods; relation to leurocristine (vincristine) and vincalurekoblantine (vinblastine)*. *Acta Cryst.* **21**, 322–331.
- Moras, D., Comarmond, M. B., Fischer, J., Weiss, R., Thierry, J. C., Ebel, J. P. & Giegé, R. (1980). *Crystal structure of yeast tRNA<sup>Asp</sup>*. *Nature (London)*, **288**, 669–674.
- Muirhead, H., Cox, J. M., Mazzarella, L. & Perutz, M. F. (1967). *Structure and function of haemoglobin. III. A three-dimensional Fourier synthesis of human deoxyhaemoglobin at 5.5 Å resolution*. *J. Mol. Biol.* **28**, 117–156.
- Murthy, M. R. N., Reid, T. J. III, Sicignano, A., Tanaka, N. & Rossmann, M. G. (1981). *Structure of beef liver catalase*. *J. Mol. Biol.* **152**, 465–499.
- Nagem, R. A. P., Polikarpov, I. & Dauter, Z. (2003). *Phasing on rapidly soaked ions*. *Methods Enzymol.* **374**, 120–137.
- Navaza, J. (1987). *On the fast rotation function*. *Acta Cryst.* **A43**, 645–653.
- Navaza, J. (1993). *On the computation of the fast rotation function*. *Acta Cryst.* **D49**, 588–591.
- Navaza, J. (1994). *AMoRe: an automated package for molecular replacement*. *Acta Cryst.* **A50**, 157–163.
- Navaza, J. (2001a). *Implementation of molecular replacement in AMoRe*. *Acta Cryst.* **D57**, 1367–1372.
- Navaza, J. (2001b). *Rotation functions*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, ch. 13.2. Dordrecht: Kluwer Academic Publishers.
- Navaza, J., Panepucci, E. H. & Martin, C. (1998). *On the use of strong Patterson function signals in many-body molecular replacement*. *Acta Cryst.* **D54**, 817–821.
- Navaza, J. & Vernoslova, E. (1995). *On the fast translation functions for molecular replacement*. *Acta Cryst.* **A51**, 445–449.
- Nieh, Y.-P. & Zhang, K. Y. J. (1999). *A two-dimensional histogram-matching method for protein phase refinement and extension*. *Acta Cryst.* **D55**, 1893–1900.
- Nixon, P. E. (1978). *Overlapping Patterson peaks and direct methods: the structure of prostratin*. *Acta Cryst.* **A34**, 450–453.
- Nordman, C. E. (1966). *Vector space search and refinement procedures*. *Trans. Am. Crystallogr. Assoc.* **2**, 29–38.
- Nordman, C. E. (1972). *An application of vector space search methods to the Patterson function of myoglobin*. *Acta Cryst.* **A28**, 134–143.
- Nordman, C. E. (1980a). *Vector-space Patterson search and other stored-function sampling procedures*. In *Computing in Crystallography*, edited by R. Diamond, S. Ramaseshan & K. Venkatesan, pp. 5.01–5.13. Bangalore: Indian Academy of Sciences.
- Nordman, C. E. (1980b). *Procedures for detection and idealization of non-crystallographic symmetry with application to phase refinement of the satellite tobacco necrosis virus structure*. *Acta Cryst.* **A36**, 747–754.
- Nordman, C. E. & Nakatsu, K. (1963). *Interpretation of the Patterson function of crystals containing a known molecular fragment. The structure of an Alstonia alkaloid*. *J. Am. Chem. Soc.* **85**, 353–354.
- Nordman, C. E. & Schilling, J. W. (1970). *Calculation and use of vector overlap weights in Patterson search and refinement*. In *Crystallographic Computing*, edited by F. R. Ahmed, S. R. Hall & C. P. Huber, pp. 110–114. Copenhagen: Munksgaard.
- North, A. C. T. (1965). *The combination of isomorphous replacement and anomalous scattering data in phase determination of non-centrosymmetric reflexions*. *Acta Cryst.* **18**, 212–216.
- Okaya, Y., Saito, Y. & Pepinsky, R. (1955). *New method in X-ray crystal structure determination involving the use of anomalous dispersion*. *Phys. Rev.* **98**, 1857–1858.
- Pannu, N. S., Murshudov, G. N., Dodson, E. J. & Read, R. J. (1998). *Incorporation of prior phase information strengthens maximum-likelihood structure refinement*. *Acta Cryst.* **D54**, 1285–1294.
- Patterson, A. L. (1934a). *A Fourier series representation of the average distribution of scattering power in crystals*. *Phys. Rev.* **45**, 763.
- Patterson, A. L. (1934b). *A Fourier series method for the determination of the components of interatomic distances in crystals*. *Phys. Rev.* **46**, 372–376.
- Patterson, A. L. (1935). *A direct method for the determination of the components of interatomic distances in crystals*. *Z. Kristallogr.* **90**, 517–542.
- Patterson, A. L. (1939). *Homometric structures*. *Nature (London)*, **143**, 939–940.
- Patterson, A. L. (1944). *Ambiguities in the X-ray analysis of crystal structures*. *Phys. Rev.* **65**, 195–201.
- Patterson, A. L. (1949). *An alternative interpretation for vector maps*. *Acta Cryst.* **2**, 339–340.
- Pauling, L. & Shappell, M. D. (1930). *The crystal structure of bixbyite and the C-modification of the sesquioxides*. *Z. Kristallogr.* **75**, 128–142.
- Pepinsky, R., Okaya, Y. & Takeuchi, Y. (1957). *Theory and application of the  $P(u)$  function and anomalous dispersion in direct determination of structures and absolute configuration in non-centric crystals*. *Acta Cryst.* **10**, 756.
- Perrakis, A., Sixma, T. K., Wilson, K. S. & Lamzin, V. S. (1997). *wARP: improvement and extension of crystallographic phases by weighted averaging of multiple-refined dummy atomic models*. *Acta Cryst.* **D53**, 448–455.
- Perutz, M. F. (1954). *The structure of haemoglobin. III. Direct determination of the molecular transform*. *Proc. R. Soc. London Ser. A*, **225**, 264–286.
- Perutz, M. F. (1956). *Isomorphous replacement and phase determination in non-centrosymmetric space groups*. *Acta Cryst.* **9**, 867–873.
- Phillips, D. C. (1966). *Advances in protein crystallography*. In *Advances in Structure Research by Diffraction Methods*, Vol. 2, edited by R. Brill & R. Mason, pp. 75–140. New York: John Wiley.
- Poljak, R. J. (1963). *Heavy-atom attachment to crystalline lysozyme*. *J. Mol. Biol.* **6**, 244–246.
- Rabinovich, D. & Shakked, Z. (1984). *A new approach to structure determination of large molecules by multi-dimensional search methods*. *Acta Cryst.* **A40**, 195–200.
- Rae, A. D. (1977). *The use of structure factors to find the origin of an oriented molecular fragment*. *Acta Cryst.* **A33**, 423–425.
- Ramachandran, G. N. & Raman, S. (1959). *Syntheses for the deconvolution of the Patterson function. Part I. General principles*. *Acta Cryst.* **12**, 957–964.
- Ramagopal, U. A., Dauter, M. & Dauter, Z. (2003). *Phasing on anomalous signal of sulfurs: what is the limit?* *Acta Cryst.* **D59**, 1020–1027.
- Raman, S. (1966). *Patterson functions and vector sets*. *Trans. Am. Crystallogr. Assoc.* **2**, 10–16.
- Raman, S. & Lipscomb, W. N. (1961). *Two classes of functions for the location of heavy atoms and for solution of crystal structures*. *Z. Kristallogr.* **116**, 314–327.
- Ramaseshan, S. & Abrahams, S. C. (1975). Editors. *Anomalous Scattering*. Copenhagen: Munksgaard.
- Rao, S. N., Jih, J. H. & Hartsuck, J. A. (1980). *Rotation-function space groups*. *Acta Cryst.* **A36**, 878–884.
- Rayment, I. (1983). *Molecular replacement method at low resolution: optimum strategy and intrinsic limitations as determined by calculations on icosahedral virus models*. *Acta Cryst.* **A39**, 102–116.
- Rayment, I., Baker, T. S. & Caspar, D. L. D. (1983). *A description of the techniques and application of molecular replacement used to determine the structure of polyoma virus capsid at 22.5 Å resolution*. *Acta Cryst.* **B39**, 505–516.
- Rayment, I., Baker, T. S., Caspar, D. L. D. & Murakami, W. T. (1982). *Polyoma virus capsid structure at 22.5 Å resolution*. *Nature (London)*, **295**, 110–115.
- Rayment, I., Johnson, J. E., Suck, D., Akimoto, T. & Rossmann, M. G. (1978). *An 11 Å resolution electron density map of southern bean mosaic virus*. *Acta Cryst.* **B34**, 567–578.
- Read, R. J. (2001a). *Model phases: probabilities, bias and maps*. In *International Tables for Crystallography*, Vol. F, *Crystallography of*

## 2. RECIPROCAL SPACE IN CRYSTAL-STRUCTURE DETERMINATION

- Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, ch. 15.2. Dordrecht: Kluwer Academic Publishers.
- Read, R. J. (2001b). *Pushing the boundaries of molecular replacement with maximum likelihood*. *Acta Cryst.* **D57**, 1373–1382.
- Rees, D. C. & Lewis, M. (1983). *Incorporation of experimental phases in a restrained least-squares refinement*. *Acta Cryst.* **A39**, 94–97.
- Refaat, L. S., Tate, C. & Woolfson, M. M. (1996). *Direct-space methods in phase extension and phase refinement. IV. The double-histogram method*. *Acta Cryst.* **D52**, 252–256.
- Ren, J., Esnouf, R., Garman, E., Somers, D., Ross, C., Kirby, I., Keeling, J., Darby, G., Jones, Y., Stuart, D. & Stammers, D. (1995). *High resolution structures of HIV-1 RT from four RT-inhibitor complexes*. *Nature Struct. Biol.* **2**, 293–302.
- Robertson, J. M. (1935). *An X-ray study of the structure of phthalocyanines. Part I. The metal-free, nickel, copper, and platinum compounds*. *J. Chem. Soc.* pp. 615–621.
- Robertson, J. M. (1936). *An X-ray study of the phthalocyanines. Part II. Quantitative structure determination of the metal-free compound*. *J. Chem. Soc.* pp. 1195–1209.
- Robertson, J. M. (1951). *Interpretation of the Patterson synthesis: rubidium benzyl penicillin*. *Acta Cryst.* **4**, 63–66.
- Robertson, J. M. & Woodward, I. (1937). *An X-ray study of the phthalocyanines. Part III. Quantitative structure determination of nickel phthalocyanine*. *J. Chem. Soc.* pp. 219–230.
- Rogers, D. (1951). *New methods of direct structure determination using modified Patterson maps*. *Research*, **4**, 295–296.
- Rossmann, M. G. (1960). *The accurate determination of the position and shape of heavy-atom replacement groups in proteins*. *Acta Cryst.* **13**, 221–226.
- Rossmann, M. G. (1961a). *The position of anomalous scatterers in protein crystals*. *Acta Cryst.* **14**, 383–388.
- Rossmann, M. G. (1961b). *Application of the Buerger minimum function to protein structures*. In *Computing Methods and the Phase Problem in X-ray Crystal Analysis*, edited by R. Pepinsky, J. M. Robertson & J. C. Speakman, pp. 252–265. Oxford: Pergamon Press.
- Rossmann, M. G. (1972). *The Molecular Replacement Method*. New York: Gordon & Breach.
- Rossmann, M. G. (1990). *The molecular replacement method*. *Acta Cryst.* **A46**, 73–82.
- Rossmann, M. G. (2001). *Molecular replacement – historical background*. *Acta Cryst.* **D57**, 1360–1366.
- Rossmann, M. G. & Arnold, E. (2001a). Editors. *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*. Dordrecht: Kluwer Academic Publishers.
- Rossmann, M. G. & Arnold, E. (2001b). *Noncrystallographic symmetry averaging of electron density for molecular-replacement phase refinement and extension*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, ch. 13.4. Dordrecht: Kluwer Academic Publishers.
- Rossmann, M. G., Arnold, E., Erickson, J. W., Frankenberger, E. A., Griffith, J. P., Hecht, H. J., Johnson, J. E., Kamer, G., Luo, M., Mosser, A. G., Rueckert, R. R., Sherry, B. & Vriend, G. (1985). *Structure of a human common cold virus and functional relationship to other picornaviruses*. *Nature (London)*, **317**, 145–153.
- Rossmann, M. G. & Blow, D. M. (1961). *The refinement of structures partially determined by the isomorphous replacement method*. *Acta Cryst.* **14**, 641–647.
- Rossmann, M. G. & Blow, D. M. (1962). *The detection of sub-units within the crystallographic asymmetric unit*. *Acta Cryst.* **15**, 24–31.
- Rossmann, M. G. & Blow, D. M. (1963). *Determination of phases by the conditions of non-crystallographic symmetry*. *Acta Cryst.* **16**, 39–45.
- Rossmann, M. G., Blow, D. M., Harding, M. M. & Collier, E. (1964). *The relative positions of independent molecules within the same asymmetric unit*. *Acta Cryst.* **17**, 338–342.
- Rossmann, M. G., Ford, G. C., Watson, H. C. & Banaszak, L. J. (1972). *Molecular symmetry of glyceraldehyde-3-phosphate dehydrogenase*. *J. Mol. Biol.* **64**, 237–249.
- Rossmann, M. G. & Henderson, R. (1982). *Phasing electron diffraction amplitudes with the molecular replacement method*. *Acta Cryst.* **A38**, 13–20.
- Rossmann, M. G., McKenna, R., Tong, L., Xia, D., Dai, J.-B., Wu, H., Choi, H.-K. & Lynch, R. E. (1992). *Molecular replacement real-space averaging*. *J. Appl. Cryst.* **25**, 166–180.
- Roversi, P., Blanc, E., Vornrhein, C., Evans, G. & Bricogne, G. (2000). *Modelling prior distributions of atoms for macromolecular refinement and completion*. *Acta Cryst.* **D56**, 1316–1323.
- Sasada, Y. (1964). *The differential rotation function*. *Acta Cryst.* **17**, 611–612.
- Sayre, D. (1952). *The squaring method: a new method for phase determination*. *Acta Cryst.* **5**, 60–65.
- Schevitz, R. W., Podjarny, A. D., Zwick, M., Hughes, J. J. & Sigler, P. B. (1981). *Improving and extending the phases of medium- and low-resolution macromolecular structure factors by density modification*. *Acta Cryst.* **A37**, 669–677.
- Schiltz, M., Fourme, R. & Prange, T. (2003). *Use of noble gases xenon and krypton as heavy atoms in protein structure determination*. *Methods Enzymol.* **374**, 83–119.
- Schuller, D. J. (1996). *MAGICSQUASH: more versatile non-crystallographic averaging with multiple constraints*. *Acta Cryst.* **D52**, 425–434.
- Sheriff, S., Klei, H. E. & Davis, M. E. (1999). *Implementation of a six-dimensional search using the AMoRe translation function for difficult molecular-replacement problems*. *J. Appl. Cryst.* **32**, 98–101.
- Shoemaker, D. P., Donohue, J., Schomaker, V. & Corey, R. B. (1950). *The crystal structure of L<sub>8</sub>-threonine*. *J. Am. Chem. Soc.* **72**, 2328–2349.
- Sim, G. A. (1961). *Aspects of the heavy-atom method*. In *Computing Methods and the Phase Problem in X-ray Crystal Analysis*, edited by R. Pepinsky, J. M. Robertson & J. C. Speakman, pp. 227–235. Oxford: Pergamon Press.
- Simonov, V. I. (1965). *Calculation of the phases of the structure amplitudes by Fourier transformation of the sum, product and minimum functions*. *Proc. Indian Acad. Sci.* **A62**, 213–223.
- Simpson, A. A., Leiman, P. G., Tao, Y., He, Y., Badasso, M. O., Jardine, P. J., Anderson, D. L. & Rossmann, M. G. (2001). *Structure determination of the head-tail connector of bacteriophage  $\phi$ 29*. *Acta Cryst.* **D57**, 1260–1269.
- Simpson, P. G., Dobrott, R. D. & Lipscomb, W. N. (1965). *The symmetry minimum function: high order image seeking functions in X-ray crystallography*. *Acta Cryst.* **18**, 169–179.
- Singh, A. K. & Ramaseshan, S. (1966). *The determination of heavy atom positions in protein derivatives*. *Acta Cryst.* **21**, 279–280.
- Smith, J. L., Hendrickson, W. A. & Addison, A. W. (1983). *Structure of trimeric haemerythrin*. *Nature (London)*, **303**, 86–88.
- Speakman, J. C. (1949). *The crystal structures of the acid salts of some monobasic acids. Part I. Potassium hydrogen bisphenyl acetate*. *J. Chem. Soc.* pp. 3357–3365.
- Stauffer, C. V., Usha, R., Harrington, M., Schmidt, T., Hosur, M. V. & Johnson, J. E. (1987). *The structure of cowpea mosaic virus at 3.5 Å resolution*. In *Crystallography in Molecular Biology*, edited by D. Moras, J. Drenth, B. Strandberg, D. Suck & K. Wilson, pp. 293–308. New York, London: Plenum.
- Steinrauf, L. K. (1963). *Two Fourier functions for use in protein crystallography*. *Acta Cryst.* **16**, 317–319.
- Storoni, L. C., McCoy, A. J. & Read, R. J. (2004). *Likelihood-enhanced fast rotation functions*. *Acta Cryst.* **D60**, 432–438.
- Stout, G. H. & Jensen, L. H. (1968). *X-ray Structure Determination*. New York: Macmillan.
- Strahs, G. & Kraut, J. (1968). *Low-resolution electron-density and anomalous-scattering-density maps of Chromatium high-potential iron protein*. *J. Mol. Biol.* **35**, 503–512.
- Tanaka, N. (1977). *Representation of the fast-rotation function in a polar coordinate system*. *Acta Cryst.* **A33**, 191–193.
- Taylor, W. J. (1953). *Fourier representation of Buerger's image-seeking minimum function*. *J. Appl. Phys.* **24**, 662–663.
- Terwilliger, T. C. (1999). *Reciprocal-space solvent flattening*. *Acta Cryst.* **D55**, 1863–1871.
- Terwilliger, T. C. (2002a). *Rapid automatic NCS identification using heavy-atom substructures*. *Acta Cryst.* **D58**, 2213–2215.
- Terwilliger, T. C. (2002b). *Statistical density modification with non-crystallographic symmetry*. *Acta Cryst.* **D58**, 2082–2086.
- Terwilliger, T. C. (2003a). *Improving macromolecular atomic models at moderate resolution by automated iterative model building, statistical density modification and refinement*. *Acta Cryst.* **D59**, 1174–1182.
- Terwilliger, T. C. (2003b). *SOLVE and RESOLVE: Automated structure solution and density modification*. *Methods Enzymol.* **374**, 22–37.
- Terwilliger, T. C. (2003c). *Statistical density modification using local pattern matching*. *Acta Cryst.* **D59**, 1688–1701.

### 2.3. PATTERSON AND MOLECULAR REPLACEMENT TECHNIQUES

- Terwilliger, T. C. (2004). *Using prime-and-switch phasing to reduce model bias in molecular replacement*. *Acta Cryst.* **D60**, 2144–2149.
- Terwilliger, T. C. & Berendzen, J. (1999). *Automated MAD and MIR structure solution*. *Acta Cryst.* **D55**, 849–861.
- Terwilliger, T. C. & Berendzen, J. (2001). *Automated MAD and MIR structure solution*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, Section 14.2.2. Dordrecht: Kluwer Academic Publishers.
- Terwilliger, T. C. & Eisenberg, D. (1983). *Unbiased three-dimensional refinement of heavy-atom parameters by correlation of origin-removed Patterson functions*. *Acta Cryst.* **A39**, 813–817.
- Terwilliger, T. C., Kim, S.-H. & Eisenberg, D. (1987). *Generalized method of determining heavy-atom positions using the difference Patterson function*. *Acta Cryst.* **A43**, 1–5.
- Tollin, P. (1966). *On the determination of molecular location*. *Acta Cryst.* **21**, 613–614.
- Tollin, P. (1969). *A comparison of the Q-functions and the translation function of Crowther and Blow*. *Acta Cryst.* **A25**, 376–377.
- Tollin, P. & Cochran, W. (1964). *Patterson function interpretation for molecules containing planar groups*. *Acta Cryst.* **17**, 1322–1324.
- Tollin, P., Main, P. & Rossmann, M. G. (1966). *The symmetry of the rotation function*. *Acta Cryst.* **20**, 404–407.
- Tollin, P. & Rossmann, M. G. (1966). *A description of various rotation function programs*. *Acta Cryst.* **21**, 872–876.
- Tong, L. (1993). *REPLACE, a suite of computer programs for molecular-replacement calculations*. *J. Appl. Cryst.* **26**, 748–751.
- Tong, L. (1996a). *Combined molecular replacement*. *Acta Cryst.* **A52**, 782–784.
- Tong, L. (1996b). *The locked translation function and other applications of a Patterson correlation function*. *Acta Cryst.* **A52**, 476–479.
- Tong, L. (2001a). *How to take advantage of non-crystallographic symmetry in molecular replacement: 'locked' rotation and translation functions*. *Acta Cryst.* **D57**, 1383–1389.
- Tong, L. (2001b). *Translation functions*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, ch. 13.3. Dordrecht: Kluwer Academic Publishers.
- Tong, L., Qian, C., Davidson, W., Massariol, M.-J., Bonneau, P. R., Cordingley, M. G. & Lagacé, L. (1997). *Experiences from the structure determination of human cytomegalovirus protease*. *Acta Cryst.* **D53**, 682–690.
- Tong, L. & Rossmann, M. G. (1990). *The locked rotation function*. *Acta Cryst.* **A46**, 783–792.
- Tong, L. & Rossmann, M. G. (1993). *Patterson-map interpretation with noncrystallographic symmetry*. *J. Appl. Cryst.* **26**, 15–21.
- Tong, L. & Rossmann, M. G. (1995). *Reciprocal-space molecular-replacement averaging*. *Acta Cryst.* **D51**, 347–353.
- Tong, L. & Rossmann, M. G. (1997). *Rotation function calculations with GLRF program*. *Methods Enzymol.* **276**, 594–611.
- Tronrud, D. E. & Ten Eyck, L. F. (2001). *The TNT refinement package*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, Section 25.2.4. Dordrecht: Kluwer Academic Publishers.
- Tsao, J., Chapman, M. S. & Rossmann, M. G. (1992). *Ab initio phase determination for viruses with high symmetry: a feasibility study*. *Acta Cryst.* **A48**, 293–301.
- Urzhumtsev, A. & Podjarny, A. (1995). *On the solution of the molecular-replacement problem at very low resolution: Application to large complexes*. *Acta Cryst.* **D51**, 888–895.
- Vagin, A. & Teplyakov, A. (2000). *An approach to multi-copy search in molecular replacement*. *Acta Cryst.* **D56**, 1622–1624.
- Wang, B. C. (1985). *Resolution of phase ambiguity in macromolecular crystallography*. *Methods Enzymol.* **115**, 90–112.
- Weeks, C. M., Adams, P. D., Berendzen, J., Brunger, A. T., Dodson, E. J., Grosse-Kunstleve, R. W., Schneider, T. R., Sheldrick, G. M., Terwilliger, T. C., Turkenburg, M. G. & Uson, I. (2003). *Automatic solution of heavy-atom substructures*. *Methods Enzymol.* **374**, 37–83.
- Wilson, A. J. C. (1942). *Determination of absolute from relative X-ray intensity data*. *Nature (London)*, **150**, 151–152.
- Wilson, I. A., Skehel, J. J. & Wiley, D. C. (1981). *Structure of the haemagglutinin membrane glycoprotein of influenza virus at 3 Å resolution*. *Nature (London)*, **289**, 366–373.
- Woolfson, M. M. (1956). *An improvement of the 'heavy-atom' method of solving crystal structures*. *Acta Cryst.* **9**, 804–810.
- Woolfson, M. M. (1970). *An Introduction to X-ray Crystallography*. London: Cambridge University Press.
- Wrinch, D. M. (1939). *The geometry of discrete vector maps*. *Philos. Mag.* **27**, 98–122.
- Wunderlich, J. A. (1965). *A new expression for sharpening Patterson functions*. *Acta Cryst.* **19**, 200–202.
- Yang, C., Pflugrath, J. W., Courville, D. A., Stence, C. N. & Ferrara, J. D. (2003). *Away from the edge: SAD phasing from the sulfur anomalous signal measured in-house with chromium radiation*. *Acta Cryst.* **D59**, 1943–1957.
- Yeates, T. O. & Rini, J. M. (1990). *Intensity-based domain refinement of oriented but unpositioned molecular replacement models*. *Acta Cryst.* **A46**, 352–359.
- Zhang, K. Y. J. (1993). *SQUASH – combining constraints for macromolecular phase refinement and extension*. *Acta Cryst.* **D49**, 213–222.
- Zhang, K. Y. J., Cowtan, K. D. & Main, P. (2001). *Phase improvement by iterative density modification*. In *International Tables for Crystallography*, Vol. F, *Crystallography of Biological Macromolecules*, edited by M. G. Rossmann & E. Arnold, ch 15.1. Dordrecht: Kluwer Academic Publishers.