

## 3. PREPARATION AND EXAMINATION OF SPECIMENS

## 3.3 (cont.)

Merwin, H. E. & Larsen, E. S. Jr (1912). *Mixtures of amorphous sulphur and selenium as immersion media for the determination of high refractive indices with the microscope*. *Am. J. Sci.* **34**, 42–47.

## 3.4

Adlhart, W. & Huber, H. (1982). *A low-temperature X-ray Weissenberg goniometer with closed-cycle cooling to about 28 K*. *J. Appl. Cryst.* **15**, 241–244.

Adlhart, W., Tzafaras, N., Sueno, S., Jagodzinski, H. & Huber, H. (1982). *An X-ray camera for single-crystal studies at high temperatures under controlled atmosphere*. *J. Appl. Cryst.* **15**, 236–240.

Alkire, R. W., Larson, A. C., Vergamini, P. J., Schirber, J. E. & Morosin, B. (1985). *High-pressure single-crystal neutron diffraction (to 20 kbar) using a pulsed source: preliminary investigation of  $Tl_3PSe_4$* . *J. Appl. Cryst.* **18**, 145–149.

Allen, S., Cosier, J., Glazer, A. M., Hastings, T. J., Smith, D. T. & Wood, I. G. (1982). *A microprocessor-controlled continuous-flow cryostat for single-crystal X-ray diffraction in the range 10–300 K*. *J. Appl. Cryst.* **15**, 382–387.

Archer, J. M. & Lehmann, M. S. (1986). *A simple adjustable mount for a two-stage cryorefrigerator on an Eulerian cradle*. *J. Appl. Cryst.* **19**, 456–458.

Argoud, R. & Muller, J. (1989a). *Effect of stress from the glue on single-crystal X-ray intensities at high or low temperatures*. *J. Appl. Cryst.* **22**, 378–380.

Argoud, R. & Muller, J. (1989b). *Magnetically coupled crystal holder and liquid-helium cryostat for X-ray four-circle diffractometer studies between 5 and 300 K*. *J. Appl. Cryst.* **22**, 584–591.

Arndt, U. W. & Stubbings, S. J. (1987). *A miniature Peltier-effect goniometer-head attachment*. *J. Appl. Cryst.* **20**, 445.

Arndt, U. W. & Wonacott, A. J. (1977). *The rotation method in crystallography*. Amsterdam/New York/Oxford: North-Holland.

Arnold, H., Bartl, H., Fuess, H., Ihringer, J., Kosten, K., Löchner, U., Pennartz, P. U., Prandl, W. & Wroblewski, T. (1989). *New powder diffractometer at HASYLAB/DESY*. *Rev. Sci. Instrum.* **60**, 2380–2381.

Bartunik, H. D. & Schubert, P. (1982). *Crystal cooling for protein crystallography with synchrotron radiation*. *J. Appl. Cryst.* **15**, 227–231.

Bhat, H. L., Clark, S. M., El Korashy, A. & Roberts, K. J. (1990). *A furnace for in situ synchrotron Laue diffraction and its application to studies of solid-state phase transformations*. *J. Appl. Cryst.* **23**, 545–549.

Black, D. R., Burdette, H. E. & Early, J. G. (1986). *Diffusion bonding of ductile single crystals for strain-free mounting*. *J. Appl. Cryst.* **19**, 279–280.

Boese, R. & Bläser, D. (1989). *A procedure for the selection and transferring of crystals at low temperatures to diffractometers*. *J. Appl. Cryst.* **22**, 394–395.

Bouquiere, J. P., Finney, J. L., Lehmann, M. S., Lindley, P. F. & Savage, H. F. J. (1993). *High-resolution neutron study of vitamin  $B_{12}$  coenzyme at 15 K: structure analysis and comparison with the structure at 279 K*. *Acta Cryst.* **B49**, 79–89.

Bretherton, L. & Kennard, C. H. L. (1976). *Crystal moulder*. *J. Appl. Cryst.* **9**, 416.

Brown, N. E., Swapp, S. M., Bennett, C. L. & Navrotsky, A. (1993). *High-temperature X-ray diffraction: solutions to uncertainties in temperature and sample position*. *J. Appl. Cryst.* **26**, 77–81.

Buerger, M. J. (1964). *The precession method in X-ray crystallography*. New York: John Wiley.

Busing, W. R. & Levy, H. A. (1967). *Angle calculations for 3- and 4-circle X-ray and neutron diffractometers*. *Acta Cryst.* **22**, 457–464.

CAD4 Manual (1989). Enraf-Nonius, Scientific Instruments Division, PB 483, NL-2600 AL, Delft, The Netherlands.

Campos, C., Cardoso, L. P. & Caticha-Ellis, S. (1983). *A simple method to cut a single crystal in any desired direction*. *J. Appl. Cryst.* **16**, 360.

Carr, P. D., Cruickshank, D. W. J. & Harding, M. M. (1992). *The determination of unit-cell parameters from Laue diffraction patterns using their gnomonic projections*. *J. Appl. Cryst.* **25**, 294–308.

Cascio, D., Williams, R. & McPherson, A. (1984). *The reduction of radiation damage in protein crystals by polyethylene glycol*. *J. Appl. Cryst.* **17**, 209–210.

Clegg, W. (1984). *Enhancements of the 'auto-indexing' method for cell determination in four-circle diffractometry*. *J. Appl. Cryst.* **17**, 334–336.

Clifton, I. J., Elder, M. & Hajdu, J. (1991). *Experimental strategies in Laue crystallography*. *J. Appl. Cryst.* **24**, 267–277.

Cosier, J. & Glazer, A. M. (1986). *A nitrogen-gas-stream cryostat for general X-ray diffraction studies*. *J. Appl. Cryst.* **19**, 105–107.

D'Aprile, F. & Moretto, R. (1975). *Two simple devices for sealing wet single crystals in capillary tubes*. *J. Appl. Cryst.* **8**, 696.

Denne, W. A. (1971a). *A new concept in goniometer head design*. *J. Appl. Cryst.* **4**, 60–66.

Denne, W. A. (1971b). *A technique for the rigid mounting of crystals in X-ray diffractometry*. *J. Appl. Cryst.* **4**, 400.

Dent Glasser, L. S. (1977). *Crystallography and its applications*, Chap. 6, pp. 125–155. New York/Cincinnati/Toronto/London/Melbourne: Van Nostrand Reinhold.

Desai, C. F. & Bhatt, V. P. (1984). *A sample holder for cutting single crystals along any desired X-ray orientated plane*. *J. Appl. Cryst.* **17**, 369–370.

Dewan, J. C. & Tilton, R. F. (1987). *Greatly reduced radiation damage in ribonuclease crystals mounted on glass fibres*. *J. Appl. Cryst.* **20**, 130–132.

D'Eye, R. W. M. & Wait, E. (1960). *X-ray powder photography*. London: Butterworth.

Duisenberg, A. J. M. (1992). *Indexing in single-crystal diffractometry with an obstinate list of reflections*. *J. Appl. Cryst.* **25**, 92–96.

Dumas, P. & Ripp, R. (1986). *A real-time interactive graphics program to determine crystal orientation for the analysis of oscillation diffraction photographs*. *J. Appl. Cryst.* **19**, 28–33.

Edwards, S. L. (1993). *Yokeless flow cell for Laue crystallography*. *J. Appl. Cryst.* **26**, 305–306.

Fischer, J., Moras, D. & Thierry, J. C. (1985). *Single-crystal diffractometry: strategy for rapidly decaying poorly diffracting crystals*. *J. Appl. Cryst.* **18**, 20–26.

Foit, F. F. Jr (1982). *A technique for loading glass capillaries used in X-ray powder diffraction*. *J. Appl. Cryst.* **15**, 357.

Fraase Storm, G. M. & Tuinstra, F. (1986). *A thermoelectric device for temperature-controlled single-crystal diffractometry*. *J. Appl. Cryst.* **19**, 372–373.

## REFERENCES

## 3.4 (cont.)

- Frauenfelder, H., Hartmann, H., Karplus, M., Kuntz, I. D. Jr, Kuriyan, J., Parak, F., Petsko, G. A., Ringe, D., Tilton, R. F. Jr, Conolly, M. L. & Max, N. (1987). *Thermal expansion of a protein*. *Biochemistry*, **26**, 254–261.
- Frauenfelder, H., Petsko, G. A. & Tsernoglou, D. (1979). *Temperature-dependent X-ray diffraction as a probe of protein structure dynamics*. *Nature (London)*, **280**, 558.
- Gamblin, S. J. & Rogers, D. W. (1993). *Some practical details of data collection at 100 K*. In *Data collection and processing. Proceedings of the CCP4 Study Weekend*, edited by L. Sawyer, N. Isaacs & S. Bailey. Report DL/SCI/R34. SERC Daresbury Laboratory, Cheshire WA4 4AD, England.
- Gonzalez, A. & Nave, C. (1994). *Radiation damage in protein crystals at low temperature*. *Acta Cryst.* **D50**, 874–877.
- Graafsma, H., Sagerman, G. & Coppens, P. (1991). *Closed-cycle helium cryostat for the Huber 511.1 diffractometer circle*. *J. Appl. Cryst.* **24**, 961–962.
- Hajdu, J., McLaughlin, P. J., Helliwell, J. R., Sheldon, J. & Thompson, A. W. (1985). *Universal cooling device for precession cameras, rotation cameras and diffractometers*. *J. Appl. Cryst.* **18**, 528–532.
- Hanson, I. R. (1981). *A rapid and accurate method of aligning a crystal on a Weissenberg goniometer*. *J. Appl. Cryst.* **14**, 353.
- Hartmann, H., Parak, F., Steigemann, W., Petsko, G. A., Ringe-Ponzi, D. & Frauenfelder, H. (1982). *Conformational substrates in a protein: structure and dynamics of metmyoglobin at 80 K*. *Proc. Natl Acad. Sci. USA*, **79**, 4967–4971.
- Hazen, R. M. & Finger, L. W. (1982). *Comparative crystal chemistry*, pp. 5–16. New York: Wiley.
- Helliwell, J. R., Habash, J., Cruickshank, D. W. J., Harding, M. M., Greenhough, T. J., Campbell, J. E., Clifton, I. J., Elder, M., Machin, P. A., Papiz, M. Z. & Zurek, S. (1989). *The recording and analysis of synchrotron X-radiation Laue diffraction photographs*. *J. Appl. Cryst.* **22**, 483–497.
- Henriksen, K., Larsen, F. K. & Rasmussen, S. E. (1986). *Mounting a 10 K cooling device without rotating seals on a four-circle diffractometer*. *J. Appl. Cryst.* **19**, 390–394.
- Higashi, T. (1989). *The processing of diffraction data taken on a screenless Weissenberg camera for macromolecular crystallography*. *J. Appl. Cryst.* **22**, 9–18.
- Higashi, T. (1990). *Auto-indexing of oscillation images*. *J. Appl. Cryst.* **23**, 253–257.
- Hohlwein, D. & Wright, A. F. (1981). *A low-temperature Weissenberg camera for neutrons*. *J. Appl. Cryst.* **14**, 82–84.
- Holmes, K. C. & Blow, D. M. (1966). *The use of diffraction in the study of protein and nucleic acid structure*. New York: John Wiley.
- Hope, H. (1987). *Experimental organometallic chemistry*. *Am. Chem. Soc. Symp. Ser.*, No. 357. Washington, DC: American Chemical Society.
- Hope, H. (1988). *Cryocrystallography of biological macromolecules: a generally applicable method*. *Acta Cryst.* **B44**, 22–26.
- Hope, H. (1990). *Crystallography of biological macromolecules at ultra-low temperatures*. *Ann. Rev. Biophys. Biophys. Chem.* **19**, 107–126.
- Hope, H., Frolow, F., van Böhlen, K., Makowski, I., Kratky, C., Halfon, Y., Danz, H., Bartels, K. S., Wittmann, H. G. & Yonath, A. (1989). *Crystallography of ribosomal particles*. *Acta Cryst.* **B45**, 190–199.
- Hornstra, J. & Vossers, H. (1974). *Philips Tech. Rundsch.* **33**, 65–78.
- Hovmöller, S. (1981). *A device which improves the cooling of protein crystals during X-ray data collection*. *J. Appl. Cryst.* **14**, 75.
- Ihringer, J. & Küster, A. (1993). *Cryostat for synchrotron powder diffraction with sample rotation and controlled gas atmosphere in the sample chamber*. *J. Appl. Cryst.* **26**, 135–137.
- Jacobson, R. A. (1976). *A single-crystal automatic indexing procedure*. *J. Appl. Cryst.* **9**, 115–118.
- Jacobson, R. A. (1986). *An orientation-matrix approach to Laue indexing*. *J. Appl. Cryst.* **19**, 283–286.
- Jeffery, J. W. (1971). *Methods in X-ray crystallography*, pp. 149–169, 441–444. London/New York: Academic Press.
- Jones, A., Bartels, K. & Schwager, P. (1977). *Refinement of crystal orientation parameters. The rotation method*, edited by U. W. Arndt & A. Wonacott, pp. 105–117. Amsterdam/New York/Oxford: North-Holland.
- Kabsch, W. (1988a). *Automatic indexing of rotation diffraction patterns*. *J. Appl. Cryst.* **21**, 67–71.
- Kabsch, W. (1988b). *Evaluation of single-crystal X-ray diffraction data from a position-sensitive detector*. *J. Appl. Cryst.* **21**, 916–924.
- Kabsch, W. (1993). *Automatic processing of rotation diffraction data from crystals of initially unknown symmetry and cell constants*. *J. Appl. Cryst.* **26**, 795–800.
- Kahn, R., Fourme, R., Bosshard, R., Chaimdi, M., Risler, J. L., Dideberg, O. & Wery, J. P. (1985). *Crystal structure study of Opsanus tau parvalbumin by multiwavelength anomalous diffraction*. *FEBS Lett.* **179**, 133–137.
- Kennard, C. H. L. (1994). *Direct observation of a crystal during X-ray data collection using a microscope*. *J. Appl. Cryst.* **27**, 668–669.
- Kim, S. (1989). *Auto-indexing oscillation photographs*. *J. Appl. Cryst.* **22**, 53–60.
- King, M. V. (1954). *An efficient method for mounting wet protein crystals for X-ray studies*. *Acta Cryst.* **7**, 601–602.
- Klug, H. P. & Alexander, L. E. (1954). *X-ray diffractometer procedures for polycrystalline and amorphous materials*. New York: John Wiley.
- Kottke, T. & Stalke, D. (1993). *Crystal handling at low temperatures*. *J. Appl. Cryst.* **26**, 616–619.
- Kroeger, K. S. & Kundrot, C. E. (1994). *A gas cell for collecting X-ray diffraction data from proteins*. *J. Appl. Cryst.* **27**, 609–612.
- Kulpe, S. (1963). *Instrument for setting single crystals from X-ray oscillation photographs*. *Acta Cryst.* **16**, 837–838.
- Kulpe, S. & Dornberger-Schiff, K. (1965). *A special application of the crystal setter*. *Acta Cryst.* **18**, 812–813.
- Kundrot, C. E. & Richards, F. M. (1986). *Collection and processing of X-ray diffraction data from protein crystals at high pressure*. *J. Appl. Cryst.* **19**, 208–213.
- Lange, B. A. & Haendler, H. M. (1972). *A capillary support apparatus for use in glove bags and dry boxes*. *J. Appl. Cryst.* **5**, 310.
- Lange, G., Lewis, S. J., Murshudov, G. N., Dodson, G. G., Moody, P. C. E., Turkenburg, J. P., Barclay, A. N. & Brady, R. L. (1994). *Crystal structure of an extracellular fragment of the rat CD4 receptor containing domains 3 and 4*. *Structure*, **2**, 469–481.
- Laugier, J. & Filhol, A. (1983). *An interactive program for the interpretation and simulation of Laue patterns*. *J. Appl. Cryst.* **16**, 281–283.
- Leszczynski, M., Podlasin, S. & Suski, T. (1993). *A 10<sup>9</sup> Pa high-pressure cell for X-ray and optical measurements*. *J. Appl. Cryst.* **26**, 1–4.

### 3. PREPARATION AND EXAMINATION OF SPECIMENS

#### 3.4 (cont.)

- Lindley, P., Najmudin, S., Bateman, O., Slingsby, S., Myles, D., Kumaraswamy, S. & Glover, I. (1993). *Structure of bovine  $\gamma$ B-crystallin at 150 K*. *J. Chem. Soc. Faraday Trans.* **89**, 2677–2682.
- Lindley, P. F. (1988). *Crystallographic studies of biological macromolecules using synchrotron radiation. Chemical crystallography with pulsed neutrons and synchrotron X-rays*, edited by M. A. Carrondo & G. A. Jeffrey, pp. 509–536. Dordrecht: Reidel.
- Lippman, R. & Rudman, R. (1976). *A mechanically refrigerated gas stream (to  $-120^\circ\text{C}$ ) and some useful accessories*. *J. Appl. Cryst.* **9**, 220–222.
- Lorenz, G., Neder, R. B., Marxreiter, J., Frey, F. & Schneider, J. (1993). *A mirror furnace for neutron diffraction up to 2300 K*. *J. Appl. Cryst.* **26**, 632–635.
- Machin, K. J., Begg, G. S. & Isaacs, N. W. (1984). *A low-temperature cooler for protein crystallography*. *J. Appl. Cryst.* **17**, 358–359.
- McKinsty, H. A. (1970). *Low thermal gradient high-temperature furnace for X-ray diffraction*. *J. Appl. Phys.* **41**, 5074–5079.
- McMurdie, H. F., Morris, M. C., Evans, E. H., Paretzkin, B. & Wong-Ng, W. (1986). *Methods of producing standard X-ray diffraction powder patterns*. *Powder Diffr.* **1**, 40–43.
- Malinowski, M. (1987). *A diamond high-pressure cell for X-ray diffraction on a single crystal*. *J. Appl. Cryst.* **20**, 379–382.
- Marsh, D. J. & Petsko, G. A. (1973). *A low-temperature device for protein crystallography*. *J. Appl. Cryst.* **6**, 76–80.
- Messerschmidt, A. & Pflugrath, J. (1987). *Crystal orientation and X-ray pattern prediction routines for area-detector diffractometer systems in macromolecular crystallography*. *J. Appl. Cryst.* **20**, 306–315.
- Miyata, T., Ishizawa, N., Minato, I. & Iwai, S. (1979). *Gas-flame heating equipment providing temperatures up to 2600 K for the four-circle diffractometer*. *J. Appl. Cryst.* **12**, 303–305.
- Moews, P. C., Sakamaki, T. & Knox, J. R. (1986). *Interactive graphics for rapid indexing of oscillation films from large unit cells*. *J. Appl. Cryst.* **19**, 101–104.
- Moret, R. & Dallé, D. (1994). *A novel X-ray precession goniometer for use with stationary single crystals in special environments. Adaptation of a closed-cycle refrigerator*. *J. Appl. Cryst.* **27**, 637–646.
- Munshi, S. K. & Murthy, M. R. N. (1986). *Strategies for collecting screen-less oscillation data*. *J. Appl. Cryst.* **19**, 61–62.
- Narayana, S. V. L., Weininger, M. S., Heuss, K. L. & Argos, P. (1982). *A method to increase protein-crystal lifetime during X-ray exposure*. *J. Appl. Cryst.* **15**, 571–573.
- Nave, C. (1995). *Radiation damage in protein crystallography*. In *Radiation physics & chemistry*, edited by P. Barnes. Oxford: Pergamon.
- Neder, R. B., Frey, F. & Schulz, H. (1990). *Defect structure of zirconia ( $Zr_{0.85}Ca_{0.15}O_{1.85}$ ) at 290 and 1550 K*. *Acta Cryst.* **A46**, 799–809.
- Nieman, H. F., Evans, J. C., Heal, K. M. & Powell, B. M. (1984). *A technique for the preparation of low-temperature powder samples of noxious materials*. *J. Appl. Cryst.* **17**, 372.
- North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). *A semi-empirical method of absorption correction*. *Acta Cryst.* **A24**, 351–359.
- Okazaki, A. & Soejima, Y. (1986). *Goniometer-head attachments for crystal characterization in Weissenberg or precession geometry*. *J. Appl. Cryst.* **19**, 412–413.
- Peterson, R. C. (1992). *A flame-heated gas-flow furnace for single-crystal X-ray diffraction*. *J. Appl. Cryst.* **25**, 545–548.
- Petsko, G. A. (1985). *Flow cell construction and use*. *Methods in enzymology*, Vol. 114, pp. 141–145. New York: Academic Press.
- Phillips, G. N. Jr (1985). *Crystallisation in capillary tubes*. *Methods in enzymology*, Vol. 114, pp. 128–131. New York: Academic Press.
- Pickford, M. G., Garman, E. F., Jones, E. Y. & Stuart, D. I. (1993). *A design of crystal mounting cell that allows the controlled variation of humidity at the protein crystal during X-ray diffraction*. *J. Appl. Cryst.* **26**, 465–466.
- Przybylska, M. (1988). *A novel method of mounting a protein crystal on a surface perpendicular to the X-ray capillary*. *J. Appl. Cryst.* **21**, 272–273.
- Puxley, D. C., Squire, G. D. & Bates, D. R. (1994). *A new cell for in situ X-ray diffraction studies of catalysts and other materials under reactive gas atmospheres*. *J. Appl. Cryst.* **27**, 585–594.
- Rao, Ch. P. (1989). *Easy and economic ways of handling air-sensitive crystals for X-ray diffraction studies*. *J. Appl. Cryst.* **22**, 182–183.
- Rasmussen, B. F., Stock, A. M., Ringe, D. & Petsko, G. A. (1992). *Crystalline ribonuclease A loses function below the dynamical transition at 220 K*. *Nature (London)*, **357**, 423–424.
- Rayment, I. (1985). *Treatment and manipulation of crystals*. *Methods in enzymology*, Vol. 114, pp. 136–140. New York: Academic Press.
- Rayment, I., Johnson, J. E. & Suck, D. (1977). *A method of preventing crystal slippage in macromolecular crystallography*. *J. Appl. Cryst.* **10**, 365.
- Reider, M. (1975). *Precession photography: orientating crystals by means of the stereographic projection*. *J. Appl. Cryst.* **8**, 388–389.
- Rink, W. J., Mathias, H. G. & Schlenoff, J. B. (1994). *Hermetic sample housing for X-ray diffraction studies*. *J. Appl. Cryst.* **27**, 666–668.
- Riquet, J. P. & Bonnet, R. (1979). *Dépouillement par ordinateur des clichés de diffraction obtenus par la méthode de Laue*. *J. Appl. Cryst.* **12**, 39–41.
- Rossi, F. A. (1989). *Permanent cooling of protein crystals by a collinear air flow*. *J. Appl. Cryst.* **22**, 620–622.
- Rossmann, M. G. & Erickson, J. W. (1983). *Oscillation photography of radiation-sensitive crystals using a synchrotron source*. *J. Appl. Cryst.* **16**, 629–636.
- Rudman, R. (1976). *Low-temperature X-ray diffraction: apparatus and techniques*, Chap. 6, pp. 161–179. New York/London: Plenum.
- Sarma, R., McKeever, B., Gallo, R. & Scuderi, J. (1986). *A new method for determination of the crystal setting matrix for interpreting oscillation photographs*. *J. Appl. Cryst.* **19**, 482–484.
- Sato, M., Yamamoto, M., Imada, K., Katsube, Y., Tanaka, N. & Higashi, T. (1992). *A high-speed data-collection system for large-unit-cell crystals using an Imaging Plate as a detector*. *J. Appl. Cryst.* **25**, 348–357.
- Schiller, C. (1985). *Precise orientation of semiconductor surfaces by the back-reflection Laue technique*. *J. Appl. Cryst.* **18**, 373.
- Shaham, H. (1982). *A goniometer for large single crystals*. *J. Appl. Cryst.* **15**, 469.
- Sparks, R. A. (1976). *Crystallographic computing techniques*, edited by F. R. Ahmed, K. Huml & B. Sedlcek, pp. 452–467. Copenhagen: Munksgaard.

## REFERENCES

## 3.4 (cont.)

- Sparks, R. A. (1982). *Computational crystallography*, edited by D. Sayre, pp. 1–18. Oxford University Press.
- Stout, G. H. & Jensen, L. H. (1968). *X-ray structure determination: a practical guide*, Chap. 4, pp. 71–79. London: Macmillan.
- Suh, I.-H., Suh, J.-M., Ko, T.-S., Aoki, K. & Yamazaki, H. (1988). Rationale of a quick adjustment method for crystal orientation in oscillation photography. *J. Appl. Cryst.* **21**, 521–523.
- Swanson, D. K. & Prewitt, C. T. (1986). A new radiative single-crystal diffractometer microfurnace incorporating MgO as a high-temperature cement and internal temperature calibrant. *J. Appl. Cryst.* **19**, 1–6.
- Tarling, S. E., Barnes, P. & Mackay, A. L. (1984). Simulation of industrial furnacing with powder X-ray diffraction. *J. Appl. Cryst.* **17**, 96–99.
- Teeter, M. M., Roe, S. M. & Heo, N. H. (1993). Atomic resolution (0.83 Å) crystal structure of the hydrophobic protein crambin at 130 K. *J. Mol. Biol.* **230**, 292–311.
- Teng, T. Y. (1990). Mounting of crystals for macromolecular crystallography in a free-standing thin film. *J. Appl. Cryst.* **23**, 387–391.
- Tilton, R. F. Jr (1988). A fixture for X-ray crystallographic studies of biomolecules under high gas pressure. *J. Appl. Cryst.* **21**, 4–9.
- Tilton, R. F. Jr, Dewan, J. C. & Petsko, G. A. (1992). Effects of temperature on protein structure and dynamics: X-ray crystallographic studies of the protein ribonuclease-A at nine different temperatures from 98 to 320 K. *Biochemistry*, **31**, 2469–2481.
- Toyoshima, N., Hoya, H. & Ohshima, K.-I. (1991). A simple device for mounting a vacuum chamber on a four-circle diffractometer with central  $\chi$  circle. *J. Appl. Cryst.* **24**, 1074–1075.
- Tsukimura, K., Sato-Sorensen, Y. & Ghose, S. (1989). A gas-flow furnace for X-ray crystallography. *J. Appl. Cryst.* **22**, 401–405.
- Usha, R., Johnson, J. E., Moras, D., Thierry, J. C., Fourme, R. & Kahn, R. (1984). Macromolecular crystallography with synchrotron radiation: collection and processing of data from crystals with a very large unit cell. *J. Appl. Cryst.* **17**, 147–153.
- Vriend, G. & Rossmann, M. G. (1987). Determination of the orientation of a randomly placed crystal from a single oscillation photograph. *J. Appl. Cryst.* **20**, 338–343.
- Vriend, G., Rossmann, M. G., Arnold, E., Luo, M., Griffith, J. P. & Moffat, K. (1986). Post-refinement of oscillation diffraction data collected at a synchrotron radiation source. *J. Appl. Cryst.* **19**, 134–139.
- Watenpugh, K. D. (1991). Macromolecular crystallography at cryogenic temperatures. *Curr. Opin. Struct. Biol.* **1**, 1012–1015.
- Wood, R. A., Tode, G. E. & Welberry, T. R. (1985). A lathe-like crystal grinder for grinding pre-aligned crystals into cylindrical cross section. *J. Appl. Cryst.* **18**, 371–372.
- Wyckoff, H. W., Doscher, M. S., Tsernoglou, D., Inagami, T., Johnson, L. N., Hardman, K. D., Allewell, N. M., Kelley, D. M. & Richards, F. M. (1967). Design of a diffractometer and flowcell system for X-ray analysis of crystalline proteins with applications to the crystal chemistry of ribonuclease-S. *J. Mol. Biol.* **27**, 563–578.
- Xuong, Ng. H., Nielsen, C., Hamlin, R. & Anderson, D. (1985). Strategy for data collection from protein crystals using a multiwire counter area detector diffractometer. *J. Appl. Cryst.* **18**, 342–350.
- Young, A. C. M., Dewan, J. C., Nave, C. & Tilton, R. F. (1993). Comparison of radiation-induced decay and structure refinement from X-ray data collected from lysozyme crystals at low and ambient temperatures. *J. Appl. Cryst.* **26**, 309–319.
- Zaloga, G. & Sarma, R. (1974). New method for extending the diffraction patterns from protein crystals and preventing their radiation damage. *Nature (London)*, **251**, 551–552.
- Zeppezauer, M., Eklund, H. & Zeppezauer, E. S. (1968). Micro diffusion cells for the growth of single protein crystals by means of equilibrium dialysis. *Arch. Biochem. Biophys.* **126**, 564–573.
- Zhang, X.-J. & Matthews, B. W. (1993). STRAT: a program to optimize data collection on an area detector system. *J. Appl. Cryst.* **26**, 457–462.
- Zobel, D. & Luger, P. (1990). A small 50 K device for a quarter-circle Eulerian cradle diffractometer. *J. Appl. Cryst.* **23**, 175–179.

## 3.5

- Alani, R., Harper, R. G. & Swann, P. R. (1992). Ion thinning of TEM cross sections under beam switching control. *Proc. EMSA*, pp. 394–395. Baton Rouge: Claitor.
- Alani, R. & Swann, P. R. (1990). Workshop on specimen preparation for transmission electron microscopy of materials. Materials Research Society, Vol. 199, p. 85.
- Alani, R. & Swann, P. R. (1992). Precision ion polishing system – a new instrument for TEM specimen preparation of materials. *Mater. Res. Soc. Symp.* **254**, 43–63.
- Amelinckx, S. (1964). *The direct observation of dislocations*. New York: Academic Press.
- Bach, H. (1964). Elektronenmikroskopische Durchstrahlungsaufnahmen und Feinbereichselektronenbeugung an  $Al_2O_3$  Keramik. *BOSCH Techn. Ber.* **1**, 10–13.
- Bach, H. (1970). Application of ion sputtering in preparing glasses and their surface layers for electron microscope investigations. *J. Non-Cryst. Solids*, **3**, 1–32.
- Banerjee, D. & Williams, J. C. (1983). The effect of foil preparation technique on interface phase formation in Ti alloys. *Scr. Metall.* **17**, 1125.
- Barber, D. J. (1970). Thin foils of non-metals made for electron microscopy by sputter-etching. *J. Mater. Sci.* **5**, 1–8.
- Barber, D. J. & Evans, R. G. (1970). Dislocations, ordering and antiferromagnetic domains in MnO. *Proc. EMSA*, pp. 522–523. Baton Rouge: Claitor.
- Barber, D. J. & Farabaugh, E. N. (1965). Dislocations and stacking faults in rutile crystals grown by flame fusion methods. *J. Appl. Phys.* **36**, 2803–2806.
- Barber, D. J. & Tighe, N. J. (1965). Electron microscopy and diffraction of synthetic corundum crystals. I. Pure aluminum oxide grown by the Verneuil process. *Philos. Mag.* **11**, 495–512.
- Braillon, P., Mughier, J. & Serughetti, J. (1974). Transmission electron microscope observations of dislocations in calcite single crystals. *Cryst. Lattice Defects*, **5**, 73–78.
- Butler, E. P. & Hale, K. F. (1981). *Dynamic experiments in the electron microscope*. Amsterdam: North-Holland.
- Cox, A. R. & Mountfield, M. J. (1967). Specimen temperatures during electropolishing of thin films for electron microscopy. *J. Instrum. Methods*, **95**, 347–349.