

Laue class $D_{2h} - mmm$

6. SCANNING TABLES

Orthorhombic

No. 34 $Pnn2$

$$\mathcal{G} = Pnn2$$

 C_{2v}^{10}

| Orientation orbit (<i>hkl</i>) | Conventional basis of the scanning group a' b' d | Scanning group \mathcal{H} | Linear orbit sd | Sectional layer group $\mathcal{L}(\mathbf{sd})$ | |
|-------------------------------------|---|------------------------------------|---|--|-------------------|
| (001) | a b c | $Pnn2$ | $[\mathbf{sd}, (s + \frac{1}{2})\mathbf{d}]$ | $p112$ | L03 |
| (100) | b c a | $Pn2n$ | $[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$ | $p121$ $p11n$ $p1$ | L08 L05 L01 |
| (010) | c a b | $P2nn$ | $[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$ | $p211$ $p11n$ $p1$ | L08 L05 L01 |

No. 35 $Cmm2$

$$\mathcal{G} = Cmm2$$

 C_{2v}^{11}

| Orientation orbit (<i>hkl</i>) | Conventional basis of the scanning group a' b' d | Scanning group \mathcal{H} | Linear orbit sd | Sectional layer group $\mathcal{L}(\mathbf{sd})$ | |
|-------------------------------------|---|------------------------------------|---|--|-------------------|
| (001) | a b c | $Cmm2$ | \mathbf{sd} | $cmm2$ | L26 |
| (100) | b c a | $Bm2m$ | $[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$ | $pm2m$ $pm2a (\mathbf{a}'/4)$ $pm11$ | L27 L31 L11 |
| (010) | c a b | $A2mm$ | $[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$ | $p2mm$ $p2mb (\mathbf{b}'/4)$ $p1m1$ | L27 L31 L11 |

No. 36 $Cmc2_1$

$$\mathcal{G} = Cmc2_1$$

 C_{2v}^{12}

| Orientation orbit (<i>hkl</i>) | Conventional basis of the scanning group a' b' d | Scanning group \mathcal{H} | Linear orbit sd | Sectional layer group $\mathcal{L}(\mathbf{sd})$ | |
|-------------------------------------|---|------------------------------------|---|--|-------------------|
| (001) | a b c | $Cmc2_1$ | $[\mathbf{sd}, (s + \frac{1}{2})\mathbf{d}]$ | $cm11$ | L13 |
| (100) | b c a | $Bb2_1m$ | $[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$ | $pb2_1m$ $pb2_1a (\mathbf{a}'/4)$ $pb11$ | L29 L33 L12 |
| (010) | c a b | $A2_1ma$ | $[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$ | $p2_1ma$ $p2_1mn$ $p1m1$ | L28 L32 L11 |

Arithmetic class $mmmP$

| Serial No. Group type Group | 47 D_{2h}^1 $Pmmm$ | 48 D_{2h}^2 $Pnmm$ | | 49 D_{2h}^3 $Pccm$ | 50 D_{2h}^4 $Pban$ | |
|-----------------------------------|----------------------------|--|----------|----------------------------|---|----------|
| | | Origin 1 | Origin 2 | | Origin 1 | Origin 2 |
| $(mn0)$ $(\bar{m}n0)$ | $P112/m$ | $P112/n$ [[a + b + c]/4] | $P112/n$ | $P112/m$ | $P112/n$ [[a + b]/4] | $P112/n$ |
| $(0mn)$ $(0\bar{m}n)$ | | | | $P112/b$ | $P112/a$ [[a + b]/4] | $P112/a$ |
| $(n0m)$ $(n0\bar{m})$ | | | | $P112/a$ | $P112/b$ [[a + b]/4] | $P112/b$ |

| Serial No. Group type Group | 51 D_{2h}^5 $Pmma$ | 52 D_{2h}^6 $Pnna$ | 53 D_{2h}^7 $Pmna$ | 54 D_{2h}^8 $Pcca$ | 55 D_{2h}^9 $Pbam$ | 56 D_{2h}^{10} $Pccn$ |
|-----------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-------------------------------|
| $(mn0)$ $(\bar{m}n0)$ | $P112/a$ | $P112/a$ | $P112_1/a$ | $P112/a$ | $P112/m$ | $P112/n$ |
| $(0mn)$ $(0\bar{m}n)$ | $P112_1/m$ | $P112/n$ | $P112/m$ | $P112_1/b$ | $P112_1/a$ | $P112_1/b$ |
| $(n0m)$ $(n0\bar{m})$ | $P112/m$ | $P112_1/n$ | $P112/n$ | $P112/a$ | $P112_1/b$ | $P112_1/a$ |

| Serial No. Group type Group | 57 D_{2h}^{11} $Pbcm$ | 58 D_{2h}^{12} $Pnmm$ | 59 D_{2h}^{13} $Pmnm$ | | 60 D_{2h}^{14} $Pbcn$ | 61 D_{2h}^{15} $Pbca$ | 62 D_{2h}^{16} $Pnma$ | | | | |
|-----------------------------------|-------------------------------|-------------------------------|---|----------|-------------------------------|-------------------------------|-------------------------------|------------|------------|------------|------------|
| | | | Origin 1 | Origin 2 | | | | | | | |
| $(mn0)$ $(\bar{m}n0)$ | $P112_1/m$ | $P112/m$ | $P112/n$ [[a + b]/4] | $P112/n$ | $P112_1/n$ | $P112_1/a$ | $P112_1/a$ | | | | |
| $(0mn)$ $(0\bar{m}n)$ | | | | | | | $P112/a$ | $P112_1/n$ | $P112_1/m$ | $P112_1/a$ | $P112_1/n$ |
| $(n0m)$ $(n0\bar{m})$ | | | | | | | $P112_1/a$ | | | $P112/a$ | $P112_1/m$ |

Centring type C

| Orientation orbit (hkl) | Conventional basis of the scanning group a' b' d | | | Auxiliary basis of the scanning group $\hat{\mathbf{a}}$ $\hat{\mathbf{b}}$ $\hat{\mathbf{c}}$ | | |
|--|--|---|--|---|-------------------------------|----------|
| $(hk0)$ | c | $n\hat{\mathbf{a}} - m\hat{\mathbf{b}}$ | $p\hat{\mathbf{a}} + q\hat{\mathbf{b}}$ | $(\mathbf{a} - \mathbf{b})/2$ | $(\mathbf{a} + \mathbf{b})/2$ | c |
| $(\bar{h}k0)$ | c | $n\hat{\mathbf{a}} + m\hat{\mathbf{b}}$ | $-p\hat{\mathbf{a}} + q\hat{\mathbf{b}}$ | | | |
| h even, k odd or h odd, k even $\Rightarrow n = h + k, m = h - k$ h, k odd $\Rightarrow n = (h + k)/2, m = (h - k)/2$ | | | | | | |
| $(0mn)$ | a | $nb - mc$ | $pb + qc$ | b | c | a |
| $(0\bar{m}n)$ | a | $nb + mc$ | $-pb + qc$ | | | |
| $(n0m)$ | b | $nc - ma$ | $pc + qa$ | c | a | b |
| $(n0\bar{m})$ | b | $nc + ma$ | $-pc + qa$ | | | |

Arithmetic classes $222C$ and $mm2C$

| | | | | | |
|--------------------------|-------------------|---------|---------------|---------------|---------------|
| Serial No. | 20 | 21 | 35 | 36 | 37 |
| Group type | D_2^5 | D_2^6 | C_{2v}^{11} | C_{2v}^{12} | C_{2v}^{13} |
| Group | $C222_1$ | $C222$ | $Cmm2$ | $Cmc2_1$ | $Ccc2$ |
| $(hk0)$ $(\bar{h}k0)$ | $P112_1$ | $P112$ | $P112$ | $P112_1$ | $P112$ |
| $(0mn)$ $(0\bar{m}n)$ | $B112$ | $B112$ | $B11m$ | $B11m$ | $B11b$ |
| $(n0m)$ $(n0\bar{m})$ | $A112$ $(c/4)$ | $A112$ | $A11m$ | $A11a$ | $A11a$ |

Arithmetic class $mmmC$

| | | | | | | | |
|--------------------------|---------------|---------------|---------------|---------------|-------------------------|-------------------------|----------------------|
| Serial No. | 63 | 64 | 65 | 66 | 67 | 68 | |
| Group type | D_{2h}^{17} | D_{2h}^{18} | D_{2h}^{19} | D_{2h}^{20} | D_{2h}^{21} | D_{2h}^{22} | |
| Group | $Cmcm$ | $Cmce$ | $Cmmm$ | $Cccm$ | $Cmme$ | $Ccce$ | |
| $(hk0)$ $(\bar{h}k0)$ | $P112_1/m$ | $P112_1/n$ | $P112/m$ | $P112/m$ | $P112/n$ | Origin 1 $[(b+c)/4]$ | Origin 2 $P112/n$ |
| $(0mn)$ $(0\bar{m}n)$ | $B112/m$ | $B112/m$ | $B112/m$ | $B112/b$ | $B112/m$ | $B112/n$ $[(a+c)/4]$ | $B112/n$ |
| $(n0m)$ $(n0\bar{m})$ | $A112/a$ | $A112/n$ | $A112/m$ | $A112/a$ | $A112/m$ $[(a+b)/4]$ | $A112/a$ $[(b+c)/4]$ | $A112/a$ |

Centring type A

| Orientation orbit (hkl) | Conventional basis of the scanning group | | | Auxiliary basis of the scanning group | | |
|---|---|---|--|--|--------------------|--------------------|
| | \mathbf{a}' | \mathbf{b}' | \mathbf{d} | $\hat{\mathbf{a}}$ | $\hat{\mathbf{b}}$ | $\hat{\mathbf{c}}$ |
| $(mn0)$ | \mathbf{c} | $n\mathbf{a} - m\mathbf{b}$ | $p\mathbf{a} + q\mathbf{b}$ | \mathbf{a} | \mathbf{b} | \mathbf{c} |
| $(\bar{m}n0)$ | \mathbf{c} | $n\mathbf{a} + m\mathbf{b}$ | $-p\mathbf{a} + q\mathbf{b}$ | | | |
| $(0kl)$ | \mathbf{a} | $n\hat{\mathbf{a}} - m\hat{\mathbf{b}}$ | $p\hat{\mathbf{a}} + q\hat{\mathbf{b}}$ | $(b-c)/2$ | $(b+c)/2$ | \mathbf{a} |
| $(\bar{k}l0)$ | \mathbf{a} | $n\hat{\mathbf{a}} + m\hat{\mathbf{b}}$ | $-p\hat{\mathbf{a}} + q\hat{\mathbf{b}}$ | | | |
| k even, l odd or k odd, l even $\Rightarrow n = k + l, m = k - l$ | | | | | | |
| k, l odd $\Rightarrow n = (k + l)/2, m = (k - l)/2$ | | | | | | |
| $(n0m)$ | \mathbf{b} | $nc - ma$ | $pc + qa$ | \mathbf{c} | \mathbf{a} | \mathbf{b} |
| $(n0\bar{m})$ | \mathbf{b} | $nc + ma$ | $-pc + qa$ | | | |

Arithmetic class $mm2A$

| | | | | |
|--------------------------|---------------|-------------------|-------------------|-------------------|
| Serial No. | 38 | 39 | 40 | 41 |
| Group type | C_{2v}^{14} | C_{2v}^{15} | C_{2v}^{16} | C_{2v}^{17} |
| Group | $Amm2$ | $Aem2$ | $Ama2$ | $Aea2$ |
| $(mn0)$ $(\bar{m}n0)$ | $A112$ | $A112$ | $A112$ | $A112$ |
| $(0kl)$ $(0\bar{k}l)$ | $P11m$ | $P11n$ | $P11m$ $(a/4)$ | $P11n$ $(a/4)$ |
| $(n0m)$ $(n0\bar{m})$ | $B11m$ | $B11m$ $(b/4)$ | $B11b$ | $B11b$ $(b/4)$ |