

Laue class $D_{2h} - mmm$

6. SCANNING TABLES

Orthorhombic

 No. 46 $Ima2$

$$\mathcal{G} = Ima2$$

 C_{2v}^{22}

Orientation orbit (<i>hkl</i>)	Conventional basis of the scanning group a' b' d	Scanning group \mathcal{H}	Linear orbit sd	Sectional layer group $\mathcal{L}(\mathbf{sd})$	
(001)	a b c	$Ima2$	$[\mathbf{sd}, (s + \frac{1}{2})\mathbf{d}]$	$pma2$	L24
(100)	b c a	$Ic2m$	$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$	$pb2n$ $pb2_1m (\mathbf{a}'/4)$ $pb11 (\mathbf{a}'/4)$	L34 L29 L12
(010)	c a b	$I2mb$	$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ $[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$	$p2mb$ $p2_1ma (\mathbf{b}'/4)$ $p1m1 (\mathbf{b}'/4)$	L31 L28 L11

 Geometric class $D_{2h} - mmm$

 No. 47 $Pmmm$

$$\mathcal{G} = P \begin{smallmatrix} 2 & 2 & 2 \\ m & m & m \end{smallmatrix}$$

 D_{2h}^1

Orientation orbit (<i>hkl</i>)	Conventional basis of the scanning group a' b' d	Scanning group \mathcal{H}	Linear orbit sd	Sectional layer group $\mathcal{L}(\mathbf{sd})$	
(001)	a b c	$Pmmm$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$	$pmmm$	L37
(100)	b c a		$[\mathbf{sd}, -\mathbf{sd}]$	$pmm2$	L23
(010)	c a b				

 No. 48 $Pnnn$

$$\mathcal{G} = P \begin{smallmatrix} 2 & 2 & 2 \\ n & n & n \end{smallmatrix} \text{ origin 1}$$

 D_{2h}^2

Orientation orbit (<i>hkl</i>)	Conventional basis of the scanning group a' b' d	Scanning group \mathcal{H}	Linear orbit sd	Sectional layer group $\mathcal{L}(\mathbf{sd})$	
(001)	a b c	$Pnnn$ ($\tau/4$)	$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$	$p222$	L19
(100)	b c a		$[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$	$p112/n [(\mathbf{a}' + \mathbf{b}')/4]$	L07
(010)	c a b		$[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$	$p112$	L03

$$\tau = \mathbf{a}' + \mathbf{b}' + \mathbf{d}.$$

 No. 48 $Pnnn$

$$\mathcal{G} = P \begin{smallmatrix} 2 & 2 & 2 \\ n & n & n \end{smallmatrix} \text{ origin 2}$$

 D_{2h}^2

Orientation orbit (<i>hkl</i>)	Conventional basis of the scanning group a' b' d	Scanning group \mathcal{H}	Linear orbit sd	Sectional layer group $\mathcal{L}(\mathbf{sd})$	
(001)	a b c	$Pnnn$	$[0\mathbf{d}, \frac{1}{2}\mathbf{d}]$	$p112/n$	L07
(100)	b c a		$[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$	$p222 [(\mathbf{a}' + \mathbf{b}')/4]$	L19
(010)	c a b		$[\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}]$	$p112 [(\mathbf{a}' + \mathbf{b}')/4]$	L03

Auxiliary tables for Laue class $D_{2h} - mmm$ Centring types P and I

Orientation orbit (hkl)	Conventional basis of the scanning group			Auxiliary basis of the scanning group		
	\mathbf{a}'	\mathbf{b}'	\mathbf{d}	$\hat{\mathbf{a}}$	$\hat{\mathbf{b}}$	$\hat{\mathbf{c}}$
($mn0$)	\mathbf{c}	$n\mathbf{a} - m\mathbf{b}$	$p\mathbf{a} + q\mathbf{b}$	\mathbf{a}	\mathbf{b}	\mathbf{c}
($\overline{m}n0$)	\mathbf{c}	$n\mathbf{a} + m\mathbf{b}$	$-p\mathbf{a} + q\mathbf{b}$			
($0mn$)	\mathbf{a}	$n\mathbf{b} - m\mathbf{c}$	$p\mathbf{b} + q\mathbf{c}$	\mathbf{b}	\mathbf{c}	\mathbf{a}
($0\overline{m}n$)	\mathbf{a}	$n\mathbf{b} + m\mathbf{c}$	$-p\mathbf{b} + q\mathbf{c}$			
($n0m$)	\mathbf{b}	$nc - ma$	$pc + qa$	\mathbf{c}	\mathbf{a}	\mathbf{b}
($n0\overline{m}$)	\mathbf{b}	$nc + ma$	$-pc + qa$			

Arithmetic class $222P$

Serial No.	16	17	18	19
Group type	D_2^1	D_2^2	D_2^3	D_2^4
Group	$P222$	$P222_1$	$P2_12_12$	$P2_12_12_1$
($mn0$)	$P112$	$P112_1$	$P112$	$P112_1$
($\overline{m}n0$)				($\mathbf{a}/4$)
($0mn$)		$P112$	$P112_1$	$P112_1$
($0\overline{m}n$)			($\mathbf{b}/4$)	($\mathbf{b}/4$)
($n0m$)		$P112$	$P112_1$	$P112_1$
($n0\overline{m}$)		($\mathbf{c}/4$)	($\mathbf{a}/4$)	($\mathbf{c}/4$)

Arithmetic class $mm2P$

Serial No.	25	26	27	28	29	30	31	32	33	34	
Group type	C_{2v}^1	C_{2v}^2	C_{2v}^3	C_{2v}^4	C_{2v}^5	C_{2v}^6	C_{2v}^7	C_{2v}^8	C_{2v}^9	C_{2v}^{10}	
Group	$Pmm2$	$Pmc2_1$	$Pcc2$	$Pma2$	$Pca2_1$	$Pnc2$	$Pmn2_1$	$Pba2$	$Pna2_1$	$Pnn2$	
($mn0$)	$P11m$	$P112_1$	$P112$	$P112$	$P112_1$	$P112$	$P112_1$	$P112$	$P112_1$	$P112$	
($\overline{m}n0$)								($\mathbf{a}/4$)			
($0mn$)		$P11m$	$P11m$	$P11b$	$P11m$	$P11b$	$P11n$	$P11m$	$P11a$	$P11n$	$P11n$
($0\overline{m}n$)				($\mathbf{a}/4$)	($\mathbf{a}/4$)				($\mathbf{a}/4$)	($\mathbf{a}/4$)	($\mathbf{a}/4$)
($n0m$)		$P11a$	$P11a$	$P11b$	$P11b$	$P11a$	$P11n$	$P11b$	$P11b$	$P11n$	
($n0\overline{m}$)						($\mathbf{b}/4$)		($\mathbf{b}/4$)	($\mathbf{b}/4$)	($\mathbf{b}/4$)	

Arithmetic classes $222I$, $mm2I$ and $mmmI$

Serial No.	23	24	44	45	46	71	72	73	74		
Group type	D_2^8	D_{2v}^9	C_{2v}^{20}	C_{2v}^{21}	C_{2v}^{22}	D_{2h}^{25}	D_{2h}^{26}	D_{2h}^{27}	D_{2h}^{28}		
Group	$I222$	$I2_12_12_1$	$Imm2$	$Iba2$	$Ima2$	$Immm$	$Ibam$	$Ibca$	$Imma$		
($mn0$)	$I112$	$I112$	$I112$	$I112$	$I112$	$I112/m$	$I112/m$	$I112/b$	$I112/b$		
($\overline{m}n0$)		($\mathbf{b}/4$)									
($0mn$)		$I112$	$I11m$	$I11b$	$I11m$				$I112/b$		$I112/m$
($0\overline{m}n$)		($\mathbf{c}/4$)					($\mathbf{a}/4$)				
($n0m$)		$I112$	$I11a$	$I11b$		$I112/a$		$I112/m$			
($n0\overline{m}$)		($\mathbf{a}/4$)						($\mathbf{a} + \mathbf{b} + \mathbf{c}/4$)			

Arithmetic class $mmmP$

Serial No.	47	48		49	50			
Group type	D_{2h}^1	D_{2h}^2		D_{2h}^3	D_{2h}^4			
Group	$Pmmm$	$Pnnn$		$Pccm$	$Pban$			
		Origin 1	Origin 2		Origin 1	Origin 2		
$(mn0)$	$P112/m$	$P112/n$	$P112/n$	$P112/m$	$P112/n$	$P112/n$		
$(\bar{m}n0)$					$[(a+b)/4]$			
$(0mn)$						$P112/b$	$P112/a$	$P112/a$
$(0\bar{m}n)$							$[(a+b)/4]$	
$(n0m)$				$P112/a$	$P112/b$	$P112/b$		
$(n0\bar{m})$					$[(a+b)/4]$			

Serial No.	51	52	53	54	55	56
Group type	D_{2h}^5	D_{2h}^6	D_{2h}^7	D_{2h}^8	D_{2h}^9	D_{2h}^{10}
Group	$Pmma$	$Pnna$	$Pmna$	$Pcca$	$Pbam$	$Pccn$
$(mn0)$	$P112/a$	$P112/a$	$P112_1/a$	$P112/a$	$P112/m$	$P112/n$
$(\bar{m}n0)$						
$(0mn)$	$P112_1/m$	$P112/n$	$P112/m$	$P112_1/b$	$P112_1/a$	$P112_1/b$
$(0\bar{m}n)$						
$(n0m)$	$P112/m$	$P112_1/n$	$P112/n$	$P112/a$	$P112_1/b$	$P112_1/a$
$(n0\bar{m})$						

Serial No.	57	58	59		60	61	62	
Group type	D_{2h}^{11}	D_{2h}^{12}	D_{2h}^{13}		D_{2h}^{14}	D_{2h}^{15}	D_{2h}^{16}	
Group	$Pbcm$	$Pnmm$	$Pmnm$		$Pbcn$	$Pbca$	$Pnma$	
			Origin 1	Origin 2				
$(mn0)$	$P112_1/m$	$P112/m$	$P112/n$	$P112/n$	$P112_1/n$	$P112_1/a$	$P112_1/a$	
$(\bar{m}n0)$			$[(a+b)/4]$					
$(0mn)$	$P112/a$	$P112_1/n$	$P112_1/m$	$P112_1/m$	$P112_1/a$			$P112_1/n$
$(0\bar{m}n)$			$[(a+b)/4]$					
$(n0m)$	$P112_1/a$				$P112/a$		$P112_1/m$	
$(n0\bar{m})$								

Centring type C

Orientation orbit (hkl)	Conventional basis of the scanning group			Auxiliary basis of the scanning group		
	\mathbf{a}'	\mathbf{b}'	\mathbf{d}	$\hat{\mathbf{a}}$	$\hat{\mathbf{b}}$	$\hat{\mathbf{c}}$
$(hk0)$	\mathbf{c}	$n\hat{\mathbf{a}} - m\hat{\mathbf{b}}$	$p\hat{\mathbf{a}} + q\hat{\mathbf{b}}$	$(\mathbf{a} - \mathbf{b})/2$	$(\mathbf{a} + \mathbf{b})/2$	\mathbf{c}
$(\bar{h}k0)$	\mathbf{c}	$n\hat{\mathbf{a}} + m\hat{\mathbf{b}}$	$-p\hat{\mathbf{a}} + q\hat{\mathbf{b}}$			
h even, k odd or h odd, k even $\Rightarrow n = h + k, m = h - k$						
h, k odd $\Rightarrow n = (h + k)/2, m = (h - k)/2$						
$(0mn)$	\mathbf{a}	$n\mathbf{b} - m\mathbf{c}$	$p\mathbf{b} + q\mathbf{c}$	\mathbf{b}	\mathbf{c}	\mathbf{a}
$(0\bar{m}n)$	\mathbf{a}	$n\mathbf{b} + m\mathbf{c}$	$-p\mathbf{b} + q\mathbf{c}$			
$(n0m)$	\mathbf{b}	$n\mathbf{c} - m\mathbf{a}$	$p\mathbf{c} + q\mathbf{a}$	\mathbf{c}	\mathbf{a}	\mathbf{b}
$(n0\bar{m})$	\mathbf{b}	$n\mathbf{c} + m\mathbf{a}$	$-p\mathbf{c} + q\mathbf{a}$			