

Laue class  $D_{2h} - mmm$ 

6. SCANNING TABLES

Orthorhombic

 No. 51  $Pmma$ 

$$\mathcal{G} = P \begin{smallmatrix} 2 & 2 & 2 \\ m & m & a \end{smallmatrix}$$

 $D_{2h}^5$ 

Orientation orbit ( <i>hkl</i> )	Conventional basis of the scanning group <b>a'</b> <b>b'</b> <b>d</b>	Scanning group $\mathcal{H}$	Linear orbit <b>sd</b>	Sectional layer group $\mathcal{L}(\mathbf{sd})$	
(001)	<b>a</b> <b>b</b> <b>c</b>	$Pmma$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ [ $\mathbf{sd}, -\mathbf{sd}$ ]	$pmma$ $pmm2 (\mathbf{a}/4)$	L41 L23
(100)	<b>b</b> <b>c</b> <b>a</b>	$Pmcm$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ [ $\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}$ ]	$p2/m11$ $pm2m$ $pm11$	L14 L27 L11
(010)	<b>c</b> <b>a</b> <b>b</b>	$Pbmm$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ [ $\mathbf{sd}, -\mathbf{sd}$ ]	$pbmm$ $pbm2$	L40 L24

 No. 52  $Pnna$ 

$$\mathcal{G} = P \begin{smallmatrix} 2 & 2_1 & 2 \\ n & n & a \end{smallmatrix}$$

 $D_{2h}^6$ 

Orientation orbit ( <i>hkl</i> )	Conventional basis of the scanning group <b>a'</b> <b>b'</b> <b>d</b>	Scanning group $\mathcal{H}$	Linear orbit <b>sd</b>	Sectional layer group $\mathcal{L}(\mathbf{sd})$	
(001)	<b>a</b> <b>b</b> <b>c</b>	$Pnna$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ [ $\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}$ ]	$p112/a$ $p22_12 (\mathbf{a}/4)$ $p112 (\mathbf{a}/4)$	L07 L20 L03
(100)	<b>b</b> <b>c</b> <b>a</b>	$Pncn$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ [ $\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}$ ]	$p112/n$ $p2_122 [(\mathbf{a}' + \mathbf{b}')/4]$ $p112 [(\mathbf{a}' + \mathbf{b}')/4]$	L07 L20 L03
(010)	<b>c</b> <b>a</b> <b>b</b>	$Pbnn$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ [ $\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}$ ]	$p2/b11$ $pb2n (\mathbf{a}'/4)$ $pb11$	L16 L34 L12

 No. 53  $Pmna$ 

$$\mathcal{G} = P \begin{smallmatrix} 2 & 2 & 2_1 \\ m & n & a \end{smallmatrix}$$

 $D_{2h}^7$ 

Orientation orbit ( <i>hkl</i> )	Conventional basis of the scanning group <b>a'</b> <b>b'</b> <b>d</b>	Scanning group $\mathcal{H}$	Linear orbit <b>sd</b>	Sectional layer group $\mathcal{L}(\mathbf{sd})$	
(001)	<b>a</b> <b>b</b> <b>c</b>	$Pmna$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ [ $\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}$ ]	$p2/m11$ $pm2a (\mathbf{a}/4)$ $pm11$	L14 L31 L11
(100)	<b>b</b> <b>c</b> <b>a</b>	$Pncm$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ $[\frac{1}{4}\mathbf{d}, \frac{3}{4}\mathbf{d}]$ [ $\pm\mathbf{sd}, (\pm s + \frac{1}{2})\mathbf{d}$ ]	$p112/m$ $p22_12$ $p112$	L06 L20 L03
(010)	<b>c</b> <b>a</b> <b>b</b>	$Pbmn$	$0\mathbf{d}, \frac{1}{2}\mathbf{d}$ [ $\mathbf{sd}, -\mathbf{sd}$ ]	$pbmn$ $pbm2 [(\mathbf{a}' + \mathbf{b}')/4]$	L42 L24

Auxiliary tables for Laue class  $D_{2h} - mmm$ Centring types  $P$  and  $I$ 

Orientation orbit ( $hkl$ )	Conventional basis of the scanning group			Auxiliary basis of the scanning group		
	$\mathbf{a}'$	$\mathbf{b}'$	$\mathbf{d}$	$\hat{\mathbf{a}}$	$\hat{\mathbf{b}}$	$\hat{\mathbf{c}}$
( $mn0$ )	$\mathbf{c}$	$n\mathbf{a} - m\mathbf{b}$	$p\mathbf{a} + q\mathbf{b}$	$\mathbf{a}$	$\mathbf{b}$	$\mathbf{c}$
( $\bar{m}n0$ )	$\mathbf{c}$	$n\mathbf{a} + m\mathbf{b}$	$-p\mathbf{a} + q\mathbf{b}$			
( $0mn$ )	$\mathbf{a}$	$n\mathbf{b} - m\mathbf{c}$	$p\mathbf{b} + q\mathbf{c}$	$\mathbf{b}$	$\mathbf{c}$	$\mathbf{a}$
( $0\bar{m}n$ )	$\mathbf{a}$	$n\mathbf{b} + m\mathbf{c}$	$-p\mathbf{b} + q\mathbf{c}$			
( $n0m$ )	$\mathbf{b}$	$nc - ma$	$pc + qa$	$\mathbf{c}$	$\mathbf{a}$	$\mathbf{b}$
( $n0\bar{m}$ )	$\mathbf{b}$	$nc + ma$	$-pc + qa$			

Arithmetic class  $222P$ 

Serial No.	16	17	18	19
Group type	$D_2^1$	$D_2^2$	$D_2^3$	$D_2^4$
Group	$P222$	$P222_1$	$P2_12_12$	$P2_12_12_1$
( $mn0$ )	$P112$	$P112_1$	$P112$	$P112_1$
( $\bar{m}n0$ )				( $\mathbf{a}/4$ )
( $0mn$ )		$P112$	$P112_1$	$P112_1$
( $0\bar{m}n$ )			( $\mathbf{b}/4$ )	( $\mathbf{b}/4$ )
( $n0m$ )		$P112$	$P112_1$	$P112_1$
( $n0\bar{m}$ )		( $\mathbf{c}/4$ )	( $\mathbf{a}/4$ )	( $\mathbf{c}/4$ )

Arithmetic class  $mm2P$ 

Serial No.	25	26	27	28	29	30	31	32	33	34	
Group type	$C_{2v}^1$	$C_{2v}^2$	$C_{2v}^3$	$C_{2v}^4$	$C_{2v}^5$	$C_{2v}^6$	$C_{2v}^7$	$C_{2v}^8$	$C_{2v}^9$	$C_{2v}^{10}$	
Group	$Pmm2$	$Pmc2_1$	$Pcc2$	$Pma2$	$Pca2_1$	$Pnc2$	$Pmn2_1$	$Pba2$	$Pna2_1$	$Pnn2$	
( $mn0$ )	$P112$	$P112_1$	$P112$	$P112$	$P112_1$	$P112$	$P112_1$	$P112$	$P112_1$	$P112$	
( $\bar{m}n0$ )								( $\mathbf{a}/4$ )			
( $0mn$ )		$P11m$	$P11m$	$P11b$	$P11m$	$P11b$	$P11n$	$P11m$	$P11a$	$P11n$	$P11n$
( $0\bar{m}n$ )				( $\mathbf{a}/4$ )	( $\mathbf{a}/4$ )				( $\mathbf{a}/4$ )	( $\mathbf{a}/4$ )	( $\mathbf{a}/4$ )
( $n0m$ )		$P11a$	$P11a$	$P11b$	$P11b$	$P11a$	$P11n$	$P11b$	$P11b$	$P11n$	
( $n0\bar{m}$ )						( $\mathbf{b}/4$ )		( $\mathbf{b}/4$ )	( $\mathbf{b}/4$ )	( $\mathbf{b}/4$ )	

Arithmetic classes  $222I$ ,  $mm2I$  and  $mmmI$ 

Serial No.	23	24	44	45	46	71	72	73	74		
Group type	$D_2^8$	$D_{2v}^9$	$C_{2v}^{20}$	$C_{2v}^{21}$	$C_{2v}^{22}$	$D_{2h}^{25}$	$D_{2h}^{26}$	$D_{2h}^{27}$	$D_{2h}^{28}$		
Group	$I222$	$I2_12_12_1$	$Imm2$	$Iba2$	$Ima2$	$Immm$	$Ibam$	$Ibca$	$Imma$		
( $mn0$ )	$I112$	$I112$	$I112$	$I112$	$I112$	$I112/m$	$I112/m$	$I112/b$	$I112/b$		
( $\bar{m}n0$ )		( $\mathbf{b}/4$ )									
( $0mn$ )		$I112$	$I11m$	$I11b$	$I11m$				$I112/b$		$I112/m$
( $0\bar{m}n$ )		( $\mathbf{c}/4$ )					( $\mathbf{a}/4$ )				
( $n0m$ )	$I112$		$I11a$	$I11b$		$I112/a$		$I112/m$			
( $n0\bar{m}$ )	( $\mathbf{a}/4$ )							( $\mathbf{a} + \mathbf{b} + \mathbf{c}/4$ )			

Arithmetic class  $mmmP$

Serial No.	47	48		49	50	
Group type	$D_{2h}^1$	$D_{2h}^2$		$D_{2h}^3$	$D_{2h}^4$	
Group	$Pmmm$	$Pnnn$		$Pccm$	$Pban$	
		Origin 1	Origin 2		Origin 1	Origin 2
$(mn0)$	$P112/m$	$P112/n$ [[ <b>a</b> + <b>b</b> + <b>c</b> ]/4]	$P112/n$	$P112/m$	$P112/n$	$P112/n$
$(\bar{m}n0)$					[[ <b>a</b> + <b>b</b> ]/4]	
$(0mn)$				$P112/b$	$P112/a$	$P112/a$
$(0\bar{m}n)$					[[ <b>a</b> + <b>b</b> ]/4]	
$(n0m)$				$P112/a$	$P112/b$	$P112/b$
$(n0\bar{m})$					[[ <b>a</b> + <b>b</b> ]/4]	

Serial No.	51	52	53	54	55	56
Group type	$D_{2h}^5$	$D_{2h}^6$	$D_{2h}^7$	$D_{2h}^8$	$D_{2h}^9$	$D_{2h}^{10}$
Group	$Pmma$	$Pnna$	$Pmna$	$Pcca$	$Pbam$	$Pccn$
$(mn0)$	$P112/a$	$P112/a$	$P112_1/a$	$P112/a$	$P112/m$	$P112/n$
$(\bar{m}n0)$						
$(0mn)$	$P112_1/m$	$P112/n$	$P112/m$	$P112_1/b$	$P112_1/a$	$P112_1/b$
$(0\bar{m}n)$						
$(n0m)$	$P112/m$	$P112_1/n$	$P112/n$	$P112/a$	$P112_1/b$	$P112_1/a$
$(n0\bar{m})$						

Serial No.	57	58	59		60	61	62
Group type	$D_{2h}^{11}$	$D_{2h}^{12}$	$D_{2h}^{13}$		$D_{2h}^{14}$	$D_{2h}^{15}$	$D_{2h}^{16}$
Group	$Pbcm$	$Pnmm$	$Pmnm$		$Pbcn$	$Pbca$	$Pnma$
			Origin 1	Origin 2			
$(mn0)$	$P112_1/m$	$P112/m$	$P112/n$	$P112/n$	$P112_1/n$	$P112_1/a$	$P112_1/a$
$(\bar{m}n0)$			[[ <b>a</b> + <b>b</b> ]/4]				
$(0mn)$	$P112/a$	$P112_1/n$	$P112_1/m$	$P112_1/m$	$P112_1/a$		$P112_1/n$
$(0\bar{m}n)$			[[ <b>a</b> + <b>b</b> ]/4]				
$(n0m)$	$P112_1/a$				$P112/a$		$P112_1/m$
$(n0\bar{m})$							

Centring type C

Orientation orbit ( <i>hkl</i> )	Conventional basis of the scanning group <b>a'</b> <b>b'</b> <b>d</b>			Auxiliary basis of the scanning group <b>a</b> <b>b</b> <b>c</b>		
$(hk0)$	<b>c</b>	$n\hat{\mathbf{a}} - m\hat{\mathbf{b}}$	$p\hat{\mathbf{a}} + q\hat{\mathbf{b}}$	$(\mathbf{a} - \mathbf{b})/2$	$(\mathbf{a} + \mathbf{b})/2$	<b>c</b>
$(\bar{h}k0)$	<b>c</b>	$n\hat{\mathbf{a}} + m\hat{\mathbf{b}}$	$-p\hat{\mathbf{a}} + q\hat{\mathbf{b}}$			
$h$ even, $k$ odd or $h$ odd, $k$ even $\Rightarrow n = h + k, m = h - k$						
$h, k$ odd $\Rightarrow n = (h + k)/2, m = (h - k)/2$						
$(0mn)$	<b>a</b>	$nb - mc$	$pb + qc$	<b>b</b>	<b>c</b>	<b>a</b>
$(0\bar{m}n)$	<b>a</b>	$nb + mc$	$-pb + qc$			
$(n0m)$	<b>b</b>	$nc - ma$	$pc + qa$	<b>c</b>	<b>a</b>	<b>b</b>
$(n0\bar{m})$	<b>b</b>	$nc + ma$	$-pc + qa$			