

2.3. NEUTRON POWDER DIFFRACTION

References

- Abele, H., Dubbers, D., Häse, H., Klein, M., Knöpfler, A., Kreuz, M., Lauer, T., Märkisch, B., Mund, D., Nesvizhevsky, V., Petoukhov, A., Schmidt, C., Schumann, M. & Soldner, T. (2006). *Characterization of a ballistic supermirror neutron guide*. *Nucl. Instrum. Methods Phys. Res. A*, **562**, 407–417.
- Ahtee, M., Nurmela, M., Suortti, P. & Järvinen, M. (1989). *Correction for preferred orientation in Rietveld refinement*. *J. Appl. Cryst.* **22**, 261–268.
- Alvarez, L. W. & Bloch, F. (1940). *A quantitative determination of the neutron moment in absolute nuclear magnetons*. *Phys. Rev.* **57**, 111–122.
- Anderson, H. L., Booth, E. T., Dunning, J. R., Fermi, E., Glasoe, G. N. & Slack, F. G. (1939). *The fission of uranium*. *Phys. Rev.* **55**, 511–512.
- Anderson, I. S. & Schärpf, O. (2006). *International Tables for Crystallography*, Volume C, *Mathematical, Physical and Chemical Tables*, 1st online ed., edited by E. Prince, pp. 431–432. Chester: International Union of Crystallography.
- Arai, M. (2008). *J-Parc and the prospective neutron sciences*. *Pramana J. Phys.* **71**, 629–638.
- Arai, M. & Crawford, K. (2009). *Neutron sources and facilities. Neutron Imaging and Applications: a Reference for the Imaging Community*, ch. 2. Springer.
- Batkov, K., Takibayev, A., Zanini, L. & Mezei, F. (2013). *Unperturbed moderator brightness in pulsed neutron sources*. *Nucl. Instrum. Methods Phys. Res. A*, **729**, 500–505.
- Brown, P. J. (2006a). *Magnetic scattering of neutrons*. *International Tables for Crystallography*, Volume C, *Mathematical, Physical and Chemical Tables*, 1st online ed., edited by E. Prince, pp. 590–593. Chester: International Union of Crystallography.
- Brown, P. J. (2006b). *Magnetic form factors*. *International Tables for Crystallography*, Volume C, *Mathematical, Physical and Chemical Tables*, 1st online ed., edited by E. Prince, pp. 454–461. Chester: International Union of Crystallography.
- Buras, B. & Holas, A. (1968). *Intensity and resolution in neutron time-of-flight powder diffractometry*. *Nukleonika*, **13**, 591–619.
- Buras, B. & Leciejewicz, J. (1964). *A new method for neutron diffraction crystal structure investigations*. *Phys. Status Solidi B*, **4**, 349–355.
- Burcham, W. E. (1979). *Elements of Nuclear Physics*, in particular §11.7.2 and p. 353. New York: Longman.
- Caglioti, G., Paoletti, A. & Ricci, F. P. (1958). *Choice of collimators for a crystal spectrometer for neutron diffraction*. *Nucl. Instrum.* **3**, 223–228.
- Carlile, C. J. (2003). *The production of neutrons*. *Neutron Data Booklet*, 2nd ed., edited by A. J. Dianoux & G. Lander, §3.1. Grenoble: Institut Laue-Langevin.
- Carlile, C. J., Hey, P. D. & Mack, B. (1977). *High-efficiency Soller slit collimators for thermal neutrons*. *J. Phys. E Sci. Instrum.* **10**, 543–546.
- Carpenter, J. M. (1977). *Pulsed spallation neutron sources for slow neutron scattering*. *Nucl. Instrum. Methods*, **145**, 91–113.
- Chadwick, J. (1932). *The existence of a neutron*. *Proc. R. Soc. London Ser. A*, **136**, 692–708.
- Chatterji, T. (2006). Editor. *Neutron Scattering from Magnetic Materials*. Amsterdam: Elsevier BV.
- Convert, P. & Chieux, P. (2006). *Thermal neutron detection*. *International Tables for Crystallography*, Volume C, *Mathematical, Physical and Chemical Tables*, 1st online ed., edited by E. Prince, pp. 644–652. Chester: International Union of Crystallography.
- Cussen, L. D. (2000). *Resolution calculations for novel neutron beam elements*. *J. Appl. Cryst.* **33**, 1393–1398.
- Cussen, L. D. (2016). *Optimizing constant wavelength neutron powder diffractometers*. *Nucl. Instrum. Methods Phys. Res. A*, **821**, 122–135.
- Cussen, L. D., Nekrassov, D., Zandler, C. & Lieutenant, K. (2013). *Multiple reflections in elliptic neutron guide tubes*. *Nucl. Instrum. Methods Phys. Res. A*, **705**, 121–131.
- Cussen, L. D., Vale, C. J., Anderson, I. S. & Høghøj, P. (2001). *Tests of a silicon wafer based neutron collimator*. *Nucl. Instrum. Methods Phys. Res. A*, **471**, 392–397.
- Day, D. H. & Sinclair, R. N. (1969). *A pulsed neutron diffraction measurement of preferred orientation in pressed powder compacts of bismuth seleno-telluride*. *J. Phys. C Solid State Phys.* **2**, 870–873.
- Dollase, W. A. (1986). *Correction of intensities for preferred orientation in powder diffractometry: application of the March model*. *J. Appl. Cryst.* **19**, 267–272.
- Dowty, E. (1999). *ATOMS*. Version 5.0.7. Shape Software, Kingsport, Tennessee, USA.
- Dunning, J. R., Pegram, G. B., Fink, G. A., Mitchell, D. P. & Segrè, E. (1935). *Velocity of slow neutrons by mechanical velocity selector*. *Phys. Rev.* **48**, 704.
- Fermi, E., Amaldi, E., D'Agostino, O., Rasetti, F. & Segrè, E. (1934). *Artificial radioactivity produced by neutron bombardment*. *Proc. R. Soc. London Ser. A*, **146**, 483–500.
- Fermi, E., Amaldi, E., D'Agostino, O., Pontecorvo, B., Rasetti, F. & Segrè, E. (1934). *Azione di sostanze idrogenate sulla radioattività provocata da neutroni*. *I. Ric. Sci.* **5**, 282–283.
- Fermi, E., Marshall, J. & Marshall, L. (1947). *A thermal neutron velocity selector and its application to the measurement of the cross section of boron*. *Phys. Rev.* **72**, 193–196.
- Finger, L. W., Cox, D. E. & Jephcoat, A. P. (1994). *A correction for powder diffraction peak asymmetry due to axial divergence*. *J. Appl. Cryst.* **27**, 892–900.
- Fischer, P., Frey, G., Koch, M., Könnecke, M., Pomjakushin, V., Schefer, J., Thut, R., Schlumpf, N., Bürge, R., Greuter, U., Bondt, S. & Berruyer, E. (2000). *High-resolution powder diffractometer HRPT for thermal neutrons at SINQ Physica B*, **276–278**, 146–147.
- Fitzpatrick, M. E. & Lodini, A. (2003). *Analysis of Residual Stress by Diffraction Using Neutron and Synchrotron Radiation*. Boca Raton: CRC Press.
- Forrester, J. S. & Kisi, E. H. (2004). *Ferroelastic switching in a soft lead zirconate titanate*. *J. Eur. Ceram. Soc.* **24**, 595–602.
- Forrester, J. S., Kisi, E. H. & Studer, A. J. (2005). *Direct observation of ferroelastic domain switching in polycrystalline BaTiO₃ using in situ neutron diffraction*. *J. Eur. Ceram. Soc.* **25**, 447–454.
- Friedrich, H., Wagner, V. & Wille, P. (1989). *A high-performance neutron velocity selector*. *Physica B*, **156–157**, 547–549.
- Hahn, O. & Strassmann, F. (1939). *Über den Nachweis und das Verhalten der bei der Bestrahlung des Urans mittels Neutronen entstehenden Erdalkalimetalle*. *Naturwissenschaften*, **27**, 11–15.
- Hakonen, P., Lounasmaa, O. V. & Oja, A. (1991). *Spontaneous nuclear magnetic ordering in copper and silver at nano- and picokelvin temperatures*. *J. Magn. Magn. Mater.* **100**, 394–412.
- Halban, H. von, Joliot, F. & Kowarski, L. (1939). *Number of neutrons liberated in the nuclear fission of uranium*. *Nature*, **143**, 680.
- Halban, H. von & Preiswerk, P. (1936). *Preuve expérimentale de la diffraction des neutrons*. *C. R. Acad. Sci. Paris*, **203**, 73.
- Häse, H., Knöpfler, A., Fiederer, K., Schmidt, U., Dubbers, D. & Kaiser, W. (2002). *A long ballistic supermirror guide for cold neutrons at ILL*. *Nucl. Instrum. Methods Phys. Res. A*, **485**, 453–457.
- Hayter, J. B. & Mook, H. A. (1989). *Discrete thin-film multilayer design for X-ray and neutron supermirrors*. *J. Appl. Cryst.* **22**, 35–41.
- Hewat, A. W. (1975). *Design for a conventional high-resolution neutron powder diffractometer*. *Nucl. Instrum. Methods*, **127**, 361–370.
- Hewat, A. W. & Bailey, I. (1976). *DIA, a high resolution neutron powder diffractometer with a bank of Mylar collimators*. *Nucl. Instrum. Methods*, **137**, 463–471.
- Hill, R. J. & Howard, C. J. (1987). *Quantitative phase analysis from neutron powder diffraction data using the Rietveld method*. *J. Appl. Cryst.* **20**, 467–474.
- Hill, R. J. & Madsen, I. C. (1984). *The effect of profile-step counting time on the determination of crystal structure parameters by X-ray Rietveld analysis*. *J. Appl. Cryst.* **17**, 297–306.
- Hill, R. J. & Madsen, I. C. (1986). *The effect of profile step width on the determination of crystal structure parameters and estimated standard deviations by X-ray Rietveld analysis*. *J. Appl. Cryst.* **19**, 10–18.
- Howard, C. J. (1982). *The approximation of asymmetric neutron powder diffraction peaks by sums of Gaussians*. *J. Appl. Cryst.* **15**, 615–620.
- Howard, C. J., Ball, C. J., Davis, R. L. & Elcombe, M. M. (1983). *The Australian high resolution neutron powder diffractometer*. *Aust. J. Phys.* **36**, 507–518.
- Howard, C. J. & Kisi, E. H. (1999). *Measurement of single-crystal elastic constants by neutron diffraction from polycrystals*. *J. Appl. Cryst.* **32**, 624–633.
- Howard, C. J., Knight, K. S., Kennedy, B. J. & Kisi, E. H. (2000). *The structural phase transitions in strontium zirconate revisited*. *J. Phys. Condens. Matter*, **12**, L677–L683.
- Izyumov, Y. A. & Ozerov, R. P. (1970). *Magnetic Neutron Diffraction*. New York: Plenum Press.
- Jorgensen, J. D., Beno, M. A., Hinks, D. G., Soderholm, L., Volin, K. J., Hitterman, R. L., Grace, J. D., Schuller, I. K., Segre, C. U., Zhang, K. & Kleefisch, M. S. (1987). *Oxygen ordering and the orthorhombic-to-*

2. INSTRUMENTATION AND SAMPLE PREPARATION

- tetragonal phase transition in $YBa_2Cu_3O_{7-x}$. *Phys. Rev. B*, **36**, 3608–3616.
- Kennedy, S. J., Wu, E., Kisi, E. H., Gray, E. M. & Kennedy, B. J. (1995). Ordering of deuterium in $PdD_{0.65}$ at 54 K. *J. Phys. Condens. Matter*, **7**, L33–L40.
- Kimura, M., Sugawara, M., Oyamada, M., Yamada, Y., Tomiyoshi, S., Suzuki, T., Watanabe, N. & Takeda, S. (1969). Neutron Debye–Scherrer diffraction works using a linear electron accelerator. *Nucl. Instrum. Methods*, **71**, 102–110.
- Kisi, E. H. & Howard, C. J. (2008). *Applications of Neutron Powder Diffraction*. Oxford University Press.
- Kisi, E. H., Howard, C. J. & Hill, R. J. (1989). Crystal structure of orthorhombic zirconia in partially stabilized zirconia. *J. Am. Ceram. Soc.* **72**, 1757–1760.
- Kisi, E. H., Kennedy, S. J. & Howard, C. J. (1997). Neutron diffraction observations of ferroelastic domain switching and tetragonal-to-monoclinic transformation in Ce-TZP. *J. Am. Ceram. Soc.* **80**, 621–628.
- Kisi, E. H., Wensrich, C. M., Luzin, V. & Kirstein, O. (2014). Stress distribution in iron powder during die compaction. *Mater. Sci. Forum*, **777**, 243–248.
- Ma, Y., Kisi, E. H. & Kennedy, S. J. (2001). Neutron diffraction study of ferroelasticity in a 3 mol% Y_2O_3 - ZrO_2 . *J. Am. Ceram. Soc.* **84**, 399–405.
- Marseguerra, M. & Pauli, G. (1959). Neutron transmission probability through a curved revolving slit. *Nucl. Instrum. Methods*, **4**, 140–150.
- Marshall, W. & Lovesey, S. W. (1971). *Theory of Thermal Neutron Scattering: The Use of Neutrons for the Investigation of Condensed Matter*. Oxford: Clarendon Press.
- Maruyama, R., Yamazaki, D., Ebisawa, T., Hino, M. & Soyama, K. (2007). Development of neutron supermirrors with large critical angle. *Thin Solid Films*, **515**, 5704–5706.
- Masalovich, S. (2013). Analysis and design of multilayer structures for neutron monochromators and supermirrors. *Nucl. Instrum. Methods Phys. Res. A*, **722**, 71–81.
- Mason, T. E., Gawne, T. J., Nagler, S. E., Nestor, M. B. & Carpenter, J. M. (2013). The early development of neutron diffraction: science in the wings of the Manhattan Project. *Acta Cryst.* **A69**, 37–44.
- Meitner, L. & Frisch, O. R. (1939). Disintegration of uranium by neutrons: a new type of nuclear reaction. *Nature*, **143**, 239–240.
- Mezei, F. (1976). Novel polarized neutron devices: supermirror and spin component amplifier. *Commun. Phys.* **1**, 81–85.
- Mezei, F. (1997). The raison d'être of long pulse spallation sources. *J. Neutron Res.* **6**, 3–32.
- Mitchell, D. P. & Powers, P. N. (1936). Bragg reflection of slow neutrons. *Phys. Rev.* **50**, 486–487.
- Moisy-Maurice, V. N., Lorenzelli, N., De Novion, C. H. & Convert, P. (1982). High temperature neutron diffraction study of the order-disorder transition in TiC_{1-x} . *Acta Metall.* **30**, 1769–1779.
- Moore, M. J., Kasper, J. S. & Menzel, J. H. (1968). Pulsed LINAC neutron diffraction. *Nature*, **219**, 848–849.
- Noyan, I. C. & Cohen, J. B. (1987). *Residual Stress: Measurement by Diffraction and Interpretation*. New York: Springer.
- Oed, A. (1988). Position-sensitive detector with microstrip anode for electron multiplication with gases. *Nucl. Instrum. Methods Phys. Res. A*, **263**, 351–359.
- Oed, A. (2003). *Detectors for thermal neutrons*. Neutron Data Booklet, 2nd ed., edited by A. J. Dianoux & G. Lander, §3.3. Grenoble: Institut Laue–Langevin.
- Peters, J., Champion, J. D. M., Zsigmond, G., Bordallo, H. N. & Mezei, F. (2006). Using Fermi choppers to shape the neutron pulse. *Nucl. Instrum. Methods Phys. Res. A*, **557**, 580–584.
- Radaelli, P. G., Iannone, G., Marezio, M., Hwang, H. Y., Cheong, S. W., Jorgensen, J. D. & Argyriou, D. N. (1997). Structural effects on the magnetic and transport properties of perovskite $A_{(1-x)}A'_{(x)}MnO_3$ ($x = 0.25, 0.30$). *Phys. Rev. B*, **56**, 8265–8276.
- Rauch, H. & Waschkowski, W. (2003). *Neutron scattering lengths*. Neutron Data Booklet, 2nd ed., edited by A. J. Dianoux & G. Lander, §1.1. Grenoble: Institut Laue–Langevin.
- Riley, D. P., Kisi, E. H., Hansen, T. C. & Hewat, A. W. (2002). Self-propagating high-temperature synthesis of Ti_3SiC_2 : I, ultra-high-speed neutron diffraction study of the reaction mechanism. *J. Am. Ceram. Soc.* **85**, 2417–2424.
- Rodriguez, D. M., Kennedy, S. J. & Bentley, P. M. (2011). Properties of elliptical guides for neutron beam transport and applications for new instrumentation concepts. *J. Appl. Cryst.* **44**, 727–737.
- Rush, J. J. & Cappelletti, R. L. (2011). *The NIST Center for Neutron Research: Over 40 Years Serving NIST/NBS and the Nation*. National Institute of Standards Special Publication (NIST SP) 1120. National Institute of Standards, Gaithersburg, Maryland, USA.
- Sabine, T. M. (1985). Extinction in polycrystalline materials. *Aust. J. Phys.* **38**, 507–518.
- Schanzer, C., Böni, P., Filges, U. & Hils, T. (2004). Advanced geometries for ballistic neutron guides. *Nucl. Instrum. Methods Phys. Res. A*, **529**, 63–68.
- Schoenborn, B. P., Caspar, D. L. D. & Kammerer, O. F. (1974). A novel neutron monochromator. *J. Appl. Cryst.* **7**, 508–510.
- Sears, V. F. (2006). *Scattering lengths for neutrons*. International Tables for Crystallography, Volume C, Mathematical, Physical and Chemical Tables, 1st online ed., edited by E. Prince, pp. 444–454. Chester: International Union of Crystallography.
- Shull, C. G. (1995). Early development of neutron scattering. *Rev. Mod. Phys.* **67**, 753–757.
- Shull, C. G., Strauser, W. A. & Wollan, E. O. (1951). Neutron diffraction by paramagnetic and antiferromagnetic substances. *Phys. Rev.* **83**, 333–345.
- Shull, C. G., Wollan, E. O., Morton, G. A. & Davidson, W. L. (1948). Neutron diffraction studies of NaH and NaD. *Phys. Rev.* **73**, 842–847.
- Smith, R. I. et al. (2018). In preparation.
- Soller, W. (1924). A new precision X-ray spectrometer. *Phys. Rev.* **24**, 158–167.
- Soper, A. K., Howells, W. S., Hannon, A. C., Turner, J. Z. & Bowron, D. T. (2000). ATLAS – analysis of time-of-flight diffractometer data from liquid and amorphous samples. <http://www.wisis2.isis.rl.ac.uk/Disordered/Manuals/ATLAS%20manual%20and%20SSG.pdf>.
- Squires, G. L. (1978). *Introduction to the Theory of Thermal Neutron Scattering*. Cambridge University Press.
- Szilard, L. & Chalmers, T. A. (1934). Detection of neutrons liberated from beryllium by gamma rays: a new technique for inducing radioactivity. *Nature*, **134**, 494–495.
- Tamura, I., Aizawa, K., Harada, M., Shibata, K., Maekawa, F., Soyama, K. & Arai, M. (2003). Simulation for developing new pulse neutron spectrometers: creation of new McStas components of moderators of JSNS. JAERI Research Report 2003-008. JAERI, Japan.
- Tashmetov, M. Y., Em, V. T. E., Lee, C. H., Shim, H. S., Choi, Y. N. & Lee, J. S. (2002). Neutron diffraction study of the ordered structures of nonstoichiometric titanium carbide. *Physica B*, **311**, 318–325.
- Thomsen, K. (2014). Conceptual proposal for compound moderators with preferential emission directions. *Phys. Procedia*, **60**, 278–293.
- Tremsin, A. S., McPhate, J. B., Vallerger, J. V., Siegmund, O. H. W., Feller, W. B., Lehmann, E., Butler, L. G. & Dawson, M. (2011). High-resolution neutron microtomography with noiseless neutron counting detector. *Nucl. Instrum. Methods Phys. Res. A*, **652**, 400–403.
- Tremsin, A. S., McPhate, J. B., Vallerger, J. V., Siegmund, O. H. W., Kockelmann, A., Steuwer, A. & Feller, W. B. (2011). High-resolution neutron counting sensor in strain mapping through transmission Bragg edge diffraction. *IEEE Sens. J.* **11**, 3433–3436.
- Turchin, V. F. (1967). Deposited Paper, USSR Atomic Energy, 1967, p. 22.
- Vogt, T., Passell, L., Cheung, S. & Axe, J. D. (1994). Using wafer stacks as neutron monochromators. *Nucl. Instrum. Methods Phys. Res. A*, **338**, 71–77.
- Wensrich, C. M., Kisi, E. H., Luzin, V., Garbe, U., Kirstein, O., Smith, A. L. & Zhang, J. F. (2014). Force chains in monodisperse spherical particle assemblies: three-dimensional measurements using neutrons. *Phys. Rev. E*, **90**, 042203.
- Wensrich, C. M., Kisi, E. H., Zhang, J. F. & Kirstein, O. (2012). Measurement and analysis of the stress distribution during die compaction using neutron diffraction. *Granular Matter*, **14**, 67–680.
- Wilkins, S. W., Stevenson, A. W., Nugent, K. A., Chapman, H. & Steenstrup, S. (1989). On the concentration, focusing, and collimation of x-rays and neutrons using microchannel plates and configurations of holes. *Rev. Sci. Instrum.* **60**, 1026–1036.
- Willendrup, P., Farhi, E., Knudsen, E., Filges, U. & Lefmann, K. (2014). McStas: Past, present and future. *J. Neutron Res.* **17**, 35–43.
- Wollan, E. O. & Borst, L. B. (1945). *Physics Section III Monthly Report for the Period Ending December 31, 1944*, p. 37. Metallurgical Project Report No. M-CP-2222. Clinton Laboratories, Oak Ridge, Tennessee, USA.

2.3. NEUTRON POWDER DIFFRACTION

- Wollan, E. O. & Shull, C. G. (1948). *The diffraction of neutrons by crystalline powders*. *Phys. Rev.* **73**, 830–841.
- Worlton, T. G., Jorgensen, J. D., Beyerlein, R. A. & Decker, D. L. (1976). *Multicomponent profile refinement of time-of-flight neutron powder diffraction data*. *Nucl. Instrum. Methods*, **137**, 331–337.
- Wu, E., Kennedy, S. J., Gray, E. M. & Kisi, E. H. (1996). *The ordered structure of PdD_{0.78} at 70–75K*. *J. Phys. Condens. Matter*, **8**, 2807–2813.
- Zendler, C., Lieutenant, K., Nekrassov, D. & Fromme, M. (2014). *VITESS 3 – virtual instrumentation tool for the European Spallation Source*. *J. Phys. Conf. Ser.* **528**, 012036.
- Zhang, J. F., Wensrich, C. M., Kisi, E. H., Luzin, V., Kirstein, O. & Smith, A. L. (2016). *Stress distributions in compacted powders in convergent and stepped dies*. *Powder Technol.* **292**, 23–30.
- Zhao, J. K., Robertson, J. L., Herwig, K. W., Gallmeier, F. X. & Riemer, B. W. (2013). *Optimizing moderator dimensions for neutron scattering at the spallation neutron source*. *Rev. Sci. Instrum.* **84**, 125104.
- Zinn, W. H. (1947). *Diffraction of neutrons by a single crystal*. *Phys. Rev.* **71**, 752–757.
- Zinn, W. H. & Szilard, L. (1939). *Emission of neutrons by uranium*. *Phys. Rev.* **56**, 619–624.