

# Subject index

- A constraints 479  
Absolute phase abundances 349  
Absorption 209, 257  
  in *in situ* experiments 176  
  in multilayers 577  
  in multiphase samples 258  
  in thin films 581  
  neutron 220  
Absorption corrections  
  for anisotropic crystallites 577  
  for multilayers 577  
  in 2D diffraction 130  
Absorption–diffraction method of phase analysis 345, 350  
Absorption factor 581  
Accuracy  
  goniometer 34  
  in neutron diffraction 94  
  in quantitative phase analysis 350, 364, 374  
  of phase analysis using electron diffraction 110  
  of structural parameters 499  
  of temperature measurements 155  
Acid mine drainage 800  
Actinolite 889  
Active area of a detector 126  
Active pharmaceutical ingredient 767  
ADDSYM 506  
Adipocere 739  
Air scatter 15, 124, 131  
Alignment 224, 230  
Alite 856–857, 863  
Alloys 739  
ALLTRIALS 410  
Alumina 787–788, 820  
  NIST standard 236  
Alumina-toughened zirconia 823  
Aluminium acid sulfate 844  
Aluminium industry, Rietveld analysis in 782  
Amino acids, rigid-body representation of 731  
Amlodipine besylate 772  
Ammonium iron carbonate hydroxide 845  
Ammonium iron sulfide, (NH<sub>4</sub>)Fe<sub>2</sub>S<sub>3</sub> 311, 845  
Ammonium nitrate 335  
Amorphous materials 649, 673, 767, 771  
Amorphous phases 376, 382  
  effect on data clustering 329  
  in bauxite 783  
  quantitative determination of 360, 838  
Amoxicillin 311  
Amphiboles 889  
Analogue detectors 46  
Analyser crystals 56–57  
Analysis methods  
  for artworks 796  
  for planetary exploration 795  
  in mining and mineral processing 793  
  non-destructive 737, 743, 778, 796  
  through-the-bag 745  
Analytical standards 368  
Anatase 586  
Angular-dispersive diffraction, reaction cells for 194  
Angular resolution 49, 57, 62  
Anharmonic atomic displacements 484  
Anhydrite 856–858, 860–861  
Anisotropic peak broadening 445, 471  
  in zeolites 454  
Anisotropic strain broadening 259  
Annealing 150, 153  
Anomalous (resonant) scattering 62, 388, 479–480  
Anomalous small-angle X-ray scattering 689  
Anthoinite 886  
Anti-bump cost function 438  
Anti-bump restraints 460  
Antiferromagnetic ordering 66  
Antigorite 888  
Antiphase domain boundaries 296  
Antophyllite 889  
Aperiodic structures 486  
Apertures 40  
Arbitrarily defined cells method of texture analysis 560  
Archaeology 759, 805  
Archaeometry 759  
Area detectors 118, 125, *see also* two-dimensional detectors  
  spatial resolution of 127  
Art 759, 796, 805  
Asbestos 889  
Aspirin 333  
Asymmetry in peak profiles 240, 257, 264, 465, 467  
Atomic displacement parameters 10, 470, 498, *see also* Debye–Waller factors  
  conventions for 517  
  from electron-diffraction data 112  
Atomic form factors 10, 253, 475  
Atomic pair correlation function 676  
Atomic resolution 402, 405  
Atomic scattering factors 10, 253, 475  
Attenuation, in neutron diffraction 69, 95  
Attenuation coefficient 581  
Auricupride, Cu<sub>3</sub>Au 296  
Automated diffraction tomography 886  
Averaged alternating reflections (AAR) scheme 402  
Averaged macroscopic strain/stress 541  
Aviation engine valve deposit 310  
Avrami plot 831  
Axial direction 29  
Axial divergence 40, 58, 227, 240, 257, 264  
Azimuthal integration 9  
  
Back-loading sample holders 206  
Background 2, 15, 466, 469, 617  
  corrections for, in small-angle scattering 679  
  corrections for, in stress measurements 144  
  fitting 285, 493, 573  
  from extraneous sources 15  
  in neutron diffraction 86  
  in quantitative phase analysis 368  
  information content in 15  
  removal, for non-crystalline materials 623  
Bacteriorhodopsin 725, 727  
Ballistic guides 80  
Barbiturates 738  
Barium calcium antimonate 495, 507  
Barium iron titanate 815  
Barium magnesium silicate 831  
Barium neodymium copper oxide 825  
Barium strontium titanate 202, 495–496, 505–506  
Barium titanate 591  
Bassanite 857–858, 860–861  
Batteries 181, 193–194, 755, 806  
Bauxite 782  
Bayer process 782, 785, 787–788, 797  
Bayerite, Al(OH)<sub>3</sub> 352  
Bayesian probability theory 477  
Beam-path systems  
  components 30  
  hybrid 35  
  multiple 35  
  non-coplanar 35  
Beam quality 36  
Belite 856–857, 860  
Bending magnets 52  
Betpakdalite 886  
Bias 480  
Biaxial texture 590  
Bioavailability 768  
Bioceramics 810  
Biomaterials 161  
Biominerals 890  
Bismuth sodium lanthanum titanate 811  
Blended cements 857  
Bogue method 793  
Bond-valence analysis 503, 873  
Bone mineral 739  
Bonse–Hart optics 677  
Bounding cubes 612  
Bragg–Brentano geometry 27, 29, 124, 224, 628  
Bragg-edge imaging 764  
Bragg equation 2  
Bragg *R* factor 469  
Brass 739  
Bravais-lattice determination 277  
*Bremsstrahlung* 37, 71, 624  
Bridgman anvils 157–158  
Bridgman equation 825  
Briet–Dirac correction 631  
Brightness 36  
Brilliance 36  
Brindley correction for microabsorption 210, 258, 366  
Bubble model for non-crystalline materials 645  
Buckminsterfullerene 154  
Building units 442  
Bulk modulus 824  
Bulk-solvent correction, flat 319  
  
C test 328  
Cadmium selenide, CdSe 17  
Caesium thiocyanate 338  
Calcite 362, 375–376  
  magnesian calcite 309  
Calcium aluminate 857  
Calcium aluminate cements 859  
Calcium aluminoferrite 856  
Calcium cobaltate 818  
Calcium sulfoaluminate cements 859  
Calcium sulfobelite cements 860  
Calcium tartrate tetrahydrate 491, 497  
Calcium zinc silicate 829  
Calibration 235, 241  
Calinški–Harabasz test 328  
Cambridge algorithm 477  
Cambridge Structural Database (CSD) 313, 414, 434  
Canted antiferromagnetic ordering 881  
Canted ferromagnetic ordering 880  
Capillaries 57, 215  
  capillary reaction cells 190  
  for high-temperature studies 150  
Capillary optics 44  
Capsaicin 391  
Carbamazepine 435, 770  
Carbon dioxide, sequestration of 801, 889  
Cassiterite, SnO<sub>2</sub> 216  
Catalan blue 762  
Catalysis 754, 846  
Cauchy function 263  
CCP14 698  
Cefadroxil 776  
Cell parameters, *see* lattice parameters  
Cements 799, 855  
  hydration of 861  
  nomenclature 856  
  quantitative phase analysis 855  
  variable-temperature study 152  
Centre-of-mass mapping 607  
Ceramic films 819  
Ceramics 804  
  defects in 816  
  degradation of 822  
  glass-ceramics 828  
  in art and archaeology 805  
  microstructure 824  
  phase equilibria 813  
  phase identification 811  
  reaction mechanisms in 820  
  stress in 817  
  transformation toughening 822  
  types of 805  
Ceria 298, 534  
Cerium niobate 814  
Characteristic radiation 37  
Charge-coupled device (CCD) detectors 48, 59, 107, 126, 128  
Charge flipping 389, 402, 456, 482–483  
Charge transfer, in superconductors 872  
Chechevitsa anvils 158  
*checkCIF* 500, 509, 519  
Chemical reaction cells 189  
Chemical reasonableness of a model 496

## SUBJECT INDEX

- Chemometric data analysis 623, 626
- Chi squared 469, 489  
     cumulative plot 492
- Chi-squared hypersurface 421
- Chladniite 886
- Chromium chromate tetrachromate 407
- Chukanovite 886
- CIF (Crystallographic Information Framework) 515  
     data blocks 516  
     data items 515  
     data names 515  
     metadata 516  
     multiple data sets 516  
     multiple phases 516  
     standard uncertainties 517
- Cimetidine 387
- Clarithromycin 390
- Clathrate hydrates 844
- Clays 206, 356–359, 804, 843
- Clomipramine hydrochloride 407
- Close-packed compounds 443
- Cluster analysis 325, 797
- CMPR 517
- Coal 752
- Cobalt(II) acetate tetrahydrate 502
- Cobalt vanadium oxide,  $\text{Co}_3\text{V}_2\text{O}_8$  184
- Co-crystals 767–768
- Coesite 885
- Coherent diffraction intensity 682
- Coherent elastic neutron scattering 68
- Coherent scattering length density 68
- Collimation 40, 53–55, 80
- Collinear antiferromagnetic ordering 881
- Column-length distribution 531
- Combined analysis 555, 571
- Combined figures of merit 392
- Combi-optics 44
- Common volume function 526, 528
- Complementary metal–oxide–semiconductor (CMOS) detectors 48, 107
- Compliance 594
- Component method of texture analysis 560
- Compound refractive lens 56
- Compressed air energy storage 753
- Compressibility 824
- Compton scattering 19, 617, 631
- Computer programs, *see* software
- Cone and quartering technique 743
- Configuration factor 586
- Conograph 277
- ConQuest 313
- Conservation 759
- Constraints 469  
     in the maximum-entropy method 478  
     torsion-angle 436
- Contamination of evidence 741
- Contrast-variation small-angle neutron scattering 689
- Control rods 72
- Convolution theorem 289
- Convolutional multiple whole profile fitting 297
- Conway's topograph 275
- Coolants 153
- Coordinate systems, for multigrain crystallography 603
- Coordination polyhedra 410
- Copper oxide,  $\text{Cu}_2\text{O}$  299
- Copper phthalocyanine 836
- Copper(II)–Schiff base complex 279
- Cordierite 832
- Core–shell model for non-crystalline materials 641
- Core–shell particles 685
- Corina 435
- Correlation matrix 326
- Corrosion 202, 761, 822, 844
- Corundum 347
- Cosmetics 740
- Cost functions 419, 445  
     anti-bump 438
- Counterfeit medicines 777
- Counting detectors 46
- Counting statistics 9, 94
- Covariance matrix 467
- COVMAP approach 406
- Critical field 868
- Critical grazing angle 55, 588
- Critical temperature 868
- Crocidolite 890
- Cryogenic cooling 153, 721
- Cryostats 153
- Crysfire 278
- Crystal chemistry, use in structure determination 445
- Crystal habit 776
- Crystal packing 410
- Crystal screening for protein structure determination 723
- Crystal seeds 839
- Crystal-structure prediction 392, 439, 838
- Crystallinity 837  
     quantitative analysis of 145
- Crystallite size 13, 267, 575  
     in a vent-gas oxidation catalyst 852  
     in ceramics 816  
     in neutron diffraction 95  
     measuring in reflection or transmission 147  
     quantitative analysis of 145
- Crystallization of glass-ceramics 828
- Crystallization platforms 768
- Crystallographic Information Framework (CIF) 515
- Crystallographic orientation, representation of 609
- Crystallography Open Database (COD) 320
- CRYSTMET 318
- Cultural heritage 759
- Cumulative chi-squared plot 492
- Cuprite 887
- Curiosity rover 795
- Curved detectors, pixel positions 122
- Cyclic-fibre texture 565
- Cyclic-planar texture 565
- $d_{hkl}$  values 3, 270
- Darwin width 54–55
- DASH 415, 419, 426
- Data clustering 325, 797  
     amorphous samples 329  
     fuzzy clustering 333  
     in quantitative phase analysis 361  
     INDSCAL method 340  
     software 342  
     spectroscopic data 339
- Data collection 235  
     for electron diffraction 107  
     for organic pigments 835  
     for proteins 720  
     for stress analysis 143
- Data completeness, in high-pressure studies 161
- Data definition language (DDL) 515
- Data integration  
     for electron diffraction 107  
     for stress analysis 143  
     for two-dimensional diffraction 128  
     gamma 130  
     two-theta 130
- Data reduction 282  
     algorithms 282  
     for electron diffraction 107  
     for high-pressure studies 167  
     for two-dimensional diffraction 128  
     in pair distribution function analysis 663  
     in small-angle scattering 679
- Data visualization 325, 329  
     grand tour 331  
     minimum spanning trees 331  
     parallel-coordinates plots 330  
     silhouettes 331
- Databases 304
- Debye–Bueche model 683
- Debye cones 28
- Debye equation 261, 619, 650, 676
- Debye lattice function, effective 640
- Debye–Menke equation 621
- Debye–Menke intensity function 621
- Debye model 18, 617
- Debye rings 118  
     spotty 37, 145, 191, 201, 661
- Debye–Scherrer cones 7, 119
- Debye–Scherrer geometry 26, 29, 58, 743, 746  
     for non-ambient-temperature studies 154  
     peak shifts in 265
- Debye–Waller approximation 655
- Debye–Waller factors 253, 475  
     negative 258
- Decafluoroquarterphenyl 279
- Defocusing effects 134, 572
- Deformation electron density 477
- Deformation faults 295
- Degradation of ceramics 822
- Delaunay reduction 277
- Dendrograms 327
- Density-functional theory 439, 448, 501, 509, 769
- Detection limit 128
- Detective quantum efficiency 45, 127
- Detector circle 29
- Detector dead time 46, 84
- Detector efficiency 83
- Detector linearity 45
- Detector position 121
- Detector resolution 133
- Detector scan 33
- Detector space 121–123
- Detectors 46  
     active area 126  
     angular resolution 49  
     area 118, 125, 127  
     charge-coupled device (CCD) 48, 59, 107, 126, 128  
     complementary metal–oxide–semiconductor (CMOS) 48, 107  
     counting (digital) 46  
     detection limit 128  
     dynamic range 128  
     energy range of 127  
     for electrons 107  
     for *in operando* studies 175  
     for *in situ* studies 175  
     for neutrons 82, 87  
     for pair distribution function analysis 63  
     for synchrotron radiation 52  
     for X-rays 45  
     frame integration 130  
     gas-filled proportional counters 47, 83, 87, 175  
     integrating (analogue) 46, 128  
     microchannel plate 88  
     micro-gap 47  
     multi-analyser crystal detectors 175  
     multi-wire proportional counters 47, 83, 175  
     neutron scintillators 175  
     nonuniform response correction 129  
     photon-counting 27, 47, 128, 176  
     pixel size 126  
     point 225  
     position-sensitive 27, 56, 83, 225, 675, 677  
     scintillation 46, 83, 88  
     semiconductor 48, 83  
     silicon micro-strip 48  
     silicon pixel 48  
     spatial correction 129  
     spatial resolution 49  
     static, for *in situ* studies 150  
     strip detectors 175  
     two-dimensional 8, 59, 127, 175
- Devitrification 828–829
- Diamond-anvil cells 159–160, 886
- Diaryl pigments 835
- DICVOL06 277
- DICVOL91 276
- Dielectric susceptibility 588
- DIFFA 295
- Difference Fourier maps 404, 498
- Differential evolution 429
- Differential scattering cross section 253, 676
- Differential structure functions 658
- DIFFRAC.EVA 333
- Diffraction cones 7, 119
- Diffraction contrast tomography 601
- Diffraction elastic constants 546
- Diffraction geometry  
     Bragg–Brentano 27, 29, 124, 224, 628  
     Debye–Scherrer 26, 29, 154, 743, 746  
     focal construct 742  
     for multigrain crystallography 603  
     Gandolfi 746

## SUBJECT INDEX

- Diffraction plane 28  
 Diffraction power 104  
 Diffraction rings 118  
 Diffraction space 119  
 Diffraction stress factors 542  
 Diffraction vector 120  
 Diffraction-vector cones 120  
 Diffractometer circle 29  
 Diffractometer plane 118  
 Diffractometers  
   alignment of 230  
   at synchrotron sources 56  
   Bragg–Brentano 27, 29, 124, 224, 628  
   calibration of 241  
   Debye–Scherrer 26, 58  
   for energy-dispersive diffraction 59  
   for engineering studies 88  
   for residual stress studies 88  
   Hart–Parrish design 58  
   laboratory X-ray 224  
   neutron 80, 84, 86, 91, 254  
   portable 761, 763, 778  
   synchrotron X-ray 56  
 Diffuse scattering 617  
   elastic coherent 16  
   inelastic coherent 18  
   monotonic Laue 19, 68, 651  
   thermal 18, 691  
 Digital detectors 46  
 Dioxazine pigment 838  
 Direct lattice 270  
 Direct methods 387–388, 396, 456  
 Direct-space methods 442  
 Dislocations 293  
 Disorder 446, 459, 484, 772  
 Disordered materials 673  
 Disordered structures 681  
 Distance between two orientations 612  
 Distance matrix 326  
 Distorted-wave Born approximation 690  
 Divergent refinements 470  
 Domain boundaries 296  
 Domain shape 292  
 Domain size 255, 292, 524  
   apparent size 526  
   Fourier methods 526  
   from electron-diffraction data 112  
   in organic pigments 837  
   mean 531  
 Domain-size distributions 524  
   analytical 533  
   column-length distribution 531  
   Fourier methods 531  
   gamma distribution 533  
   histogram model 534  
   lognormal distribution 533  
 Domed hot stage 153  
 Donnet–Jouanneaux function 570  
 Double-dependent anisotropic strain breadth 552  
 Dross 790  
 Drugs 738  
 Dynamic high-pressure generation 157  
 Dynamic range 46, 128  
 Dynamical occupancy correction 443  
 Dynamical scattering 104  
  
*E*-maps 399  
*EAGER* 428  
 Earth materials 886  
 Effective Debye lattice function 640  
*EFLECH/INDEX* 275  
 Eigenvalue analysis 327  
 Elastic coherent diffuse scattering 16  
 Elastic constants 538  
   diffraction 546  
   macroscopic 576  
   single-crystal 546  
   stiffness 539  
 Elastic strain, representation of 613  
 Electric fields, powder diffraction under 174  
 Electrochemical alloying 182  
 Electrochemical cells 181, 192, 196, 755  
 Electrolytic bath 788  
  
 Electron-density distributions 473, 480, 639  
   accurate, from maximum-entropy method 485  
   depth-resolved, in thin films 594  
 Electron-density maps  
   from the maximum-entropy method 474  
   modification 404  
   non-nuclear maxima in 475  
 Electron detectors 107  
 Electron diffraction 102, 457  
   calibration 107  
   computer programs for 114  
   data collection, integration and processing 107  
   diffraction power 104  
   dynamical scattering 104  
   for proteins 732  
   intensities 103  
   kinematic approximation 104  
   multiple-scattering effects 102  
   nano-area 105  
   pair distribution function analysis 113  
   pattern geometry 103  
   phase analysis 108  
   phase identification 108  
   precession electron diffraction 104  
   preferred orientation in 112  
   radiation damage 103  
   sample preparation 106  
   selected-area 105  
   texture analysis 110  
   time-resolved 103  
   use of Powder Diffraction File 109  
 Electron energy filters 108  
 Electron lateral coherence length 105  
 Electron microscopy 105, 457  
 Emission profiles 228, 291  
 Empirical potential structure refinement 667  
*enCIFer* 518–519  
*Endeavour* 426  
 Energy conversion 752  
 Energy discrimination 46  
 Energy-dispersive diffraction 59, 254, 799  
   peak profiles 266  
   quantitative phase analysis 362  
   reaction cells for 194  
 Energy-dispersive X-ray spectroscopy 572  
 Energy range of a detector 127  
 Energy resolution 46, 55  
 Energy storage 752  
 Engineering diffractometers 88  
 Entropy-maximization method of texture analysis 560  
 Environmental impact of mining and mineral processing 800  
 Epithermal neutrons 72  
 Equal-area projections 557  
 Equations of state 887  
 Equatorial divergence 40  
 Equatorial plane 28  
 Equipartition of peak intensities 283  
 Erionite-Na 890  
 Error-correcting codes 400, 403  
 Error plot 491  
 Estradiol 202  
 Ettringite 856, 863  
 Euler angles 609  
 Eulerian geometry 122  
 Evolutionary algorithms 391  
 Ewald construction 7  
 EWIMV method of texture analysis 110, 560  
 EXAFS 19  
 Excipients 738  
 Excitation error 104  
 Excluded volume 418  
 Exhaustive indexing methods 273  
 Expected *R* factor 468, 489  
 Experiment constant 348, 355  
 Explosives 740  
*EXPO* 278, 406–407, 410, 456  
 Exponential harmonics method for texture analysis 561  
 Extended convolutional multiple whole profile fitting 297  
 Extended solids 442  
 External standard method 349  
  
 Extinction 209–211, 260, 480  
 Extinction length 261  
 Extinction symbols 416  
 Extrapolated structure factors 389  
  
*F* constraints 476, 478, 480, 485  
*F<sub>N</sub>* criterion 271  
 Faber–Ziman formalism 651  
 Famotidine 391, 419, 421  
 Fast Fourier transform (FFT) methods 388  
 Fast iterative Patterson squaring (FIPS) 401  
 Fast neutrons 72  
 Faujasite 847, 849–850, 887  
 Fermi chopper 76  
 Ferrimagnetic ordering 880  
 Ferrite 857  
 Ferroelastic minerals 889  
 Ferroelectric ceramics 807  
 Ferroelectrics 177  
 Ferromagnetic ordering 880  
 Fexofenadine 769  
 FFT (fast Fourier transform) methods 388  
 Fibre texture 110, 565, 590  
 Fibrous minerals 889  
 Figures of merit 392, 398  
   for indexing 271–272  
 Film cameras 26  
 Filters 40, 55  
 Fink search method 305  
 FIPS (fast iterative Patterson squaring) 401  
 Fixed-target X-ray sources 38  
 Flat detectors, pixel positions 121  
 Flat-foil specimens 213  
 Flat prior 475  
 Fluid catalytic cracking 752  
 Fluorescence 32, 37, 41, 125, 129, 572  
 Flux 36  
 Flux density 36  
 Focal construct geometry 742  
*Focus* 455  
 FOMnew 280  
 Forensic science 737  
   contact trace materials 737  
   control specimen 737  
   instrumentation 742  
   specimen preparation 742  
   suspect specimen 737  
 Forward problem 11  
 Fossil fuels 752  
 Fourier maps 404, 468, 473–474  
 Fourier methods for determining domain size 526  
 Fourier methods for determining domain-size distributions 531  
 Fourier recycling 404  
 Fourier synthesis 399  
 Fourier transforms 10, 12  
*FOX* 419, 426  
*FOXGrid* 419  
 Frame integration 130  
 Frame overlap 75  
 Framework building 445  
 Framework structures 452  
 Fraunhofer approximation 10  
 Free-electron lasers 197, 731  
 Freely floating reflections 402  
 Fresnel coefficient 594  
 Friedel pairs 253  
 Fructose 375  
 Frustrated magnetic systems 184  
 Fuel cells 806  
 Full-width-at-half-maximum (FWHM) 12, 58, 84, 127, 238, 263  
*FullProf* 111, 278  
 Fundamental-parameters approach 12, 240, 265, 290  
 Fundamental zone 614  
 Fuzzy clustering 333, 798  
*Fzon* 278  
  
*G* constraints 478–479  
*GAIN* 277  
 Gamma integration 130  
 Gamma test 328  
 Gandolfi mode 746  
 Gas-filled proportional counters 47, 83, 87

## SUBJECT INDEX

- Gas hydrates 844  
 Gauge volume 88  
 Gaussian fibre components 561  
 Gaussian peak-shape functions 12, 240, 255, 263  
*GDASH* 419  
 Gels 673  
 Generalized *F* constraints 485  
 Generalized spherical harmonics 549, 559  
 Genetic algorithms 391, 428, 444  
   use in indexing 275  
*Genie* 520  
 Geology 156, 753  
 Geometric restraints 458  
*GEST* 428  
 Ghost correction 560  
 Gibbsite, Al(OH)<sub>3</sub> 352, 362  
 Gjerdingenite-Ca 886  
 Gjerdingenite-Na 886  
 Glancing-angle X-ray diffraction 760  
 Glass-ceramics 807, 828  
   crystallization 824, 828  
   devitrification 828  
   *in situ* studies 829  
   invert glasses 831  
   kinetics of formation 830  
   metastable phases 829–830  
   neutron powder diffraction 829  
   nucleation 828  
   phase separation 828  
   quantitative analysis 833  
   structure solution 830  
 Glass disease 823  
 Glass-forming methods 828  
 Glasses 673  
 Global optimization methods 275, 390, 424  
 Glucose 375  
 Gnomonic projection 612  
 Göbel mirrors 27, 43  
 Gold nanoparticles 656  
 Goniometer accuracy 34  
 Goniometer axes 32  
 Goniometer circle 29  
 Goniometer designs 32  
 Goniometer geometry 122  
 Goniometer precision 34  
 Goniometers 225, 231  
 Goodman & Kruskal's  $\gamma$  test 328  
 Goodness of fit 109, 416, 419, 469  
 Grain growth in ceramics 819  
 Grain mapping 601  
   volumetric 608  
*GRAINDEX* 605  
 Grand tour 331  
 Granularity 37, 95, 201–202, 258, *see also* particle statistics  
 Grazing-incidence diffraction 35, 213, 585, 754, 812  
 Grazing-incidence small-angle scattering 680, 690  
 Grazing-incidence X-ray scattering (GIXS) 597  
 Grid-search method of indexing 275  
 Ground glass 376  
 Group amplitude 479  
 Grunerite 889  
*GSAS* 466, 471  
   generation of CIFs 520  
   peak-shape functions 240, 247  
   preferred orientation 570–571  
   proteins 726, 729, 731  
   stress/strain studies 546, 553  
   texture analysis 557  
*GSAS2CIF* 518  
 Guaifenesin 500  
 Guinier approximation 683  
 Guinier cameras 27  
 Gull–Daniell algorithm 476  
 Gunshot residues 740  
 Gypsum 375, 855–858, 860–861
- Haematite 362  
 Half cells, electrochemical 181  
 Half-width-at-half-maximum (HWHM) 238  
 Hanawalt search method 304  
 Hard radiation 63  
 Harker sections 401  
 Harmonics 41, 82
- Hart–Parrish diffractometer design 58  
 Hat function 12  
 Heat treatment 150  
 Heavy-fermion superconductors 870  
 Height compensation 151  
 Hen egg-white lysozyme 389, 722, 725, 728–729  
 Hessian matrix 467  
 Heterogeneous materials 673  
 Hexaquaairon(II) tetrafluoroborate 503  
 Hexatriacontane 628  
 High-energy X-rays  
   advantages of 374  
   for capillary measurements 151  
 High-pressure generation 157  
 High-pressure studies 156  
   capillary reaction cells for 190  
   data corrections for 167  
   hydrostatic conditions 164  
   preferred orientation 164, 168  
   sample preparation 164  
   using neutron diffraction 166, 219  
   using synchrotron radiation 163  
   with variable temperature 160  
 High-temperature studies 97, 150, 761  
 High-throughput methods 325, 337, 742, 768, 797  
 Hill average model for stress/strain determination 545  
 Histogram matching 390–391, 402  
 Homogenized compliance 576  
 Hooke equations 539  
 Hot stage, domed 153  
 Humidity, control of 193  
 Hybrid beam-path systems 35  
 Hybrid compounds 443  
 Hybrid Monte Carlo method 391, 429  
 Hydrochlorothiazide 417  
 Hydrogen atoms, location of 410, 415, 438, 446, 498  
 Hydrogen bonding 410, 499, 509  
 Hydrogen storage 196, 752, 820  
 Hydrostatic pressure 164  
 Hydrostatic state 546  
 Hydrothermal reaction cells 196  
 Hydroxyapatite 739, 816  
 Hyperphases 404
- Ibuprofen 388, 406, 634  
 Ideal powder 7, 26  
*ImageD11* 606  
 Impurities 466, 468  
   effect on indexing 274  
   in zeolites 454  
*In operando* studies 150, 181, 193  
*In situ* crystallization 165  
*In situ* studies 150, 189, 602  
   absorption in 176  
   background minimization 16  
   batteries 755  
   catalysts 852  
   ferroelectrics 177  
   glass-ceramics 829  
   in art and archaeology 761  
   minerals 886  
   pharmaceuticals 778  
   quantitative phase analysis 361  
   using neutron diffraction 67, 89, 96  
   using synchrotron radiation 63  
 Incident-beam monochromators 225  
 Incoherent scattering 19  
   neutron 177  
 Incomplete structural models 430  
 Independent-atom model (IAM) 475  
 Index-heuristics strategy 274  
 Index of refraction 588  
 Index permutation 274  
 Index space 273  
 Indexing 11, 270  
   basic equation for 271  
   effect of impurity peaks 274  
   figures of merit 271–272  
   geometrical ambiguities 272  
   in multigrain crystallography 605  
   methods 273, 275  
   of multiphase samples 445  
   of pharmaceuticals 768
- Indexing (*continued*)  
   of proteins 726  
   of zeolites 454  
   software for 275  
   using Pawley or Le Bail methods 286  
 Individual differences scaling (INDSCAL) method 340  
 Indomethacin 632, 642, 772  
 Inelastic coherent diffuse scattering 18  
 Information depth 587  
 Informational entropy 473  
 Inorganic compounds, structure determination 442  
 Inorganic Crystal Structure Database (ICSD) 314  
 Insertion devices 53  
 Instrument calibration 241  
 Instrument control software 31  
 Instrument performance 238  
 Instrument profile function 224  
 Instrument response 240, 256, 627  
 Instrumental peak broadening 256, 291, 526, 572  
 Instrumental uncertainty 235  
 Instrumentation  
   CheMin 795  
   COSMA 799  
   Duetto 796  
   for forensic science 742  
   for laboratory X-ray scattering 26  
   for mining and mineral processing 794  
   for two-dimensional diffraction 124  
   platform concept 28  
   portable instrumentation 795  
   Terra 796  
 Insulin 724, 726, 731  
 Integral breadth 255, 288, 524, 526, 541  
 Integrating detectors 46, 128  
 Intellectual-property rights 768, 773  
 Intensity correction factors 11  
 Intensity extraction 282, 284, 395  
 Intensity normalization, for non-crystalline materials 623  
 Intercalation 182  
 Interface roughness 597  
 Intergranular strain 540  
 Intermetallic phases 450  
 Intermolecular distance constraints 438  
 Internal standard method 346, 350  
 Internal standards 346, 466, 770  
 International Centre for Diffraction Data (ICDD) 304  
 Inverse pole figures 562  
 Inverse problem 11  
 Invert glasses 831  
 Iron, texture analysis of 568  
 Iron-based superconductors 869, 874  
 Iron(II) oxide 814  
 Iron(III) oxide 814  
 Isocracker sludge 311  
 Isomorphous replacement 389, 728  
 Isotope incoherent scattering 68  
 Isotopic substitution 66  
*ITO* 276
- Jadarite 886  
 Jarosite 801  
 JMAK method 830  
 Johansson focusing optic 225  
 Johnson–Vand search algorithm 305  
 Joint Committee on Powder Diffraction Standards (JCPDS) 304
- K $\beta$*  filters 40  
 Kagomé systems 184  
 Kapton 152, 213, 217, 722  
 Kinematic approximation 104, 253  
 Kinetic studies 94, 192  
   of glass formation 830  
 Kirkpatrick–Baez mirror arrangement 56  
 Kramers–Kronig relation 62, 658  
 Kroner model for stress/strain determination 545
- Laboratory coordinates 119  
 Lactose 375  
 Lagrange multipliers 476  
 Lakargiite 886

## SUBJECT INDEX

- Lamp furnaces 152  
 Lanthanum barium copper oxide 873  
 Lanthanum calcium manganate 815  
 Lanthanum hexaboride, NIST standard 236  
 Lanthanum strontium copper oxide 338  
 Laplace transform 588, 593  
 Larmor diffraction 174  
 Lattice defects, in neutron diffraction 95  
 Lattice distortions 293  
 Lattice-energy minimization, organic pigments 837–838  
 Lattice parameters 5, 270  
   accuracy and precision of 466, 499  
   certified 236  
   changes in 174  
   for proteins 319  
   from electron-diffraction data 111  
   from Pawley and Le Bail methods 283–286  
   refinement of 470  
   standardized 316  
 Lattice planes 2  
 Laue equation 6  
 Laue monotonic scattering 19, 68, 651  
 Layer texture 590  
 Layered double hydroxides, intercalation of 192  
 Le Bail method 283–284, 395, 468, 478  
 Lead zirconate-titanate 177  
 Least-squares refinement 20, 109, 263, 405, 467  
 Levitation 219  
 Likelihood function 403  
 Limit of detection 379, 627, 771  
 Limit of quantification 379, 771  
 Line-profile analysis 288, 524, 543  
 Line-profile standards 291  
 Linear absorption coefficients 203, 257  
 Linear electron accelerators (LINACs) 71  
 Liouville's theorem 124  
 Liquid-helium cryostat 96  
 Liquid-metal-jet X-ray sources 39  
 Lithiated graphite 182  
 Lithium aluminium silicate, LiAlSi<sub>2</sub>O<sub>6</sub> 830  
 Lithium-ion batteries 181, 196  
 Lithium nickel oxide, LiNiO<sub>2</sub> 182  
 Lithium silicate, Li<sub>2</sub>SiO<sub>3</sub> 832  
 Lithium silicate, Li<sub>4</sub>SiO<sub>4</sub> 832  
 Local minimization 391  
 Local structure 22, 617, 674  
   of ceramics 813  
   of organic pigments 839  
 Localization corrections 557  
 Locard's exchange principle 737  
 Lorentz corrections 130  
 Lorentzian fibre components 561  
 Lorentzian peak-shape function 12, 240, 255, 263  
 Low-temperature structures 150, 770  
  
*M*<sub>20</sub> figure of merit 271  
 Macromolecules 718  
 Macroscopic elastic constants 576  
 Macroscopic strain 541–543  
 Macroscopic stress 541–543  
 Magic angle spinning NMR 454  
 Magnesian calcite 309  
 Magnesium aluminate 824  
 Magnesium borohydride 449  
 Magnesium perchlorate hydrate, Mg(ClO<sub>4</sub>)<sub>2</sub>·*n*H<sub>2</sub>O 193  
 Magnetic ceramics 808  
 Magnetic fields  
   diffraction under 174, 183  
   pulsed 183  
 Magnetic form factors 69  
 Magnetic interaction vector 70  
 Magnetic lattices 881  
 Magnetic polarization 567  
 Magnetic polarization orientation distribution 567, 569  
 Magnetic pole figures 567  
 Magnetic quantitative texture analysis 567  
 Magnetic scattering 18, 66, 254, 465  
 Magnetic scattering lengths 69  
 Magnetic small-angle neutron scattering 689  
 Magnetic structure factor 254  
 Magnetic superconductors 870, 878–879  
  
 Magnetic symmetry 881  
 Magnetic systems, frustrated 184  
 Magnetoelectric materials 184  
 Magnon dispersion curves 18  
 Mail-in services 51, 67  
 Manganese, quantification in bauxite 785  
 Manganese oxide, antiferromagnetic ordering 66  
 Manganites, magnetic phase transitions in 185  
 Mannitol 619, 638, 640, 643  
 March–Dollase model 260, 377–388, 400, 569–570  
 March function 569  
 Mars, mineralogy of 890  
 Mass absorption coefficients 257, 582  
 Matrix-flushing method 347, 352  
 Matrix technique for reflectivity of multilayers 596  
 MAUD 110, 547, 571, 573, 577  
 Maximum-entropy methods 389, 403, 473  
   Cambridge algorithm 477  
   combined with the Rietveld method 482  
   extensions of 485  
   *F* constraints 476, 478, 480, 485  
   *G* constraints 478–479  
   Gull–Daniell algorithm 476  
   nuclear-weighted X-ray 484  
   phasing tree 403  
   Sakata–Sato algorithm 477  
   size-distribution analysis 688  
   two-channel MaxEnt method 477  
   valence-only MaxEnt method 477  
 Maximum-likelihood methods 391, 430  
 Maya blue 762  
 Mayaro virus 719, 727  
*McM*<sub>20</sub> figure of merit 271  
*McMaille* 278  
 MDASH 419  
 Mean domain size 531  
 Melkovite 886  
 Mendozavillite 886  
 Mercury 314  
 Merrill–Bassett diamond-anvil cell 160  
 Metadata 516  
 Metal–organic frameworks 449, 752  
 Metals 739  
 Metals data file (CRYSTMET) 318  
 Metamorphic petrology 885  
 Metastable phases, in glass-ceramics 829–830  
 Metric multidimensional scaling 328  
 Metropolis algorithm 20, 667  
 Mica 207  
 MICE 406  
 Microabsorption 209–210, 258  
   Brindley method 210, 258, 366  
   effect on quantitative phase analysis 366  
 Microchannel plate detector 88  
 Microdiffraction 119, 125, 128, 584, 756  
 Microfocus X-ray sources 38  
 Micro-gap detectors 47  
 Micronizing mills 205  
 Microreactors 190  
 Microscopic strain 541, 543  
 Microstrain 14, 267, 288  
   induced by milling 205  
 Microstrain broadening 721  
 Microstructure 2, 288  
   in art and archaeology 762  
   in ceramics 824  
   in proteins 721  
   in thin films 594  
 Miller indices 3, 5, 252, 270  
 Mineral physics 886  
 Mineral processing 793  
 Minerals 156, 885  
   deep-mantle minerals 887  
   dehydration of 887  
   ferroelastic 889  
   fibrous 889  
   in forensic analysis 739  
   mineral evolution 885  
   mineral paragenesis 885  
   negative thermal expansion in 887  
   new mineral species 885  
   phase transitions in 885, 888  
   polymorphism in 793  
   porous 887–888  
  
 Minerals (*continued*)  
   spontaneous strain in 888  
   thermoelastic behaviour 886  
   time-resolved experiments 885  
 Minimum spanning trees 331  
 Mining 793  
 Minkowski reduction 277  
 Mirrors 43, 55, 597  
   for neutrons 77–80  
   Göbel mirrors 27, 43  
 MISSYM 506  
 Mixed crystals 835  
 Modal torsion-angle constraints 436  
 Model building 390, 414  
   for zeolites 454  
 Modified direct methods 388  
 Modified March–Dollase approach 570  
 Modified tangent formula 388  
 Modulus sum function 388, 401  
 Mogul 435  
 Mogul Geometry Check 498, 500  
 Molecular connectivity 417  
 Molecular coordinate system 417  
 Molecular envelopes 390  
 Molecular replacement 390, 726  
 Molecular structures 414  
   parameterization of 417  
 Molecular symmetry, use in structure determination 390  
 Molecular volume 434  
 Monochromators 54, 225  
   cooling of 55  
   for neutrons 81  
   higher-order reflections 54  
   incident-beam 225  
   multiple-reflection 42  
   silicon crystal 55  
   single-reflection 41  
 Monotonic Laue diffuse scattering 19, 68, 651  
 Monte Carlo methods 426, 444, 667  
   for indexing 275  
   for orientation mapping 806  
 Montel optics 43  
 MOPAC2012 434  
 Morningstar–Warren approximation 652  
 Morphology 206  
 Mosaic crystal 82  
 Mosaic spread 82  
 Mullite 507  
 Multi-analyser crystal detector 175  
 Multi-anvil presses 158  
 Multichannel analysers 60  
 Multi-component materials 673  
 Multiferroics 184  
 Multigrain crystallography 601  
   centre-of-mass mapping 607  
   coordinate systems 603  
   crystal symmetry 613  
   diffraction geometry 603  
   indexing 605  
   setup 602  
   stress mapping 607  
   use of synchrotron radiation 602  
 Multilayer mirrors 43  
 Multilayers 581  
   absorption correction in 577  
 Multiphase samples  
   in CIF 516  
   indexing of 445  
   refinements of 466  
 Multiple anomalous dispersion 728  
 Multiple-beam-path systems 35  
 Multiple data sets  
   fitting 466  
   for protein structure determination 725  
   in CIF 516  
 Multiple scattering 210  
   corrections for, in small-angle scattering 679, 692  
   in electron diffraction 102, 113  
 Multiples of a random distribution (m.r.d.) 556  
 Multiplicity 8, 135, 144, 203, 253  
 Multivariate statistical analysis 756  
 Multivitamin supplement 312  
 Multi-wire proportional counters 83, 175

## SUBJECT INDEX

- Mutinaite 889  
 Mythen position-sensitive detectors 59, 63
- Nano-area electron diffraction (NAED) 105  
 Nanocrystalline organic pigments 839  
 Nanomaterials 649  
 Nanoparticles 649  
   form factor 654  
   gold 656  
 Nanoporous materials 649  
 Nanostructures 649  
   self-assembled 598  
 Narcotics 738  
 Natrobetpakdalite 886  
 Negative Debye–Waller factors 258  
 Negative thermal expansion 887  
 Neodymium cerium copper oxide 874  
 Nested neighbourhoods principle 397  
 Neutron absorption 220  
 Neutron absorption cross section 257  
 Neutron activation 220–221  
 Neutron choppers 75  
 Neutron collimators 77, 80  
 Neutron detectors 82, 87, 675, 677  
 Neutron diffraction 66  
   accuracy 94  
   background reduction 86  
   design of experiments 92  
   for studying cements 863  
   for studying glass-ceramics 829  
   high-pressure studies 166  
   high-temperature studies 97  
   in art and archaeology 764  
   *in situ* studies 96  
   monochromators 81  
   non-ambient-temperature studies 96  
   opposed-anvil cells 219  
   peak intensities 254  
   precision 94  
   quantitative phase analysis 67, 362  
   reaction cells for 195  
   resolution *versus* intensity 84  
   sample containers 96, 218  
   sample size 94, 218  
   specimen preparation 218  
   standards for 95  
   structure factors 70, 254  
   time-of-flight experiments 74, 465  
   under a magnetic field 174  
   under an electric field 174  
   under applied stress 98  
 Neutron diffractometers 80, 91, 254  
 Neutron guides 77  
   ballistic 80  
   characteristic wavelength 79  
 Neutron mirrors 77–80  
 Neutron nuclear structure factor 254  
 Neutron scattering  
   by different isotopes 220  
   coherent elastic 68  
 Neutron scattering cross sections 66, 68, 220  
 Neutron scattering lengths 66, 68, 220  
 Neutron sources 70  
   accelerator-based 71  
   fission reactors 72  
   for small-angle scattering 693  
   moderators 74  
   nuclear reactors 71  
   pulse shape 265  
   reactors 265  
   spallation 71, 73, 265  
 Neutron velocity selectors 75  
 Neutrons  
   attenuation of 69, 95  
   epithermal 72  
   fast 72  
   magnetic scattering of 66  
   polarized 82  
   properties of 66–67  
   refractive index for 68  
   thermal 66, 72  
*NEWMOD* 358  
 Nickel vanadium oxide, Ni<sub>3</sub>V<sub>2</sub>O<sub>8</sub> 184  
 Nifedipine 644  
 Niggli reduced cell 272  
 Non-ambient-temperature studies 150  
   capillary reaction cells for 190  
   under high pressure 160  
   using neutron diffraction 96  
 Non-bonded contacts 410  
 Non-coplanar beam-path systems 35  
 Non-crystalline materials 617, 673  
 Non-destructive analysis 737, 743, 778, 796  
 Non-framework species 459  
 Non-invasive techniques 760  
 Non-molecular compounds, structure determination 442  
 Non-nuclear maxima in electron-density maps 475  
 Nonuniform response correction 129  
 Norbornene 278  
 Nordstrandite, Al(OH)<sub>3</sub> 352  
 Normal probability plot 492  
 Normalized Rietveld plot 491  
 Normalized structure factors 396  
*N-TREOR09* 276  
 Nuclear coherent scattering lengths 254  
 Nuclear scattering 254  
 Nuclear-weighted X-ray maximum entropy method (NXMEM) 484  
 Nucleating agents 828  
 Nucleation of glass-ceramics 828
- Obradovicite 886  
 Observed Fourier map 404  
 Octahedral tilting 887  
 Opposed-anvils presses 157–158, 219  
 Optical bench 28–30  
 Order parameter 591  
 Organic pigments 834  
 Organic pollutants 888  
 Orientation background 560  
 Orientation component 555  
 Orientation distribution 555–556  
   magnetic 567  
 Orientation-distribution components 566  
   elliptical 566  
 Orientation distribution function 540, 556  
   stress 576  
   weighted-strain 576  
 Orientation element 556  
 Orientation mapping 608  
   by Monte Carlo optimization 608  
   grain-by-grain volumetric mapping 608  
 Orientation relationships 139  
 Orientation space 555, 606  
 Oven heaters 152  
 Oxygen stoichiometry in superconductors 874
- Paints 738  
 Pair distribution function analysis 16, 649  
   big-box modelling 666  
   buckminsterfullerene 154  
   choice of wavelength 62  
   data reduction 663  
   detectors for 63  
   in art and archaeology 764  
   models for 665  
   organic pigments 839  
   pharmaceuticals 772  
   rapid-acquisition 657, 660  
   real-space Rietveld approach 666  
   small-box approach 665  
   structural information from 664  
   using electrons 113, 661  
   using neutrons 659  
   using synchrotron radiation 660  
   using X-rays 660  
 Paper 740  
 Parallel-beam instruments 30, 56  
 Parallel-coordinates plots 330  
 Parallel-plate collimators 40  
 Parallel tempering 427, 455  
 Paramendozavilite 886  
 Parameter space 273  
 Parametric refinements 9, 22, 361, 467  
 Pareto optimization 392  
 Parratt function reflectivity profile 690  
 Parseval's theorem 420  
 Partial structure function 657  
 Particle form factor 676  
 Particle pair density distribution function 685  
 Particle statistics 34, 37, 134, 144, 201, *see also* granularity  
 Particle structure factor 687  
 Partition equation 405  
 Patents 768, 773  
 Pathology 739  
 Pattern matching 326  
 Patterson function 388, 400  
 Pawley method 283–284, 395, 468  
 pdCIF 515  
*pdCIFplot* 519  
*PDFgui* 655  
 Peak asymmetry 240, 257, 264, 465, 467  
 Peak broadening 226, 524, 538  
   crystallite size 267  
   deformation faults 295  
   dislocations 293  
   domain size and shape 292  
   in data from reaction cells 194  
   instrumental 291, 526, 572  
   microstrain 267  
   strain 293, 541, 552  
   twinning 295  
 Peak cutoff 495  
 Peak intensities 9, 345  
   for neutron diffraction 254  
   for X-ray diffraction 253  
 Peak overlap 8, 283–284, 395, 725  
 Peak positions 2, 252  
 Peak profiles 12, 236, 255, 263, 526  
   for constant-wavelength radiation 263  
   for neutron time-of-flight experiments 265–266  
   for X-ray energy-dispersive experiments 266  
   fundamental-parameters modelling 265  
   instrumental contributions to 256  
 Peak shift 264–265, 538, 541, 550, 573, 589  
 Peak-shape functions 239, 301  
   contributions to 240  
   Gaussian 12, 240, 255, 263  
   Lorentzian 240, 255, 263  
   Pearson-VII 240, 255, 263  
   pseudo-Voigt 240, 256, 263  
   Voigt 240, 256, 264  
 Pearson-VII peak-shape function 240, 255, 263  
 Pearson's Crystal Data 316  
 Pearson's *r* coefficient 325  
*Pendellösung* fringes 630  
 Penetration depth 587, 760  
 Pentacene 812  
 Periodic nodal surfaces 390  
 Perylene pigments 834  
 Petroleum and petrochemicals 752, 843  
 Pharmaceuticals 767  
   amorphous materials 767, 771  
   bioavailability 768  
   co-crystals 767–768  
   counterfeit 777  
   crystal habit 776  
   high-throughput screening 768  
   *in situ* studies 778  
   pair distribution function analysis 772  
   polymorphs 767, 774  
   quality control 773  
   quantitative phase analysis 769  
   salts 767–768  
   sample preparation 771  
   solubility 768  
   solvates 767  
   structure determination 769  
 Phase chaos 836  
 Phase constants 357  
   Knudsen method 353  
   standardless determination of 353  
   Zevin & Kimmel method 353–354  
 Phase equilibria in ceramics 813  
 Phase identification 304  
   ceramics 811  
   in art and archaeology 760  
   in thin films 582  
   pharmaceuticals 767  
   relative intensities 133

## SUBJECT INDEX

- Phase identification (*continued*)  
 using electron diffraction 108  
 using two-dimensional diffraction 133
- Phase inhomogeneities in thin films 584
- Phase separation in glass-ceramics 828
- Phase transitions 93, 97, 150, 156, 174
- Phases with partial or no known crystal structures (PONKCS) 356
- Phasing 397
- Phosphates 799
- Photographic film 27
- Photon-counting detectors 27, 47, 128, 176
- Photon energy 51
- Photonic ceramics 810
- Photovoltaics 753, 808
- Phyllosilicates 889
- Physical vapour deposition (PVD) 583
- Piezoelectric ceramics 808
- Pigments  
 forensic analysis 738  
 in art and archaeology 761  
 industrial organic 834  
 Pigment Orange 72 834  
 Pigment Red 57:1 837  
 Pigment Red 170 836, 838  
 Pigment Yellow 191 836  
 Pigment Yellow 213 839
- Piston-and-cylinder press 157
- Pixel position 121–122
- Pixel size 49, 126
- Planar texture 565
- Planetary surface analysis 795
- Plasma-enhanced chemical vapour deposition (PECVD) 583
- Plastics 740
- Platform concept 28
- Plumbojarosite 798
- PM2K* 297
- Point detectors 225
- Point-spread function 127
- Pokrovskite 886
- Polarization 253  
 of neutrons 82  
 of synchrotron radiation 60
- Polarization corrections 130
- Polarization factor 241, 253
- Pole density 136
- Pole-density distributions 400
- Pole-figure interpolation 139
- Pole-figure space 557
- Pole figures 136, 260, 556, 591  
 inverse 562  
 magnetic 567  
 normalization of 557  
 reduced 561
- POLPO method 408
- Polyamorphism 888
- Polyhedral compounds 443
- Polymers 673, 685, 740
- Polymorphism  
 in drugs 724, 738, 767, 774  
 in macromolecules 724  
 in minerals 793  
 in organic pigments 834–835
- PolySNAP* 333
- PONKCS method 356
- Ponsin 390, 727, 730
- Popa and Balzar approach to stress/strain determination 547
- Porod scattering regime 683
- Porous minerals 887–888
- Portable X-ray diffraction equipment 761, 763, 778
- Portland cements 856
- Portland clinkers 857
- Portlandite 856, 862
- Position-sensitive detectors  
 for neutrons 83  
 for small-angle scattering 677  
 for X-rays 27, 56, 225  
 Mythen 59, 63
- Positivity method for texture analysis 561
- Potassium titanyl phosphate 852
- Powder, definition of 26
- Powder diffraction CIF dictionary (pdCIF) 515
- Powder Diffraction File (PDF) 305  
 features of 307  
 for electron-diffraction data 109  
 forensic subfile 744  
 quality marks 306  
 sources and formats 306
- Powder-pattern calculation, for proteins 319  
*PowderSolve* 426, 769  
*PowDLL* 517  
*POWSIM* 406
- Pozzolanic activity 860
- Precession electron diffraction 104, 886
- Precision  
 goniometer 34  
 in neutron diffraction 94  
 in quantitative phase analysis 350, 364, 374–375  
 of structural parameters 499
- Prednisolone succinate 389
- Preferred orientation 260, 284, 400, 471  
 avoidance 206  
 correction for 206  
 effect on quantitative phase analysis 365  
 in capillary reaction cells 191  
 in cements 856  
 in ceramics 818  
 in electron diffraction 112  
 in high-pressure studies 164, 168  
 in neutron diffraction 95  
 in proteins 725  
 in semiconductor layers 593  
 March–Dollase approach 260, 377–378, 400, 569–570  
 modelling of 569  
 spherical-harmonic approach 260
- Pressure calibration 166
- Principal-component analysis 329, 798
- Prior-derived *F* constraints 480
- Prior electron density 474–475
- Prior information, use in structure determination 391
- Probability distribution functions 396
- Process analytical technology 773
- ProcessDiffraction* 110
- Procrystal electron density 475
- PRODD* 725–726
- Proportional counters 27, 46–47
- Proportionality of a detector 46
- Protein Data Bank (PDB) 318
- Proteins 318, 718  
 choice of wavelength 62  
 powder-pattern calculation 319  
 structure validation 508
- Pseudoephedrine 312
- Pseudophases 404
- Pseudotranslational symmetry 399
- Pseudo-Voigt peak-shape function 240, 256, 263
- pubCIF* 519
- Pulsed magnetic fields 183
- Pump–probe experiments 63, 176
- PyCifRW* 518
- Pyrotechnological processing 761
- $Q_{\text{partial}}$  figure of merit 271
- Quadratic form 271
- Qualitative phase analysis 796, 835
- Quality control 342, 745, 773
- Quantitative phase analysis 344  
 absolute phase abundances 349  
 absorption–diffraction method 345, 350  
 accuracy 350, 364, 374  
 background in 368  
 batch processing 361  
 calibration 356, 771  
 cements 855  
 ceramics 812  
 corundum as a reference material 347  
 crystallite-size issues 365  
 data clustering 361  
 disorder, treatment of 358  
 disordered heterogeneous materials 683  
 experiment constant 348, 355  
 external standard method 349  
 full-pattern fitting methods 348  
 glass-ceramics 833  
 in art and archaeology 760
- Quantitative phase analysis (*continued*)  
 in mining and mineral processing 797  
*in situ* studies 361  
 in the aluminium industry 782  
 internal standard method 346, 350  
 matrix-flushing method 347, 352  
 microabsorption 366  
 non-crystalline materials 360, 625  
 of phases with partial or no known crystal structures (PONKCS) 356  
 organic pigments 836  
 pharmaceuticals 769  
 phase constant 349, 357  
 precision 350, 364, 374–375  
 preferred orientation 365  
 reference intensity ratio method 347, 351  
 relative phase abundances 350  
 Rietveld-based methods 348, 352  
 sample preparation 365  
 spiking method 352  
 standards 368–369  
 systematic errors 364  
 using electron diffraction 108, 110  
 using energy-dispersive diffraction data 362  
 using Mo or Cu radiation 374  
 using neutron diffraction 67, 362  
 using synchrotron radiation 376  
 without Rietveld refinement 337  
 zeolite catalysts 846
- Quantitative texture analysis 555  
 arbitrarily defined cells method 560  
 component method 560  
 entropy-maximization method 560  
 EWIMV method 560  
 exponential harmonics method 561  
 fundamental equation for 558  
 Gaussian fibre components 561  
 Lorentzian fibre components 561  
 magnetic 567  
 positivity method 561  
 reciprocal-space mapping 566  
 spherical components 561  
 tutorials 578  
 using spherical harmonics 570  
 vector method 560  
 WIMV method 560
- Quantum theory of atoms in molecules (QTAIM) 485
- Quartet invariants 397
- Quartz 202, 375, 508, 784, 832
- Quasi-kinematic formalism 109
- Quaternions 611
- Quinacridone 835–836
- Quinacridonequinone 836
- R* factors 468  
 Bragg 469  
 expected 468, 489  
 weighted-profile 468, 489
- Radial distribution function 653
- Radiation damage 61, 103, 722
- Radon transform 562
- Raman spectroscopy 339, 342
- RAMM method 406
- Random texture 564
- Ranitidine hydrochloride 774
- Rapid-acquisition pair distribution function 657, 660
- Rasvumite,  $\text{KFe}_2\text{S}_3$  311
- Reaction cells  
 electrochemical 196  
 for angular-dispersive diffraction 194  
 for neutron diffraction 195  
 for solid–gas reactions 196  
 humidity control 193  
 hydrothermal 196  
 large-volume 194
- Reaction mechanisms in ceramics 820
- Reciprocal lattice 4, 252, 270
- Reciprocal space 4
- Reciprocal-space mapping 123, 566
- Red mud 785
- Reduced chi squared 469, 489
- Reduced pair distribution function 17
- Reduced pole distribution 541
- Reduced pole figures 561

## SUBJECT INDEX

- Reference electron density 474  
Reference intensity ratio method 347, 351  
Reflection sample holders 211  
Reflectivity 153, 594, 680  
Refraction matrix 596  
Refractive index 56, 588  
    for neutrons 68  
Relative intensities 133  
Relative phase abundances 350  
Reliability estimators for orientation distributions 563  
Remacemide nitrate 430  
REMEDY cycle 482  
Renewable energy sources 753  
Repartitioning method 402  
Repeatability 375  
Representation theory 397  
Reproducibility 375  
Residual strain 57, 575  
Residual stress 88, 575  
Resolution  
    angular 49, 62, 133, 174–175, 224, 485  
    energy 46, 55  
    of neutron diffractometers 84, 86, 93  
    spatial 49, 57, 62, 127  
    time 189  
Resolution bias modification 405, 408  
Resonant (anomalous) scattering 62, 388, 479–480  
Restrains 469, 497  
Reuss model for stress/strain determination 544  
Reverse Monte Carlo methods 444, 667  
Reversed figure of merit 272  
Reynolds Cup 370, 843  
Riebeckite 889  
Rietveld plot 491  
    normalized 491  
    weighted 492  
Rietveld refinement 19, 465  
    divergent 470  
    graphical assessment of fit 490  
    history of 465  
    order for refining parameters 470  
    statistical quality measures 489  
    using electron-diffraction data 111  
Rigid-body representation of amino acids 731  
Ring conformations 435  
*RMCprofile* 667  
Robax 830  
Rocking curve 33, 57, 591  
Rocks, properties of 843  
‘Rocks in dust’ 204  
Rodrigues vectors 610  
Rotating-target X-ray sources 39  
Rutile 586, 889  
  
Sakata–Sato algorithm 477  
Sample (*versus* specimen) 26  
Sample changers 56  
Sample holders  
    back-loading 206  
    capillaries 215  
    flat foils 213  
    for neutron diffraction 96, 218  
    for proteins 719  
    levitation 219  
    reflection 211  
    sonic vibrating 796  
    transmission 213  
    zero-background 742–743  
Sample space 122  
Sample spinning 57, 205  
Sample stages 34  
    for non-ambient studies 150–151, 153  
Sample temperature 152  
Sampling statistics, *see* particle statistics  
Sayre’s equation 396  
Scan/covariance indexing method 273  
Scan modes 32  
Scattering contrast factor 676  
Scattering cross section, for neutrons 66, 68, 220  
Scattering invariant 683  
Scattering lengths, for neutrons 66, 68, 220  
Scattering plane 28  
Scattering vector 5, 120, 254  
  
Scattering-vector technique for thin films 588, 594  
Scherrer constant 267, 288  
Scherrer equation 13, 146, 255, 288, 524, 543  
Scintillation detectors 46, 83, 88  
Scott’s Moss Control Granules 202  
Scrubber alumina 788  
Search/match procedures 304  
Second-neighbourhood extension 403  
Seemann–Bohlin geometry 27  
Selected-area electron diffraction (SAED) 105  
Self-assembled nanostructures 598  
Semiconductor detectors 48, 83  
Series-termination effects 405, 473–474, 655  
Serpentine minerals 888  
Serpentinites 890  
S-FFT approach 401  
Shale 843  
Shape effects in small- and wide-angle scattering 683  
Shape factor 255  
Shape function 654  
Sharpened Patterson functions 388  
Shirley–Ishida–Watanabe (SIW) indexing 274  
Silhouettes 331  
Silicon 629  
    nanocrystalline 645  
    standard reference material 236  
Silicon carbide 817  
Silicon micro-strip detectors 48  
Silicon nitride 817  
Silicon pixel detectors 48  
Sim weights 404  
Simulated annealing 20, 391, 426, 455, 667  
Simvastatin 634, 643  
 $\sin^2 \Psi$  method for stress/strain determination 545  
SINCRIS 698  
Single-crystal elastic constants 546  
Singular value decomposition 467  
*SIROQUANT* 357, 856  
Size distribution analysis 686  
Size Fourier term 527  
Small-angle neutron scattering 654, 673  
    background 679  
    calibration 679  
    contrast-variation 689  
    data reduction 679  
    fractal models 687  
    grazing-incidence 680  
    interparticle interference effects 687  
    magnetic 689  
    multiple scattering 679, 692  
    neutron sources 693  
    position-sensitive detectors 675, 677  
    shape effects 683  
Small-angle X-ray scattering 654, 673  
    anomalous 689  
    background 679  
    calibration 679  
    data reduction 679  
    fractal models 687  
    grazing-incidence 680, 690  
    interparticle interference effects 687  
    multiple scattering 679, 692  
    non-ambient studies 155  
    position-sensitive detectors 675, 677  
    shape effects 683  
    standard reference material 679  
Smear mounts 212  
Snell’s law of refraction 589, 595  
Sobek method 801  
Sodium parahydroxybenzoate 268  
Software 698  
    for data clustering 342  
    for electron diffraction 114  
    for indexing 275  
    for structure determination 406  
Soils 739  
Solar energy 753  
Solenoid magnets 183  
Solid solutions, organic pigments 835  
Solid-state NMR 437  
Soller collimators 40, 58, 81  
Solvent-accessible voids 434  
  
Space-group determination 416  
    ambiguity in 458  
    proteins 726  
    using Pawley or Le Bail methods 286  
    zeolites 454  
Spallation sources 71, 73, 265  
Spatial correction 129  
Spatial resolution 62  
    of a detector 49, 127  
Spearman’s rank order coefficient 325  
Specimen (*versus* sample) 26  
Specimen displacement 151, 211, 467, 470  
Specimen preparation 200, 415  
    for electron diffraction 106  
    for forensic science 742  
    for high-pressure studies 164  
    for neutron powder diffraction 218  
    for pharmaceuticals 771  
    for proteins 718  
    for quantitative phase analysis 365  
    for X-ray powder diffraction 200  
    in the aluminium industry 782  
Specimen transparency 265  
Spectral brightness 52  
Spectral reflection 43  
Spectroscopic data 339  
Spent potlining 790  
Spherical harmonics 547, 549, 559, 570  
Spiking method 352, 375  
Spin incoherent scattering 68  
Spinel 824  
Spodumene 824, 830  
Spontaneous strain, in minerals 888  
Spotty Debye rings 37, 145, 191, 201, 661  
Spray drying 208  
Squaring method 401  
Stacking disorder 358  
Standard reference materials (SRMs) 224, 235  
    certificates of analysis 235  
    for line profiles 291  
    for neutron diffraction 95  
    for non-crystalline materials 624  
    for quantitative phase analysis 369  
    for small-angle X-ray scattering 679  
Standard uncertainties 517  
STAR syntax 515  
Static high-pressure generation 157  
Static weights 485  
Stein’s unbiased risk estimate 326  
Step size 238  
Stereochemical restraints, in proteins 729  
Stiffness 594  
Stiffness elastic constants 539  
Stishovite 889  
Stopping criterion 485  
Storage rings 51  
Strain 256, 538  
    Hill average model 545  
    in cultural-heritage materials 762  
    in thin layers 593  
    intergranular 540  
    Kroner model 545  
    macroscopic 541–542  
    microscopic 541, 543  
    Popa and Balzar approach 547  
    Reuss model 544  
     $\sin^2 \Psi$  method 545  
    types I, II and III 540  
    Voigt model 544  
Strain broadening 256, 293  
    anisotropic 259  
Strain pole distribution function 542  
Strain/stress orientation distribution function 541, 547–549, 576  
Strain tensor 594, 613  
Strain-to-stress conversion 613  
Stress 140, 538  
    calculation of 144  
    data-collection strategies 143  
    data integration 143  
    equations for different stress states 142  
    fundamental equations 141  
    Hill average model 545  
    in ceramics 817



## SUBJECT INDEX

- Stress (*continued*)  
 in thin layers 593  
 Kroner model 545  
 macroscopic 541–542  
 neutron diffraction under uniaxial stress 98  
 peak evaluation 143  
 Reuss model 544  
 $\sin^2 \Psi$  method 545  
 Voigt model 544
- Stress gradients 594  
 Stress mapping 607  
 Stress-strain relations 140  
 Strip detectors 175  
 Strip heaters 152  
 Stroboscopic experiments 92, 174, 176  
 Strong reflections in structure determination 396  
 Strontium sulfate,  $\text{SrSO}_4$  389  
 Structure determination 386  
 bond lengths and angles 434  
 charge flipping 389  
 computational methods 434  
 crystal-chemistry guided algorithms 445  
 direct methods 387–388  
 direct-space methods 442  
 framework structures 388  
 genetic algorithms 444  
 glass-ceramics 830  
 global optimization 390  
 information from solid-state NMR 437  
 inorganic compounds 442  
 isomorphous replacement 389  
 local minimization 391  
 maximum-entropy methods 389, 483  
 maximum-likelihood methods 391  
 model building 390  
 molecular replacement 390  
 non-molecular compounds 442  
 organic pigments 837  
 Patterson method 388  
 pharmaceuticals 769  
 proteins 726  
 quality of powder-diffraction data 445  
 real-space methods 414  
 reciprocal-space methods 395  
 resonant-scattering methods 388  
 reverse Monte Carlo algorithms 444  
 software 406  
 strong reflections 396  
 topology-guided algorithms 445  
 trial-and-error methods 386  
 use of hydrogen bonding 390  
 use of molecular envelopes 390  
 use of molecular symmetry 390  
 use of prior information 391  
 use of synchrotron radiation 387  
 using model fragments 434  
 using Pawley or Le Bail methods 283, 286  
 using supplementary information 433  
 weak reflections 401–402  
 zeolites 391, 452
- Structure-directing agents 459  
 Structure envelope 457  
 Structure factors 395  
 extrapolated 389  
 for neutron diffraction 70, 254  
 magnetic 254  
 normalized 396  
 normalized residuals of 485  
 unitary 403
- Structure invariants 397  
 Structure-optimization techniques 404  
 Structure-property relationships, in organic pigments 835  
 Structure refinement, proteins 729  
 Structure validation 447, 489  
 proteins 508  
 Substructure reflections 399  
 Successive dichotomy indexing method 274  
 Sucrose lyophilizate 627  
 Sulfathiazole 342  
 Sulfobelite cements 855  
 Superconducting magnets 183
- Superconductors 868  
 alloys 868  
 borocarbides 869  
 ceramics 807, 821  
 elements 868  
 heavy-fermion 870  
 intermetallics 868  
 iron-based 869, 874  
 lanthanum barium copper oxide 873  
 layered structures 875  
 magnetic 870, 878–879  
 neodymium cerium copper oxide 874  
 oxygen stoichiometry in 874  
 properties of 868  
 structural transformations in 876  
 thin films 592  
 transition-metal oxides 868  
 types I and II 868  
 yttrium barium copper oxide 821, 873, 876
- SUPERFLIP* 406–407, 457  
 Superlattices, reflectivity of 596  
 Supermirrors 80  
 Superspace crystallography 486  
 Superstructure reflections 399  
 Surface roughness 209, 211, 258, 595  
*SVD-Index* 278  
 Symmetric figure of merit 272  
 Symmetrized harmonics method 400  
 Symmetry  
 in multigrain crystallography 613  
 molecular 390  
 pseudotranslational 399  
 use of, in pole-figure interpolation 139  
 Symmetry minimum function 388, 401  
 Synchrotron radiation 51  
 advantages for structure determination 387  
 diffractometers for 56  
 for high-pressure studies 163  
 for quantitative phase analysis 376  
 for small-angle scattering 692  
 for studying cements 863  
 for wide-angle scattering 692  
 in art and archaeology 760, 763  
*in situ* studies 752  
 instrumentation for proteins 720  
 optics 54  
 polarization 60  
 sample heating 61  
 stroboscopic experiments 174  
 studies of minerals using 886  
 thin films 588, 590, 596  
 tuning 54  
 use in bauxite analysis 783  
 use in multigrain crystallography 602  
 use in pair distribution function analysis 660
- T* ramping 445  
 Tangent formula 398  
 Tartaric acid 747  
 Temperature accuracy 155  
 Temperature controllers 150  
 Temperature gradients 150  
 Temperature-resolved studies 150  
 Terbium manganate,  $\text{TbMn}_2\text{O}_5$  185  
 Terbium stannate,  $\text{Tb}_2\text{Sn}_2\text{O}_7$  185  
 Tetrahedral tilting 888  
*TexPat* 110, 115  
 Textiles 740  
 Texture 260, 540, 542, 555  
 cyclic fibre 565  
 cyclic planar 565  
 fibre 110, 565, 590  
 in thin films 590  
 layer 590  
 planar 565  
 random 564  
 single-component 558  
 three-dimensional 565
- Texture analysis 136  
 data collection 138  
 data processing 138  
 entropy-maximization method 560  
 exponential-harmonics method 561  
 fundamental equations 137
- Texture analysis (*continued*)  
 in art and archaeology 762  
 in ceramics 818  
 magnetic quantitative 567  
 positivity method 561  
 quantitative 555  
 using electron diffraction 110  
 vector method 560
- Texture components 570  
 Texture distribution function 593  
 Texture entropy 564  
 Texture factors 590  
 Texture gradients 592  
 Texture index 564, 591  
 Texture strength 564, 591  
 Thermal batteries 756  
 Thermal diffuse scattering 18, 691  
 Thermal expansion 155  
 Thermal neutrons 66, 72  
 Thermoelectric effect 809  
 Theta zero angle 230, 232–233  
 Thickness factor 582  
 Thin films 581, 673, 680  
 data collection 119  
 phase inhomogeneities in 584  
 scattering-vector technique 588, 594  
 texture in 590
- Thin layers, stress and strain 593  
 Three-dimensional grain mapping 601, 608  
 Three-dimensional texture 565  
 Three-dimensional X-ray diffraction microscopy 601  
 Through-the-bag analysis 745  
 Time-of-flight neutron diffraction 74, 465  
 diffractometers 85, 254  
 frame overlap 75  
 Time-resolved experiments 63, 150, 189, 885  
 using electron diffraction 103
- Titanium oxide 586  
 Titanium silicon carbide 820  
*TOPAS*  
 fundamental-parameters approach 224, 240  
 peak shapes in 247  
 pharmaceuticals 762  
 preferred orientation 571  
 proteins 726  
 simulated annealing 426  
 whole powder pattern modelling 297, 368
- Topographs indexing method 275  
 Topology-guided algorithms 445  
 Toroidal anvils 158  
 Torsion angles 500  
 constraints 436  
 Total external reflection 588  
 Total scattering 2, 16, 649, 681  
 structure function 16
- Toxicology 738  
 Transfer matrix 596  
 Transfocators 56  
 Transformation matrix 123  
 Transition temperature, determination of 155  
 Transmission electron microscopy 105, 457  
 Transmission sample holders 213  
 Tremolite 889  
*TREOR90* 276  
 Trial-and-error methods 386  
 Tricalcium aluminate 856  
 Triplet invariants 397  
 Tube tails 229  
 Tuning of synchrotron radiation 54  
 Turbostratic disorder 359, 575  
 Turkey egg-white lysozyme 280, 722  
 Twin mesostructures 889  
 Twinning 295  
 Two-channel MaxEnt method 477  
 Two-dimensional detectors 8, 59, 125, 175, *see also*  
 area detectors  
 spatial resolution of 127  
 Two-dimensional diffraction 118  
 phase identification 133  
 Two-theta integration 130  
 Two-theta zero angle 230, 232–233  
 Type-I, -II and -III strain 540  
 Type-I and -II superconductors 868

## SUBJECT INDEX

- Ultra-small-angle scattering 677  
   instrumentation 678  
 Uncertainty, instrumental 235  
 Undulators 53  
 Unit quaternions 611  
 Unitary structure factors 403  
 Uranium 551  
 Urate oxidase 724  
 User facilities 51, 67, 156
- Vacuum equipment for high-temperature studies 151  
 Valence-only MaxEnt method 477  
 Vanadyl pyrophosphate, (VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> 310, 850  
 Vector method of texture analysis 560  
 Vent-gas oxidation catalyst 851  
 Verapamil hydrochloride 437  
 Vertical collimation 53  
 Voigt model for stress/strain determination 544  
 Voigt peak-shape function 240, 256, 264  
 von Mises distribution 400
- Warren–Averbach method 289, 543  
 Wavelength, choice of 51, 61, 374  
 Weak reflections in structure determination 401–402  
 Weighted least-squares refinement 405  
 Weighted profile *R* factor 468, 489  
 Weighted Rietveld plot 492  
 Weighted-strain orientation distribution function 576  
 Weights 405, 465, 469, 489  
   static 485
- Whole powder pattern modelling 2, 282, 288, 290, 770  
 Wide-angle scattering 673, 681  
   shape effects 683  
 Wigglers 53  
*WILDFIRE* 359  
 Williamson–Hall plot 288, 543  
 Wilson method 396  
 WIMV method of texture analysis 560  
 Wind power 753  
 Wine diamonds 747  
*WinPLOTR* 115, 278–279  
*WinPSSP* 426  
 Wollastonite 209  
 WRIP20 figure of merit 272
- X-CELL* 278  
*XLENS* 388, 406, 456  
 X-ray absorption spectroscopy, in art and archaeology 762  
 X-ray diffraction computed tomography 195  
 X-ray diffraction microtomography 764  
 X-ray free-electron lasers 197, 731  
 X-ray optics 39, 224  
   for non-crystalline materials 623  
   for two-dimensional diffraction 125  
 X-ray radiography 31  
 X-ray reflectivity 594, 690  
   specular 577  
 X-ray sources 37  
   fixed-target 38  
   for two-dimensional diffraction 125  
   free-electron lasers 197, 731
- X-ray sources (*continued*)  
   liquid-metal-jet 39  
   microfocus 38  
   performance of 39  
   rotating-target 39  
   synchrotrons 51
- Young's modulus 824  
 Yttria-stabilized zirconia 823  
 Yttrium barium copper oxide 821, 873, 876  
 Yttrium manganate, YMn<sub>2</sub>O<sub>5</sub> 185
- Z-matrix formalism 417, 434  
*ZEFSA II* 452, 455  
 Zeolites 452, 752, 887  
   catalysts 846  
   template burning 191  
   zeolite IM-5 390  
 Zeolitic membranes 887  
 Zernike–Prins correlation functions 652  
 Zernike–Van Cittert theorem 105  
 Zero-background holders 742–743  
 Zero-point correction 467  
 Zinc, quantification in bauxite 785  
 Zinc oxide 376, 592  
 Zirconia 812–813  
   alumina-toughened 823  
   degradation of 823  
   thin films 819  
   transformation toughening 822  
   yttria-stabilized 823  
 Zirconium phosphate framework structure 407  
 Zone-indexing strategy 273